

Relpol



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Relpol** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Relpol T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
MT-W-17S-11-9240-M	RELPOL timing relay (RoHS-compliant) MT-W-17S-11-9240-M Range: 0.1s ... 99h59min59.9s; 10A 250V AC (24V DC), SPDT; Input: 12 ... 240V AC / DC; DIN
RM96-3011-35-1012 (old abbreviation RM96P-12-W)	
2613513	
2NA/2NC BASED PI MODEL	
5011700017	
592035	
600020	
600335	
600336	

604615
604622
604658
611074
802171
802846
802863
804651
805701
852703
856048
857436
858826
859340
859360
860396
860400
860402
860406
860411
860412
860612
860621
860622
860628
860673
860674
860685
860934
860940

862594
863456
863802
GUC11S-V0
GZM4
GZMB4
GZMB4-0040
GZT80-GRAY
M32R
M93G
MR-ET1P
OD150618A000000
OE150009
PI6-OC-24VAC/DV
PI6W-1246
PI84-024DC-00LD
PI85-24DC-M32G
PIR6W-1P 24VAC/DC
pir6wt-1z-230vac-r
PZ11
R15-1014-23-1024
R15-1014-23-1220
R15-1014-23-3024
R15-1014-23-3230
R15-1014-23-3230; 230V AC, 4C/O
R15-1014-23-4250
R15-2012-23-5240-WT
R15-2013-23-1220-WT
R15-2013-23-5230-WT, 3CO, 10A(250VAC), 230VAC
R152013235230WTL

R15-2013-23-5240-WT
R15-2013-3230 WT
R15-2014-23-1110-K
R15-2014-23-1110-KLD
R15-2313-23-1220-WTLD
R15-3014-23-1048-KLD
R15-WK
R2-2012-23-1024-WT
R2N-2012-23-5024-WT (1 pack, 1x10 pcs)
R3-2013-23-5024-WT
R3N-2013-23-5230-WT
R4-2014-23-5024-WTL
R4-2014-23-5220
R4-2014-23-5230-WT
R4-2014-23-5240-WTL
R4N-2014-23-1012-WTLD
R4N-2014-23-1024-WT
R4N2014231024WTL
R4N-2014-23-1024-WTLD
R4N-2014-23-1024-WTLD 7A,4CO, 24VDC
R4N-2014-23-1220-WT
R4N2014231220WTLD
R4N-2014-23-5024-WTL
R4N-2014-23-5230-WT
R4N-2014-23-5230-WTL
R4N-2014-23-5230-WTL(with pad)
RC M53
RG25-1022-28-1
RM84

RM84-2012-35-5220	
RM84-2012-25-5230-01	
RM84-2012-35-1024	Min Power Relay (RoHS Compliant) 2 changeover contacts, 8A / 250VAC, contact material AgNi, protection class IP67, coil 24V DC
RM85-2011-35-1006	
RM85-2011-35-1024	
RM85-2021-25-1006	
RM85-2021-25-1024	
RM85-3011-35-1024	
RM85-3011-35-5230	
RM96-3011-35-1024	
RPR4N2014231024WT	
RPR4N2014235230WT	
RPTR4E2014235230	
RSR30-D24-D1-02-040-1	
RSR40-D24-D1-02-040-1	
RU400 220 V.DC. 4CO OEM	
RU400-1014-28-1220	
RUC-2022-4A-5230	
T-R4E-2014-23-5024	
T-R4E-2014-23-5230	
TR4N-24AC/DC-14-M	
RM84-2012-25-5230 - 6A 230VAC	
RM84-2012-25-1024 - 8A 24VDC	
GZT80-GRAY	
GZT80-0040	
GZT80-0035	
ZGGZ80	
R4N-2014-23-5230-WT - 6A 230VAC	
R4N-2014-23-1024-WT - 6A 24VDC	
GZT4-GRAY	

GZT4-0040	
GZT4-0035	
ZGGZ4	
115VAC 3A RM84-2012-25-5115	
R4N2014231024WTL	14PIN 24VDC 4CO 7A
RM84-2012-25-1024	2 changeover contacts, 8A / 250VAC, contact material AgNi, protection class IP40, coil 24V DC
GZT80 (Black)	DIN Rail Socket (RoHS Compliant) screw terminals; input / output separated; Connection order: NC / COM / NO; including lettering plate GZT80-0035 Without bracket (15.7mm / GZT80-0040), must be enclosed / ordered separately!
RM84-2012-35-1024	
RM96-3011-35-1012	RM96P-12-W Min. power relay (RoHS compliant) 1 changeover contact, 8A, max. switching voltage 400V AC (250V DC), contact material AgSnO, wash-tight (IP 67), coil 12V DC (660 Ohm); dimensions: 30.0x10.0x16.2mm
Rm699bv-3011-85-1024 24 DC	
RM699BV-3011-85-1024 Relpol	Min. power relay, width 5mm (RoHS compliant) SPCO, 6A / 250V AC, coil 24VDC / 170mW, washproof (IP64), contact material AgSnO, -40...+85°C
860619	
Gz14u	
2613506	
Zggz80-1	
Relpol Relais R4n-2014-23-1024 Wtlđ	
Rm96-3211-35-1024	
R3-2013-23-1024-Wt 24vdc 3no/Nc 10a	
R15-2013-23-2240-Wtlv	
860409	
R152013235230wtl Steck-	
R4-2014-23-1024-Wt	
604651	
2613514	
Mt-Pi-17s-12-1024 Relais	

[Rm84-2012-35-1012 Relais Miniatur-
Rm84](#)

[Rm84-2012-35-1012](#)

[611112](#)

[Gzt4grey](#)

[Rm84-2012-35-5230](#)

[857408](#)

[R15-2013-23-5230-Wt](#)

[M41g/R](#)

[2002633](#)

[2613925](#)

[Pi85-24dc-M32g](#)

[852353 Gzt4-0035](#)

[Rsr30-D24-D1-02-04](#)

[861162](#)

[2600912](#)

[R4-2014-23-5240 Wtl](#)

[802197](#)

[Gzt4-Grey](#)

[R4-2014-23-5115-Wt](#)

[R4n2014231220wtld Steck-](#)

[R4-2014-23-1220-Wt Relais Miniatur-R4](#)

[852358](#)

[Ld M41 Green Diod 6/24v Dc Reverse
Diode To Protect The Coil From Tipping
Voltage](#)

[Ruc-2022-4a-5230 Relais 230v 50/60hz
1134](#)

[Guc11 Relpol S.Adin Rail Screw Terminal
Socket11-Pol. Plug-In Socket For Ruc /
Ruc-M; Grey](#)

[802874](#)

[R15, 3 C/O, 220v Dc](#)

R15, 3 C/O, 230v Ac.
R15-1014-23-1024-Kld 24vdc
Gzt80
R4-2014-23-5230-Wtl
C2-A40 Bx Relais 24v
R4-2014-23-1024-Wtl
Guc11
R15-2013-23-1024-Wt
Ruc-1013-26-5230
Gzt80 0040
Industrie-Relais R2-2012-23-5220-Wt
R4n-2014-23-5230-Wtl Relais
Es50
Ruc-1013-26-1024 Relais
Gz80
R15-1014-23-3230; 230v ?C, 4c/O 14pin
R4n2014231024wtld Relais 24v
R20-3022-96-5024
854016
860414
Ld M32g
856050 Klemmleiste Kontakt Relpol Gzt4-Szare
Gzt4
R15-1014-23-3024-Kl 24vac
860581
Gzt4 0040 S
R15-2012-23-5120-Wt
Rpr4n2014231024wt Relpol R4n-2014-23-1024-Wtindustrial Relay
R 15-1014-23-3230 24 Volt Dc
Pi6w-1246

2na/2nc Based Pi Model
R3n-2013-23-5230-Wt Relpol Relais R3-2013-23-5230-Wt
624615
R15-1014-23-3230-Kl
Gzm4grey
Clip-Ejektor Gzt4-0040
Res Lr86957
R4-2014-23-5230 Relaisr4n-2014-23-5230-Wtl 7a 4so 230v 50hz Mech.
856050 Sockel Gzt4 Zu Den Relaisr4, R4n, T-R4 Aufdin35 Schienenmontage
R15-1014-23-1024; 24v Dc, 4c/O
856049
Zg20
860413
R4n2014231024wtl Steck-
852701
592027
Gzt80-0040
Ruc-1013-26-1024
Pir153-230??-???
617882
856050
Pi-50be
860411 Das Relais Zwischen24 V Dc
Pir153-220??-???
Gz140737
R4-2014-23-5024-Wt
R15-1014-23-3230; 230v ?C, 4c/O
Type : Gzm4

862593
R4-2014-23-1024-Wt, 24v Dc
2na 2nc Based Pi Model
Rm699bv-3011-85-1024
R15-1014-23-3024; 24v Ac, 4c/O
854686
R4n2014235230wt Steck-
Pir152-230ac-00t
R2-2012-23-5024-Wt
Gzt4-0040 S
Base Gzm4 For Relay R4
R4-2014-23-5230-Wtld
R15-1014-23-1220; 220v Dc, 4c/O
Pz8
R15-1014-23-1220-Kld 220vdc
R15-2012-3-1012-Wtl
Need-230ac-01-08-4r
Relais R-4n-2014-23-5220wtl