

Resatron



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Resatron Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Resatron Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Rsf 58 Pn 29-3-B-V6-Ds	02.14.29321255 Absolute encoder, Profinet, Total resolution 29 bit, 13 bit (8,192 S / U singleturn), 16 bit (65,536 U multiturn), binary code, UB 10 ... 30 VDC, 6 mm shaft, servo flange, Operating hours counter and temperature measurement, Bus cover with 3 x M12 connector: 1 x M12 plug 4 pol. (Pin, A coded) 2 x M12 plug 4 pol. (Socket, D coded) "GSDML file" Customs tariff number: 90 31 80 20 Weight approx .: 650 g country of origin: Germany
Rsf 58 Pn 29-3-B-W1n-Ds-F2	02.14.26231001 Absolute encoder, Profinet, Total resolution 29 bit, 13 bit (8,192 S / U singleturn), 16 bit (65,536 U multiturn), binary code, with two additional incremental tracks 2,048 I / U, Push-pull, UB 10 ... 30 VDC, 10 mm shaft, Clamping flange, hour meter and Temperature measurement, bus cover with 3 x M12 connector: 1 x M12 plug 4 pol. (Pin, A coded) 2 x M12 plug 4 pol. (Socket, D coded) "GSDML file" Customs tariff number: 90 31 80 20 Weight approx .: 650 g country of origin: Germany
RSH 58 M-13+12-G-3-2-SS	02.30.2513321 absolute encoder, Total resolution 25 bit, 13 bit (8,192 S / U singleturn), 12 bit (4.096 U multiturn), Gray code, SSI, UB 10 ... 30 VDC, 12 mm hollow shaft with clamping ring on the housing side and pin, 12-pin connector radial. Customs tariff number: 90 31 80 20 Weight approx .: 400 g country of origin: Germany
Intermediate flange RSH 58 - RSH 75	04.07.7558 Customs tariff number: 90 31 90 00
02.05.25134195	
02.06.25136400	
02.07.18134150	
02.12.25231450, RSP02- 58 13+12-3-B-W1-DS	
02.12.25323 19 + 04.10.091029	

02.14.29321255	
02.30.2513321	
02.30.25133230	
02.40.29233100	
02.40.293200	
04.05.01411661	
04.07.7558	
05.02.00302102	
05.02.00304105	
59-18+01-G-3-W1-K	
Montage Seilzug Geber	
RS KA 21	
RSF 58 P 26 3 B W1N DS4 F2	
RSF-58 PN29-3-B-W1N-DS-F2	
RSG 10 M 13+12-G-3-V1-SS-H	
RSG 10 P02 13+12-3-B-V1-DS	
RSH58M-13-12-G-3-2-SS	
RSN 58 12+12-P-3-V6-KS	
RSP02 58-PROFIBUS DP	
RSW 10	
RSE 59-18-3-P-W1-DS8	02.0629134185 absolute angle encoder, 262,144 S/U (18 bit), PC programmable, SSI, UB 10...30 VDC, 10 mm shaft, clamping flange, bus cover with 2 x M12 plugs, 5-pin. and 8-pin.
RSM 58-13+12-G-3-W1-KS	02.05.25134100 absolute angle encoder, Total resolution 25 bits, 13 bits (8,192 S/U singleturn), 12 bits (4,096 U multiturn), Gray code, SSI, UB 10...30 VDC, 10 mm shaft, clamping flange, 1 m cable radial.
02.14.26231001	RSF 58 PN 29-3-B-W1N-DS-F2 Absolute angle encoder, Profinet, Total resolution 29 bit, 13 bit (8,192 S/U singleturn), 16 bit (65,536 U multiturn), binary code, with two additional incremental tracks 2,048 I/U, Push-pull, UB 10...30 VDC, 10 mm shaft, Clamping flange, operating hours counter and Temperature measurement, bus cover with 3 x M12 connectors: 1 x M12 connector 4 pin. (Pin, A coded) 2 x M12 connector 4 pin. (socket, D coded) "GSDML file"
	02.14.26231001 Absolut angle encoder, Profinet, total

RSF 58 PN 29-3-B-W1N-DS-F2	resolution 29 bits, 13 bits (8,192 S/U single-turn), 16 bits (65,536 U multi-turn), binary code, with two additional incremental tracks 2,048 I/U, push-pull, UB 10...30 VDC, 10 mm shaft, clamping flange, operating hours counter and temperature measurement, bus cover with 3 x M12 connector: 1 x M12 connector 4-pin (pin, A coded) 2 x M12 connector 4-pin (socket, D coded) "GSDML file"
Rs-Dt-E-P-S-K-E-S010t-N Position Sensor Bereich Von 10-15 Mm,	
Rsp02-58 13+12-3-B-W1-Ds-V	
02.12.25231455	
02.12.25231150	
Rs St 1	
Rsf 58 P 29-3-B-V6-Ds	
Rsf 58 P 26-3-B-W1n-Ds4-F2 (02.12.26231981)	
Rs-Dt-E-P-S-K-E-S0105-M	
04.09.02104031, Rs Ka 21 - St 4 - 30 - Rsm 58	
02.12.25231150 Rsp02- 58 13+12-3-B-V6-Dsabsolut-Winkelcodierer, Profibus Dp,	
02.05.25131400 Rsm 58-13+12-G-3-W1-Ssabsoluter Winkelcodierer	
02 01 241334000	
04.05.01411615 Rs Bsk 41 16 15	
Rska21	
Rsw-15	
04.07.7558 Zwischenflansch Rsh 58 - Rsh 75	
Rsbsk411615	
Rsm58-13-12-G-3-W1	
Rsbsk411616 Kupplung Spiral	
Rsc 58-13+12-P-3-V6-Us Endlosregler	
Rsc58-13+12-P-3-W1-Us	
Rsp02 58?Profibus Dp	
04.05.01411610 Rs Bsk 41 16 10	

Rsg10p02 - Profibus Dp
Rsbsk411611 Kupplung Spiral
Rs Gel 500s 10 10
04.10.12102001
Rsw15 Drive Unit
Rsm 58-13-12-G-3-W1-Sst
Rsh58m-13+12-G-3-2-Ss Encoder
02.01.241334000
03.01.00103002
Rsp02-58
Rsg 10 Fen 29-3-B-V1-Ds
Rsp02 58-13+12-3-B-V6-Ds - Absolut Winkdelcodierer
Rsp0258133bw1dsf1
Rsm 58-13-12-G-3-W1-Sst Transfer Sensor
03 01 00103002
Rsm 59-18+01-G-3-W1-Ks
Gsx-101-5bm-G24c
Rs 98 Ex-M 13+12-G-3-Ks
Rs-Dt-E-P-S-K-E-S010t-N Sensor10 -15 Mm
04.05.01411615
Rsm 58-13+12-G-3-W1-Ss
Rsh 75m 13+12-G-3-2-Ss Rsh 75m Sensor
Rs Gel 500s - 10/10
Rs-Dt-E-P-S-K-E-S010t-N Sensor 10-15 Mm
02.05.25131400, Rsm 58-13+12-G-3-W1-Ss
02.41.2530302100 Rsh 75 I 13 + 12 - 30 - 3 - C
02.12.25231450

Rsf 58 P 29-3-B-W 1-Ds 02.12.29231100
Rsp02 58
Rshf 75 P-29-3-B-3-3-Ds Rotations- Kodierer 29 Bit 8.192 S/T X 65.536 T/14mm/Profibus Dp/10...30vdc
Rs-Dt-E-P-S-K-E-S0105-M Sensor 10- 15mm
Rs Bsk 41 30 12
Rst 59-18-01-G-3-W 1-Ks Endlosregler
Rsm 58-13+12-G-3-W 1-Sst Transfer Sensor
Rsbsk411610
Rsm 58-13+12-G-3-W 1-Ks
02 12 25231459
Rse 59-18-3-P-V6-Ds8
Rsb58c 13+12-3-4-Can-W 1n-Ds4 F2
Rse 59 18 3 P V6 Ds8
Rse 59 18 3 P W 1 Ds 8
Rsb58c 13+12-3-4-Can-W 1n-Ds4
Rsg 10 Fen 29-3-V1-Ds 02.22.29313300
Rsh58m-13-12-G-3-2-Ss Encoder
Rsf 58 P 26-3-B-W 1n-Ds4-F2
Rsg10r1200-Y-3-G-V1-Ss
Rsc 58-13+12-P-3-V6-Us
Absolute multi-turn angle encoder, 02.06.25136400 Multi- turn, total resolution 25 bits, 13 bits (8,192 S / U singleturn) 12 bits (4,096 U multiturn) Code Gray / Binary, SSI, UB 10 ... 30VDC, 6mm wellw, Servo flange, 16 pol. Plug radial, PC programmable
Rsf58p26 3-B
Rs-Dt-E-P-S-K-E-S010t-N
04.05.01411610
02.30.2513321 Rsh 58 M-13+12-G-3-2- Ss 5,00 -51,90absoluter Winkelcodierer
02.12.25231459

02.05.25131400
D41751
Rsm 58-12+12-G-3-V6-Ss-F
Rsf 58 P 26 3-B-W1
Rsst4
Rsp02- 58 13+12-3-B-V6-Ds
Rst 59-18+01-G-3-V1-Ss
Rsp02 58-13-12-3-B-V6-Ds Endlosregler
Rsp02- 58 13+12-3-B-W1-0s-F2 02.12.25231455
Rse 59-18-3-P-W1-Ds-8
Rs St 5
02.12.26231981