


Rickmeier



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Rickmeier Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Rickmeier Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
R45/125 FL-Z-Db16-W-Sae2.1/2-R	330227-0 Gear pump as supplied under 512544 Sequence number: 1-1 Customer 1 Net weight: 18.50 kg / each Customs tariff number: 84136031
6970584181	OIL SYSTEM FOR COMPRESSOR
MODEL: KC080A40A42-21	FLEXIBLE COUPLING ,
GEAR PUMP CLOCKWISE ,	6 BAR , MAX FLOW: 358 L/MIN , SEAL: NBR , 1470 RPM , VISCOSITY: 240 MM ² , MODEL: R65/250 FL-Z ,
PRESSURE RELIEF VALVE	RSNE1/2
R35/25 FL-Z-DB-SO332559-4	
R2-2/24-5 MD-Z-W-G1/2-R	
Pump gear oil with seal FPM Type:R25/6.3 FL-Z-R	Dwg.No:FZ 0-7822-418471//0 Pos.No:1.1 Q:4.8 l/min P:10 bar n:920 /min For Oil supply system of RM Drive Asset Code:3F1.RM01 Manufacture: RICKMEIER Mate.no.80002293
Valve pressure relief Type:RSN1/2-SO FPM	Dwg.No:406059 Pos.No:4.6 Material No:11854820 for RICKMEIER OIL SUPPLY UNIT of RM Drive
340120-5	RSNE1 SO Pressure relief valve as delivered under 5036809 according to the attached data sheet 243319 Consecutive number: 1-2 Customer 1 Net weight: 3.80kg / piece Customs tariff number: 84814010
R45/80FL-Z-W-SAE-R (HLPT208DMLG4G4B0)	
R65/315FL-Z-W-R-SO	
466196	SPARE PARTS SET R65 / 400 ... 630 FL-Z-NBR-P10 according to drawing RZ3-2803-401579 // 1 Position: 1,2,6,7,8,9,13,14,15 + 16 Net weight: 0.59kg / piece Customs tariff number: 84139100
466256	Wheel set R65 / 630 Z Position: 3 + 4 Net weight: 15.50 kg / piece Customs tariff number: 84139100 =====
	Recommended spare parts for gear pump R65 / 500 FL-Z, according to Rickmeier Item No. 330033-2, as supplied under 5024771

466196	SPARE PARTS SET R65 / 400 ... 630 FL-Z-NBR-P10 according to drawing RZ3-2803-401579 // 1 Position: 1,2,6,7,8,9,13,14,15 + 16 Net weight: 0.59kg / piece Customs tariff number: 84139100
466255	Wheel set R65 / 500 Z according to drawing RZ3-2803-401579 // 1 Position: 3 + 4 Net weight: 13.10kg / piece
R65/630 FL-Z-W-SAE4-R (330034)	Gear pump R65 / 630 FL-Z-W-SAE4-R as delivered under 5024771 - free shaft end - Serial number: 1-1 Customer 1 Net weight: 49.00 kg / piece Customs tariff number: 84136031
R65/500 FL-Z-W-SAE4-R (330033)	Gear pump R65 / 500 FL-Z-W-SAE4-R as delivered under 5024771 - free shaft end - Customer 1 Serial number: 1-1 Customer 1 Net weight: 48.00 kg / piece Customs tariff number: 84136031
R65/250 FL-Z	
R35/50 FL-Z-W-SAE2-R-SO	330103-3 Gear pump however only the pump with free Shaft end (without motor) according to the attached data sheet 249000 Serial number: 1-1 Customer 1 Net weight: 9.10kg / piece Customs tariff number: 84136031
DB9 B-P40-SAE(4)-BII-SCN	
R46/160 FL-Z-W-SAE2.1/2-R	GEAR PUMP 1: 1 replacement for our former Material number 330028-2, position 10 according to TD 0-5350-446599 according to the attached data sheet 250934 Serial number: 1-1 Customer 1 Delivery time after receipt of order: approx. 8 weeks, departing from Rickmeier GmbH Net weight: 15.00 kg / piece Customs tariff number: 84136031
466192	SPARE PARTS SET R45 / 125 ... 200 FL-Z-NBR-P10 according to drawing RZ3-2803-401579 // 1 Position: 1,2,6,7,8,9,13,14,15 + 16 suitable for Gear pump R45 / 160 FL-Z-W-SAE2.1 / 2-R, 330028-2
466250	Wheel set R45 / 160 Z according to drawing RZ3-2803-401579 // 1 Position: 3 + 4 suitable for Gear pump R45 / 160 FL-Z-W-SAE2.1 / 2-R, 330028-2 Delivery time after receipt of order: approx. 2 weeks, departing from Rickmeier GmbH Net weight: 4.24kg / piece
R25/10 FL-DBI-G	Pump unit as delivered under 510501 however the current version according to the attached data sheet 251811 Current number Article no. : 8069-3250-340 : 1-1 Customer 1 Net weight: 17.40 kg / piece
R35/40 FL-Z-DB4-W-SAE1.1/2-R-SO	330492-0 Gear pump as delivered under 570608 - free shaft end - ***** according to the attached data sheet 251863 Serial number: 1-1 Customer 1 Net weight: 9.00 kg / piece Customs tariff number: 84136031
R45/160 FL-Z	
R45/100 FL-Z	
000000	
1.0095G25-A00-00B	
1.0095G25-A00-00B 1,5-S0P00	
1.0095G25-A00-00-M	
1.0145 G40-000-0P	

1000.406.10.B.P
115
1221 3951
1440U
161859-4
166772-4
166773-2
166776-5
166804-5
166805-2
166805-2 / R25/16
166886-2
166890-4
166931-6
166932-4
167225-2
167826-7
168028-9
174219-6
176700-3
182004-2
182004-2_E
182010-9_E
188168-9
188174-7
188174-7 / R25
188218-2
18900-4
18901-4
2.0004G25-AE0-0V
2.04.5.110.210
20-63383

[20901-4](#)

[21003674](#)

[24-47194](#)

[24-47194 \(340173-4\)](#)

[24-72321-09,340048-8](#)

[25/12.5](#)

[251965-0](#)

[251988-2](#)

[253821-3](#)

[254542-4](#)

[254686-9](#)

[258248-4](#)

[258374-8](#)

[258374-8 / WP-N8-1515-01-
66,4X1,78-FKM75 \(2-038\) FKM75](#)

[259216-0](#)

[259279-8](#)

[259283-0](#)

[259602-1](#)

[259649-2](#)

[259654-2](#)

[260510-3](#)

[262771-9](#)

[262792-5](#)

[262795-8](#)

[262830-3](#)

[262875-8](#)

[284023-9](#)

[284027-0](#)

[284062](#)

[284062-7](#)

[284070-0](#)

284376-1
320020-1
320039-1
320067-2
320071-4
320152-2
320256-1
320269-4
320793-3
324
330009-2
330021-7
330022-5
330025-8
330029-0
330030-8
330033-2
330083-7
330084-5
330088-6
330089-4
330101-7
330103-3
330129-8
330168-6
330203-1
330205-6
330207-2
330208-0
330224-7
330225-4
330226-2

330227-0
330228-8
330231-2
330231-2 R65/315 FL-Z-DB16-W- SAE3-R
330248-6
330264-3
330478-9
330514-1
330517-4
330530-7
330541-4
330541-4 / R65/315 FL-Z-DB16-W- SAE3-R-SO
332559-4
332559-4,
332559-4, R35/25 FL-Z-DB16-W- SAE1.1/2-R-SO
333358-0
333719-3
333751-6
333833-2
333851-4
340052-0
340066-0
340066-0 RSNE2
340090-0
340096-7
340225-2
340239-3
350024-6
3760-AS30X40X7-NBR
3771-148,
3771-148. 82 X 3.53 NBR 70

3771A-66,
404395
405042
407042
407042, R4,0/35 FL-Z-UNI-SO
407234
407235
407245
407409
408386
408613
408727
409379
40LD0003G25-AE0-08B4
40LD0003G25-AE0-08B4.2
4103
411179
411560
411560, R65/400 FL-Z-DB40-SAE4-L-SO
412196
412594
412941
413202
414016
414016 R25/16 FL-Z-DB16-W-G1-R-SO
414324
416466
416813
417027
417523
419368

[419623](#)

[421225](#)

[426130](#)

[429428](#)

[434416](#)

[434858](#)

[435283](#)

[436398](#)

[437671](#)

[437672](#)

[440263](#)

[440263 / DIN 3760-AS16X28X7-FKM
FKM](#)

[440392](#)

[440393](#)

[442135](#)

[442135 EXTCOI](#)

[444003](#)

[447668](#)

[453491](#)

[454607](#)

[457018](#)

[457103](#)

[457104](#)

[457821](#)

[459061](#)

[459184](#)

[460878](#)

[461078](#)

[462529](#)

[462978](#)

[463956](#)

[464984](#)

466153
468556
468557
468558
468559
472-28XI,2
472-28XI,2 11 251965-0
472-60X
472-60X 2
4AP90I
4AP90I-8
5030782
544158
5AP71M-4K
5APE160M-4S-B35-FF3-00-IP55-F
630.10.VG.10.B.P
70049522
7232390
7639001/021
80002290
98608
ARE15/250/31
B1.05.08.256417
DB9
DB9-B-P40-BII-SCN
DB9-B-P40-SAE(0)-BII-SCN
DIN 3760-AS30X40X7-FKM
DIN 472?32X1,2 FEDERSTAHL PM 251968?4
EZPA2
F1.5 GW02 00P
FIG.10.G1-1/2

FIG.10.G1-1/2 284639-2
FIG.10-G1
FIG.10-G1/4
FIG.50 G1 284424-9
FIG.50 G3/4 284423-1
FL-K-DBI
FL-Z-DB-SO.
FL-Z-W-UNI-SQ-433390
KA055A20B24-11
KB095A40A48-21
KL-1520
KS12-ACN-421-L1000
KS12-ACN-421-L600
KS12-ACN-421-L900
KS12-CAN-421-L800
KS20-ACN-421-L28000
KS20-AEH-410-L2500
KS20-BCN-420
KS25-ACN-421
KS25-ACN-421-L2500
KS25-AEN-421-L2300
KS25-CAN-421
MP65.355-R65/315
MS 930 310
MV 42C-160
P/N : 10
P45/80-FL-Z
PT2SO?35.300 S235JRG2 PM 412136
R 35/40 FL-Z-DB-R
R 41/50 – FL – K – BDI – SO
R 4,5/54 FL-Z-UNI-SD165-SO
R2-1,5/12-5

R2-1,5/12-5 MO-Z-W-G1/2-R
R2-1,5/12-5+1/12-5
R2-1.5/12-5 MO , Q : 2,6 LIT/MIN , NR: 22-21297 , N : 705 1/MIN , P : 50 BAR
R2-1/12-5
R2-2.75/36 MO-Z-W-G3/4-R
R2-2.75/36 MO-Z-W-G3/4-R
R2-2/24-5
R2-2/24-5 MO
R2-2/24-5-MO-Z-W-G1/2-C
R2-2/36-5+2/24-5
R25/10 FL-Z-DB-SO
R25/10 FL-Z-W-G3/4-R-SO
R25/10FL10
R25/10FL-Z-DB
R25/12,5 F2-F
R25/12,5 FL-Z-DB16-W-G1-R-SO
R25/12,5 FL-Z-DB-SO
R25/12.5FL-Z-DB
R25/16 -25/10FL Z-DB
R25/16 FL-2-DB425476
R25/16 FL-Z-DB16-W-G1-R
R25/16+25/10
R25/16+25/10 FL-Z-W-G1+DB16- G3/4-R
R25/16+25/26
R25/16+25/26 FL-Z-W-G1+DB16-G1- R-SO
R25/16+25/4 FL-Z-W-G1+G3/4-R-SO
R25/20
R25/20 FL-2-W-R-50
R25/20 FL-M-G1-R-50
R25/20 FL-Z-DB16-W-G1-R-SO

R25/20 FL-Z-DB16-W-SAE1-R-SO
R25/20 FL-Z-DB4-W-SAE1-R-SO
R25/20 FL-Z-W-G1-R
R25/20 FU-Z-DB16-W-G1-R
R25/20FL-Z-DB16-W-G1-R
R25/3 15-Z-W 4166886-2
R25/3,15 FL-Z-DB16-W-G3/4-R
R25/6,3 FL-Z-DB2-DB
R25/8 FL-Z-DB4-W-SAE3/4-R-SO
R25-8-FL-Z
R28/38-D-MX60
R3/50 MO88-Z-W-G1-R-SO
R31/16+31/4
R31/8 FL- - SO 31/4
R31/8+31/4
R35
R35/25 FL-Z-DB16-W-SAE1.1/2-R
R35/25 FL-Z-DB6-W-SAE1.1/2-R
R35/25 FL-Z-W-SAE3/4-R
R35/25...40
R35/31,5 FL-Z-SO
R35/31,5 FL-Z-W-SAE1.1/2-R
R35/31,5 Z
R35/40/FL-Z
R35/50
R35/50 FL-Y-GLRD-SO
R35/50 FL-Z-DB-SO
R35/63FL-Z-DB16-W-SAE2-R-SO
R35/86+35/50
R35-25 FL-Z COUNTER CLOCK WISE
R35Y50
R4 0/25FL 2 UNIT SO

R4,0/55FL-Z-UNI-SO
R41/63 FL-Z-UNI
R41/80 FL-K-DBI15-W-R
R41/80 oem
R45/100 FL-Z-SAE2-L-SO
R45/100 FL-Z-W-R SAE2
R45/125 FL-Z-DB4-W-SAE2.1/2-R-SO
R45/125 FL-Z-SO
R45/125-FL-Z-DB-SO
R45/125FL-Z-VSAE201/2R-SO,
R45/125FL-Z-W-SAE2.1/2-R
R45/160 FL-Z-DB16-W-SAE2.1/2-L
R45/160 FL-Z-DB16-W-SAE2.1/2-R-SO
R45/160 FL-Z-DB-W-SAE2.1/2-R
R45/80 FL-Z-DB16-W-SAE2-R
R45/80 FL-Z-W-SAE2-R
R4580 FL-2
R65 / 250/450L / MIN 10 kg / c? GG25
R65/ 200
R65/250 FLZ
R65/250 FL-Z 330030-8
R65/250 FL-Z-DB16-W-SAE3-R
R65/250 FL-Z-DB16-W-SAE3-R-SO
R65/250 FL-Z-W-SAE3-R-SO
R65/315 FL-Z-DB16-GLRD-SAE3-R-SO
R65/315 FL-Z-W-SAE3-R
R65/400 FL-Z
R65/400 FL-Z-50
R65/400 SO
R65/400 Z-W-SO
R65/400FL-Z-W-SAE4-R
R65/500 FL-Z-W-SAE4-R
R65/500 FL-Z-W-SAE4-R (330033-2)

R65/630
R95/1120 FL-Z-W-F132GS-L-S0
RFR100-250
RFR63-16
RFR63-250
RHD 35 PL
RHD 42-PU
RHD18-PL
RHD20-PS
RHD22-PL
RHD22-PL 284007-2
RHD28-PL
RHD28-PL 284008-0
RHD42-PL
RSN1-1/2-P12-SAE-F-LCN-SO
RSNE1.1/2
RSNE1/2
RSNE1/2 340096-7PCVP02G5.002
RSNE1/2-P10-G-F-LCN-SO
RSNE1-1/2-6.7-SHE-F-LCE
RSNE2 SAE-SO
RSNE3/4-P10-G-F-LCN-SO
SNP 2/14 DC002
SNP3NN/22-R-N-06AA-P1-BB-BA
VL 10 F2
WN277- 85/390.1 946445VA155/19A 1.36.2
WN277-85/210
WN277-85/210 (MW0,070 MM)
WP?N 8?2114?PTFL300 AL PN 407780
WP-N 134
WP-N 8-1585/01 SV45X

WP-N 8-2360-KC065A28B38-11	
WP-N8-1515-03-101,27X2,62-NBR70	
WP-N8-1515-03-101,27X2,62-NBR70 (2- 155)	
WP-N8-1515-03-148	
WP-N8-2362-KZ105-2	
DRW MZ330192-6	GEAR PUMP R65/630-FL-Z-DB16-W-SAE4-L-SO
R35/31,5 FL-Z-DB-SO	pump unit 352084-8 as supplied under 5095026 according to the enclosed data sheet 254282 Consecutive number : 1-1 Net Weight: 10.00kg/pc Customs tariff number: 84136020
R4,5/45 FL-Z-D60-UNI-SO	gear pump (CENTERING D=310) according to drawing MZ 428951//1 Set of loose parts, consisting of: Item 110: 2 O-rings Item 120: 2 O-rings Item 130: 2 O-rings Item 140: 14 screws Consecutive number : 1-1 Net Weight: 33.60kg/pc
Cat CG170-20	Prelubrication Pump-Motor of GEG Pump Brand: RICKMEIER GMBH. Type:R2-2/24-5 Poe: 3.5 Bar Motor Brand: WEG Type: W22 3 71-04 IP55 INS CL. F ΔT 80 K S1 SF 1.00 AMB:40C R2-2/24-5
GEAR PUMP R12/12.5 FL-Z-DB-SO	
1 1 Gear pump 330080-3	R25/2,5 FL-Z-W-G3/4-R-SO
2 1 Three-phase motor 413085	5AP71M-4KV*U-B35-FF130-IP55-F
3 1 Bracket 259955-3	WP-N 8-2101-PT160A063-090
4 1 Claw coupling 262735-4	WP-N 8-2360-KA040B14A15-11
DIN 933-M8X22-8.8	6 4 Hexagonal head screw 250064-3
DIN 912-M8X20-8.8	7 4 Cheese-head-screw 250518-8
SPECW1045	Encoder 10mm Hollow Bore 1024PPR EMAG Encoder Series 15T 10mm Hollow Bore 1024 PPR 15T-05-FF-1024-NC-HV-R-V1-G2-ST-IP50
R3/50 M0-S0	
R95/1000 FL-Z-W-DN132-R	403075 gear pump according to the enclosed data sheet 259645 Consecutive number : 1-1 Net Weight: 88.00kg/pc Customs tariff number: 84136031
330262-7	Gear pump R35/40 FL-Z-DB16-W-SAE1.1/2-R as supplied under 5085764 according to the enclosed data sheet 260072
R95/900 FL-Z-W-DN132-R-SO	gear pump 437610 as last delivered under 5004915, but without weld-on flanges FGS132 according to the enclosed data sheet 260935
Acceptance test certificate according to EN 10204-	(pump test run + pressure test) incl. works certificate according to EN 10204-2.1 (housing and wheel shaft material) pump
R95/1000	FL-Z-W-DN132-R Q=952 dm ³ /dk P=10 bar 952 rpm
03607 /10.74	

R69/550 FLZ0	
R35/25 FL-Z-DB16-W-SAE1.1/2-R	330260-1 gear pump As supplied under 5067744 according to the enclosed data sheet 263674 Consecutive number : 1-2 customer 1 Net Weight: 8.20kg/pc Customs tariff number: 84136031
GEAR Pump,TYPE: R35/40 FL-Z-DB6-W-SAE1.1/2-L-SO	
GEAR PUMP RICKMEIER,MODEL:R65/250 FL-Z-R	
GEAR PUMP TYPE:R35/31.5 FL-Z	
Hydraulic pump Gear pressure 5 Bar	Model R35/31.5FL-Z-R
FL-DB1-G , Rickmeier R25\12.5	
R25/12,5 FL-Z-DB4-W-SAE1-R-SO	Gear pump but only the gear pump - Free shaft end according to the enclosed data sheet 264878 Consecutive number : 1-1 Net Weight: 5.80kg/pc Customs tariff number: 84136031
R45/125 FL-Z- DB/R	
R89 900	
Gear pump 330476-3 Rickmeier R25/10 FL-Z-DB-SO	Register: B/R Original catalog number: 330476-3 Product Type: GEAR PUMP Manufacturer Additional: RICKMEIER Model (designation) SPTA: R25/10 FL-Z-DB-SO
R45/80 FL-Z-W-SAE2-R-SO	330105-8 Gear pump , but only the gear pump -bare shaft endacc. to enclosed data sheet 270673 Customer 1 Consecutive : 1-1
R45/100 FL-Z-W-SAE2-R	Gear pump 330026-6 Only the gear pump -bare shaft endacc. to enclosed data sheet 272750 Consecutive : 1-1 Customer 1 Delivery time: approx. 19 weeks, outgoing Rickmeier GmbH Net weight: 14,80 kg / pc. customs tariff code: 84136031
R35/31,5 FL-Z-SO	403455 Pump unit As supplied under 503626 according to the enclosed data sheet 273471 Consecutive number : 1-1 customer 1
R65/315 FL-Z-W-SAE3-R	330031-6 gear pump as supplied under 4009512, only the pump, free shaft end
R95/1250FL-Z-R	
R35/25 FL-DBI-G	as delivered with 566228, but the current version acc. to enclosed data sheet 273923
R35/40 FL-Z-W-SAE1.1/2-R	-only the pump, free shaft end-
R25/12,5 FL-K-DB16-W-G1-R-SO	333744-1 acc. Drawing MZ 333744-1//3 as delivered with 516732 - bare shaft end- Consecutive : 1-1 Customer 1 Net weight: 7,90 kg / pc.
333744-1	
R65/200EL-Z-DB-SO	
320360-1	
R45/100FL-Z	
R35/40 FL-Z-DB	

R33/40 FL-Z-DB	
R65/200 FL-Z-DB16-W-SAE3-R-SO	Gear pump 330539-8 as delivered with 5020426, but only the gear pump -bare shaft endacc. to enclosed data sheet 277974 Consecutive : 1-1
R35/31,5 FL-Z-W-SAE1.1/2-R-P	Gear pump 473288 -only the pump, free shaft end
474569	Gear pump R25/20 FL-Z-DB16-W-G1-R-P as delivered with 23-71382, but only the gear pump, in current lead-free version acc. to enclosed data sheet 278917
340136-1	Pressure relief valve DBV40 SO as delivered with 502572 and 24-59358 Execution acc. Drawing MZ 340136-1//3 Data Sheet TD 340136-1 Setting pressure regulating valve: po = ? bar acc. to enclosed data sheet 279368 Consecutive : 1-2 Customer 1
R45/100FL-Z	
334744-0	Gear pump R95/800 FL-Z-W-DN132-R Documentation MZ334730-9 Shaft sealing simply RWDR Connection suction side DN132 Connection pressure side DN132 Direction of rotation (viewed on the drive shaft) Right Weight [kg] 84 Dimension (length/width/height) [mm] 495/240/269 Design data: * Operating data (general) www.rickmeier.de/downloads/downloads Rickmeier data sheet R5 Operating data (specific) * Pumped medium: lubricating oil ISO VG 32 Start Nominal Max. Medium inlet temperature [°C] 20 40 80 Kinematic viscosity [mm²/s] 75 32 10 Inlet pressure during operation [bar] 0 0 0 Outlet pressure [bar] 10 10 10 Speed [rpm] 1450 1450 1450 Flow rate (calculated) [dm³/min] 1143 1119 1073 Power requirement (calculated) [kW] 33.7 31.9 29.7 Recommended drive power [kW] 37.1 35.1 32.7 Materials: * Housing 5.1301 (EN-GJL-250) Gear parts 1.7139 (16MnCrS5+FP) Radial shaft seal FKM O-ring NBR Bearing bush bearing material on steel back Coating: * External coating RM standard 1005-C2 Based on ISO 12944-5/C2.07-PUR Zn(PO) Color RAL 7021 (black gray) Color base 2K polyurethane base with zinc phosphate Target layer thickness [µm] 80 Installation conditions: * Destination country --- Installation location --- Height above sea level [m] < 1000 Ambient temperature [°C] -20...60 Explosion protection -- - Remark: --- Test data (pump): * Pumping medium mineral oil HLP 22 Medium inlet temperature [°C] 30 Kinematic viscosity [mm²/s] 33 Speed [1/min] 1450 Inlet pressure during operation [bar] -0.1 Outlet pressure [bar] 10 Test pressure (hydrostatic) [bar] --- Test pressure (dynamic) [bar] --- Flow rate (calculated) [dm³/min] 1119 Flow rate (min.) [dm³/min] 1063 Flow rate (max.) [dm³/min] 1231
Gear pump	R4,5/54 FL-Z-UNI-SD165-SO acc. drwg. MZ 422226//1 Loose parts kit, consisting of: item 150: 4 pieces screw as delivered with 5014550 Consecutive : 1-5
Gear pump	R6,0/80 FL-Z-SAE2.1/2-UNI-SO as delivered with 571269 acc. to enclosed data sheet 281153 Customer 1 Consecutive : 1-8
473283	Gear pump R25/6,3 FL-Z-W-G3/4-R-P as delivered with 5069726, but the current lead-free version acc. to enclosed data sheet 281203
R35/31.5 FL-Z/5 BAR	
474050	Gear pump R45/80 FL-Z-W-SAE2-R-P as delivered with 520014, but only the gear pump, in current lead-free version acc. to enclosed data sheet 281664
472614	Gear pump R25/16 FL-Z-W-G1-R-P as delivered with 521299, but only the gear pump, in current lead-free version acc. to enclosed data

474276	the gear pump, in current lead free version acc. to enclosed data sheet 281665
R35/63 FL-Z-DB16-W-SAE2-R-P	Gear pump 474276 as delivered with 514840, but only the gear pump, in current lead-free version acc. to enclosed data sheet 282136
262792-5	Claw coupling WP-N 8-2360-KA055A20B24-11 AL/T-PUR92
Gear pump	461224 R6,0/100 FL-Z-SAE2.1/2-UNI-SO as delivered with 5083218 acc. to enclosed data sheet 282513 Consecutive : 1-1
R35/40 FL-Z-W-SAE1.1/2-R-P	Gear pump acc. to enclosed data sheet 282954
251885-0	Circlip DIN 471-60X2 SPRING STEEL
257963-9	O-ring WP-N8-1515-03-7,65X1,78-NBR70 (2-011) NBR70
258146-0	O-ring WP-N8-1515-03-94,92X2,62-NBR70 (2-154) NBR70
258258-3	O-ring WP-N8-1515-03-183,74X3,53-NBR70 (2-263) NBR70
464693	Mechanical seal L4KD060DINB10Q20VFF-U6CC KU060S0BQVFF ***Exchange for ident no. 259426-5***
R35/40 FL-Z-DB16-W-SAE1.1/2-R-P	Gear pump acc. to enclosed data sheet 282955
475212	Gear pump R25/16 FL-Z-DB16-W-SAE1-R-P as delivered with 568386, but only the ger pump, in lead-free version acc. to enclosed data sheet 284871
474065	Gear pump R25/20 FL-Z-DB16-W-G1-R-P as delivered with 22-13181, but only the gear pump, in lead-free version acc. to enclosed data sheet 285287
R45/160FL-Z-DB	R45/160FL-Z-DB 330228-8 350096B.1/1
251885-0	Circlip DIN 471-60X2 SPRING STEEL
257963-9	O-ring WP-N8-1515-03-7,65X1,78-NBR70 (2-011) NBR70
258146-0	O-ring WP-N8-1515-03-94,92X2,62-NBR70 (2-154) NBR70
258258-3	O-ring WP-N8-1515-03-183,74X3,53-NBR70 (2-263) NBR70
464693	Mechanical seal L4KD060DINB10Q20VFF-U6CC KU060S0BQVFF ***Exchange for ident no. 259426-5***
WP-N 8-1591-AX15K-060-C2S2V1G3G3	
320256-1	
FMA3/40	
320020-1	
212733	
188225	
R25/16 FL-Z-DB16-W-G1-R-P	Gear pump as supplied under 5027988, but in lead-free version according to enclosed data sheet 289736
R35/40 FL-Z-DB	

350024-6	Pump unit R2/5 FL-Z-DB-SO acc. drawing MZ 350023-8//1 (Motor and filter are not part of our supply) Loose parts kit, consisting of: item 150: 2 pieces O-ring
474040	Gear pump R45/160 FL-Z-DB16-W-SAE2.1/2-R-P as delivered with 23-46390, but only the gear pump, in lead-free version acc. to enclosed data sheet 291389 Consecutive : 1-1
R45/80 FL-Z 110L/MIN R12BAR 1460OB/MIN GEAR	R45/80 FL-Z, Q=110 L/MIN, P=12 BAR, N=1460 RPM ON THE RIGHT, MEDIUM ISO VG 460, VISCOSITY MAX. 2000 MM2/S/20?WITH, ASSEMBLED WITH FLEXIBLE COUPLING TYPE KS065A28V38-11, BRACKET PUMP MOUNTING TYPE RT300A110-155 DESIGNED TO SUPPLY OIL TO THE SMALL TANK OF THE OIL STATION MILLS TM-M-S 4.6X8.2 THYSSENKRUPP 00
R65/250 FL-Z 345L/MIN R12BAR 1465 RPM GEAR	R65/250 FL-Z, Q=345 L/MIN, P=12 BAR, N=1465 RPM ON THE RIGHT, MEDIUM ISO VG 460, VISCOSITY MAX. 2000 MM2/S/20?WITH, ASSEMBLED WITH FLEXIBLE COUPLING TYPE KS080A40V42-11, BRACKET PUMP MOUNTS TYPE PT350A160-204 DESIGNED TO SUPPLY OIL TO A LARGE OIL STATION TANK MILLS TM-M-S 4.6X8.2 THYSSENKRUPP 00
R65/315	
R45/80 FL-Z-R 3300 25-8 4005210 P.10/2	
473437	Gear pump R25/16 FL-Z-DB16-W-G1-R-P as delivered with 574502, but only the gear pump, in lead-free version acc. to enclosed data sheet 296087
R65/200 FI-Z-Db16-W-Sae3-R-So	
188178-8	
R35/63 FI-Z-Db	
R65/250 FI-Z-W-Sae3-R-So Zahnradpumpe	
R35/63 FI-Z-Db16-W-Sae2-R	
254542-4 Buchse	
330530-7 R35/25 FI-Z-Db-S0	
330028-2	
1000 406 10 B P	
Rebuild Kit For R2/5 FI-Z-Db-So	
R45/160 FI-Z-Db	
R25/20 FI-Z Pumpe	
Compression Spring For Rsn1.1/2 Sae-So	
R45/125/FI-Dbi-G	
166773 2	

258146-0	
188153-1	
320360-1	
423399	
166886 2	
440780	
Reguliertventil	
R35/63 FI-Z-Db-Glrd-So	
330027-4	
188218-2 Raedersatzr35/25 Z(Antriebsradwelle, Laufradachse Undpassfeder)	
620800	
R25/10 FI-Z-Db4-W -Sae3/4-R-So (330486-2)	
1221 3950	
R25/16 FI-Z-Db4-W-G1-R	Gear Pump 330168-6 Gear pump free shaft end as supplied under 5027988. according to enclosed data sheet 216992
11557320	
166931-6 R25/12.5 Z-W	
R45/160 FI-Z-W -Sae	
Kkn28/28-45028	
R 25/4 FI-DbI-G Replaced By R25/4 FI- Z-Db4-W-G3/4-R-So (330472-2)	
Overhaul Set For Lubricating Oil Pump R95 1000fl-Z-Db-L-So	
Far1/2	
Cover For The Pump AtI 350	
251965-0 Sicherungsring	
0660 R 010 Bn4hc	
0160 R010 Bn3hc	
R61 S (D40xd79,6x146,54x41)	
4820-12-340-5237	
R45/80-FI-Z-Q108	
440263 Wellendichtung	

Fma1,5/12-5 So	
333201-2	
403072	
R35/86+35/50 FI-Z-W-Sae2+db4-Sae2-R-So (334549-3)	
R65/315 FI-Z-W-Sae3-L	
R35/40 FI-Z-Db6-W-Sae1.1/2-L	As delivered under 503818, but only the pump is free shaft end. Interchangeable with ID 401959. according to the enclosed data sheet 204926 Running number: 1-1 Customer 1 Net weight: 8.80 kg / piece Customs tariff number: 84136031
Rsne2	
258374-8 O-Ring (Gehaeuse)	
R35/ 31.5 FI-Z	
173082-9	
174219 6	
411179 Satz Dichtungendichtungssatzr65/200...315 FI-Z-Db-Glrd-Sozolltarifnr.: 84849000	
R35/31.5fl-Z-Db-So	
458305 Pumpe R35/25	
167877-0	
R35/50 FI-Z-W-Sae2-R	Gear pump Art nr. 330023-3 As delivered with 93-22-42464, but only the pump bare-shaft end acc. enclosed data sheet 216636 Consecutive : 1-1 Customer 1 Net weight: 9,10 kgs / pc. customs tariff code: 84136031
330031-6	
Typ R35/25 FI-Z-D3	
Oil Seal For R2/5 FI-Z-Db-So	
168028 9	
O-Ring For R25/12.5 FI-Z-Db-So.	
O-Ring Pos.15 For Rsn1.1/2 Sae-So	
251965 0	
R45/80 FI-7-330025-8	Pump Serial nr . :-7-330025-8
Parallel Pin For Rsn1.1/2 Sae-So	
R45/125 FI-Z-Db	180 l/min 1450 rpm PRV 10 bar
163264-9	

460878 Pumpenaggregatr41/80 FI-Kwie Geliefert Unter 575020,Jedoch Mit Motor In Aktueller Version!	
Grub Screw For Rsn1.1/2 Sae-So	
22-47221/3 Pumpe R2-2/24-5 Mo	
4,5 45 FI-Z-Uni-Sd165-S0	
185715-0	
R2-1/12-5 Fu-Z-W-G1/2-R	
R65/200 FI-Z-W-Sae3-R	
R25/12,5 FI-Z	
R28/38-D-Mx60	
R 3/50 Mo88-Z-R-So Pumpe	
406750(Ex. 23995)	
458305	
R2-2/24-5-Mo-Z-W-G1/2-C Zahnradpumpe	
O-Ring Pos.14 For Rsn1.1/2 Sae-So	
R65/250 FI-Y-Db-Glrd-So	
R2- 2/36-5- Mo-Z-W-G1/2-R(Ex R2-2/36-5-Fj)	
R45/100 FI-Z-W-Sae2-L	As delivered under 22-50457, however only the pump (free shaft end) , according to the enclosed data sheet 203563 Running number: 1-2 Customer 1 Net weight: 15.00 kg
R25/10 FI-Z-W-G3/4-L	
R35/25fl-Dbi-G	
10 046 Dn 40 284053 6	
R61/100 FI-K-W-R	
Rsn-1/2\" (Id. 340048-8)	
413867	
R2-2/24-5-Mo-Z-Wg1/2-C Zahnradpumpe	
330102-5	
0110 5109	
Rbd 10 Er F 250 Replaced By Are15/250/31 (284023-9)	
Rsn-1-1/2\" (Id. 340157-7)	

166772 4
R65/315 FI-Z-1 402141 , R65/315 FI-Z-W-Sae3-L
R25/6,3 FI-Z-W-G3/4-R
188155-6
330485-4
176700 3
330544-8
284035-3
1 0095g25 A00 00 M
253821 3
411179 Dichtungssatzr65/200...315 FI-Z-Db-Glrd-Sozolltarifnr.: 84849000
262749-5
R35/63-FI-Z-Db6-W-Sae2-R
407565
R25/16 FI-Z-Db-So
- O-Ring P. 12 Fuer Ventil Rickmeier Rsne1/2 340096-7
254542-4 Buchseiso 3547-16b18x25-P1p1
320067-2 Pumpe R2-2/24-5 Mo-Z-W-G1/2-C
320152-2 , Type R2-2/36-5 Mo-Z-W-G3/4-R
R25/12,5 FI-Z-Db16-W-G1-R-So Zahnradpumpeas Delivered With 5020815. But Onlythe Pump Bar-Shaft-End.
R35/25fl-Z-De
Type: R65/200 - 106411
R45/160 FI-Z-W-Sae2.1/2-R
R35/86 FI-Zf35/50 Db-So
330227-0 330227-0 Pumpe Mit Regelventil RI45/125 FI-Z-Db16-W-Sae2.1/2 R
R25/4 FI-Z-Db4-W-G3/4-R-So

(330472-2)	
0110 1334	
180780-9 E	
167351-6	
330022-5 Zahnradpumper35/40 FI-Z-W-Sae1.1/2-R	
R35/63 FI-Z42-30692	
R25/6.3fl-Z-Db	
Pumpe Mit Antrieb	
1227 6593	
R65/250 FI-Z-W-Sae3-R (330070-4)	
R45 / 160 FI - 4 - Db - Low Pressure Oil Pump	
320328-8	
R2-2.75/36 Mo-Z-W-G3/4-R Zahnradpumpe	
Hdl 2/2 2,1-D Replaced By Snp3nn/22-R-N-06aa-P1-Bb-Ba (284027-0)	
Hidrolik Pompasi - Typ R25/6.3 FI-Z Q:7.2 I/Min N:1380 1/Min P:16 Bar	
258230-2	
Ins-Kkn28/28-45028	
404450	
R2-2.75/36 ??-Z-W-G3/4-R Zahnradpumpe	
14208010	
320039-1 Zahnradpumper2-1,5/12-5 Mo-Z-G-G1/2-R-Sowie Geliefert 22-51753,Pumpe Frei Wellenende Rsnej1.1/2 Druckentlastungsventil	
R25/40 FI-M-G1-R-So	gear pump R25 / 40 FL-M-G1-R-SO As delivered under 575579 Running number: 1-2 Net weight: 4.60 kg / piece Customs Tariff Code: 84136031
R25/20 FI-Z-Db	
Wt 3/16	
R35/63 FI-Z-W-Sae2-R	gear pump Item No. 330024-1 with free shaft end Pump unit ID406015, like delivered under 515133
R 35/40 FI-7-Dh-R Kraftstoff-	

Zahnradpumpe	
H62785	
420690	
454673	
R65/250 FI-Z-Db16-W-Sae3-L	as supplied under 5041761 however only the pump (free shaft end) Thank you for your comprehension. according to enclosed data sheet 223587 Running number: 1-1 Net weight: 39.00 kg / piece Tariff code: 84136031
Din 3760-As16x28x7-Nbr (416813)	
R25/20fl-Z-Db-16-W-G1-R	
284024-7	
167222-9	
251988 2	
Type: R25/10 FI-Dbi-G Replaced By R25/10 FI-Z-Db4-W-Sae3/4-R-So (330486-2)	
405306/1	
Rsne3/4	
330209-8	
R25/16	
258424-1	
330260-1	
320360-1 Zahnradpumper3/50 Mo88- Z-W-G1-R-So	
R2-1,5/12-5+1/12-5 Mo (320799-0)	
R916570632	
408386 Wellendichtringdin 3760- As30x40x7-Fkmfkm	
168107-1	
330261-9	
R35/50fl-Z-W-Sae2-R	
The Impeller For The Pump Atl 350	
284050-2	
351913-9	
R95/1000 FI-Z-W-Dn132-R	Art Nr. 403075 Gear Pump As delivered with 5034592. Pump barshaft- end according to the enclosed data sheet 213108 Running number: 1- 1 Customer 1 Net weight: 88 00 kg / piece Customs tariff number:

	Customer 1 Net weight: 4.70 kg / piece Customs tariff number: 84136031
330228-8 Zahnradpumper45/160 FI-Z-Db16-W-Sae2.1/2-R	
R35/40	
284047-8	
166804-5 R25/12.5	
12 046 Dn65 284054 4	
R35/50-FI-Z-Db16-W-Sae2-R	
258409-2	
444-V7 Paf	
R25/6,3 FI-Z-Db16-W-G3/4-R	GEAR PUMP as delivered under 5005869 according to the enclosed data sheet 204678 Customer 1 Running number: 1-1 Net weight: 4.70 kg / piece Customs tariff number: 84136031
Are15/250/31 (284023-9)	
R45/160fl-4-Db / D¼Ő¼k Basınç YaĐ Pompası	
440263 Wellendichtringdin 3760-As16x28x7-Fkmfkm	
R25/16fl-Z-W-G1-R	