

Riegler



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Riegler Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Riegler T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Es 30-Zw	
Kat.-Artnr.: 516.105	RIEGLER 3/2-way valve, pneumatic, monostable, Connection G 1/2, NO Cat.-No .: 516.105 Customs position: 84818079 / country of origin: IT
9227.35	· Design: G 1 1/4",PN18 · Product No: 103885
Type: 9227.34	· Design: G 1",PN25 · Product No: 103884
3094020005	Multifix pressure regulator with manometer BG1 0.5-10bar G1 / 4 "RIEGLER
5.DMD.6308	RIEGLER standard cylinder, double-acting, magn Piston Ø 63, stroke 80, G 3/8 Working pressure max. 10 bar, -20 ° C to 70 ° C
-1-0BAR-NG63--6301	PRESSURE GAUGE
637.35 A	1199622 RIEGLER pressure regulator "Standard", incl. Manometer, Size 2, G 1/2, 0.1 - 3 bar Cat. Item No.: 637.35 A Customs position: 84811099 / Country of origin: DE
G1/2 569-4	101472-569-4 sintered bronze muffler, straight, G 1/2 male, SW 24 4047322101349
300.01	
Schnellkupplung	NW 5 G 1/8 Art.-Nr.: 107148
Flachdichtung G1/8	Art.-Nr.: 114110
Quick-release coupling NW 5,	141569 Bright brass, G 1/4 outside Cat. item number: 243.19
243.52-B	COUPLING QUICK 1/2"
737.705 Druckregler	
737.501 Compressed Air Pressure Regulator 1/2	
350.310 Pneumatically Operated Ball	

Valve Pkh.En.M. I.Dn15.52.Nc.000
Art.No. 104408, Type: 227.44-0,4
120492
567-4/M
102511 Manometer 4086 0-25 Bar, 63 Mm, 1/4"
737.705
137338 Pressure Filter Regulator 580frc1-38-17
737.603 Druckminderer-Druckregler Druckluft G = 3/4,Pn 0,5...10
350.614 Messingkugelhahn, Pneumat. Stellantrieb, L-Bohrung, Rp 1 1/2
350.614
350.315 Pneumatically Operated Ball Valve Pkh.En.M. I.Dn50.75.Nc.000
Dmi. 25050 Pneumatikzylinder
737.703 Konstant-Druckregler Inkl. Manometer, Bg 3, G 1, 0,5 - 10 Bar
101138
737.604 Druckregler
5.Dmd.125050
Art.No. 104272, Type: 226.03-1,4
118231
114467
737.604 Druckregler Mit Manometerkonstant-Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 16 Bar
100870
Art.No. 104418, Type: 227.44-1,7
678.42? Druckminderventil
737.902 Konstant-Druckregler Inkl. Manometer, Bg 4, G 1 1/2, 0,5 - 6 Bar
Art.No. 104263, Type: 226.03-0,6
Art.No. 104389, Type: 226.03-32,5

140952
737.502 Druckreglerkonstant-Druckregler Inkl. Manometer, Bg 2, G 1/2, 0,5 - 6 Bar
100891
101158
117929
100187
350.3139 Pneumatically Operated Ball Valve Pkh.En.M. I.Dn32.63.Nc.100
100418
100887 Konstant-Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 10 Bar
Air Pressure Regulatorbg 3, G 3/4, Pe Max. 40 Bar
Art.No. 104271, Type: 226.03-1,3
53-20-01714
Art.No. 104396, Type: 226.03-39,0
Art.No. 104284, Type: 226.03-2,7
104582
Art.No. 104274, Type: 226.03-1,6
637.203 Druckregler
Art.No. 104268, Type: 226.03-1,0
229.02 Ventil
Art.No. 104287, Type: 226.03-3,2
450.410-M
100958
229 02 Sicherheitsventil
737.604 Konstant-Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 16 Bar
22.686.4
220.07-Es-103838
737.313 Konstant-Druckregler Inkl. Manometer, Bg 1, G 3/8, 0,5 - 10 Bar

637.204
Art.No. 104262, Type: 226.03-0,5
Art.No. 104273, Type: 226.03-1,5
100889 Konstant-Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 25 Bar737.605
737.704
5.Pmd.40125 Pneumatic Cylinder
120493
100075
Art.No. 104391, Type: 226.03-34,0
Art.No. 104283, Type: 226.03-2,6
25209
Cl 11 K-Ha
Art.No. 104392, Type: 226.03-34,5
Art.No. 104397, Type: 226.03-40,0
103826
100881 Konstant-Druckregler Inkl. Manometer, Bg 2, G 1/2, 0,5 - 3 Bar737.501
243.08/9 Hose Connection 6 X 4
387020r5560 Valvola Di Sicurezza226.03-8.0 1/2 Ms 848140900,100
Art.No. 104286, Type: 226.03-3,0
100433
Art.No. 104394, Type: 226.03-36,0
262.02-Es G1/4"
Art.No. 104275, Type: 226.03-1,7
100876
737.503 Druckminderer-Druckregler Druckluft G= 1/2, P2 0,5...10 Bar2670 L/Mind 15
100512

Art.No. 104260, Type: 226.03-0,38
637 201 Hochleistungsdruckregler Mit 2 Manometern, G 2, 0,1 - 3 Bar
Ds 6012 Druckschalter Wechselkontakt Drehbar, Stahl Verz. G 1/4, 1-10 Bar
34.811
737.603 Konstant-Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 10 Bar
737.605 Druckminderer-Druckregler
637.87 Druckregler
Art.No. 104401, Type: 226.03-45,0
637.204 Druckregler Serie 637
100897 Blechabstreifer Asm 35
100073
Art.No. 104259, Type: 226.03-0,35
Art.No. 117701, Type: 227.44-1,9
737.404
100354
214-De
737.503 Getriebe-Regler Konstant-Druckregler Inkl. Manometer, Bg 2, G 1/2, 0,5 - 10 Bar
737.605 Druckregler
117590
Art.No. 104285, Type: 226.03-2,8
106211
113721 Pvc-Gewebes Schlauch, 50m
Art.No. 104413, Type: 227.44-1,0
737.603 Druckminderer Luft Konstant-Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 10 Bar
100470
107216
113297

111008
080028 Der Backbone-Luftfilter 1/4" 1/4 Zollohne Angabe Der Art Der Abnahme Feststellbar
Art.No. 104402, Type: 226.03-46,0
737605 Druckminderer Dn 20
Art.No. 104417, Type: 227.44-1,5
243.22
229.02 Sicherheitsventil
737.504 Druckreglerkonstant-Druckregler Inkl. Manometer, Bg 2, G 1/2, 0,5 - 16 Bar
737.603
Art.No. 104279, Type: 226.03-2,1
350.930
103014 Pressure Switch Changeover Contact Design, G 1/4, 10 - 70 Bar
Art.No. 104290, Type: 226.03-3,6
101159 Dichtung Riegler 302-6
Art.No. 104411, Type: 227.44-0,7
243.09/6 Fitting M5
737.703 Druckregler
100482
218.11 Sicherheitsventil
107258
100072
157e
Art.No. 104407, Type: 227.44-0,3
103017
100514
Art.No. 104390, Type: 226.03-33,0
Art.No. 104410, Type: 227.44-0,6

737.703 Druckminderer Luftkonstant- Druckregler Inkl. Manometer, Bg 3, G 1, 0,5 - 10 Bar	
Art.No. 104277, Type: 226.03-1,9	
737.603 Compressed Air Pressure Regulator	
103553	
437.84-M	
737.604 Chemie-Druckminderer - Druckregler Serie Artikel-Nr 737	
350.3121 Pneumatically Operated Ball Valve Pkh.En.M. I.Dn25.52.Nc.100	
737.304 Konstant-Druckregler Inkl. Manometer, Bg 1, G 1/4, 0,5 - 16 Bar	
22.773.4	
100429 Druckminderer G3/4" R 34-10 0,5-10bar	
810.03 K	
637.203 Getriebe	
Art.No. 104405, Type: 227.44-0,2	
G 1/4 Und G 3/8 100134	
188.012-10	
737.603 Druckregler	
Art Nr. 1100084	RIEGLER brass ball valve, pneumatic. Stella double acting, Rp 1 1/2 Cat. Item No .: 350.214 Country of origin: IT
100568	
254.37-Es	
350.3142 Pneumatically Operated Ball Valve Pkh.En.M. I.Dn40.63.Nc.000	
101263	
115616	
Art.No. 104415, Type: 227.44-1,2	
104578	
Art.No. 104270, Type: 226.03-1,2	
450.77-M	

737.504
737.501
Art.No. 104276, Type: 226.03-1,8
737.503 Druckminderer Druckluft
Art.No. 104404, Type: 226.03-50,0
121031
101152 637.912 Regler Hochdruck- Hochdruckregler 60 Bar, Inkl. Mano., G 1, Regelbereich 1 - 20 Bar
100872 737.304constant Pressure Regulator, Size 1, G 1/4, 0.5 - 16 Bar
100888 Typennummer737.604konstant- Druckregler Inkl. Manometer, Bg 3, G 3/4, 0,5 - 16 Bar
100922 Druckminderer Mit Filterri- 578.020 K-Ha
253.65-Es
737.605 Compressed Air Pressure Regulator
Art.No. 104288, Type: 226.03-3,3
737.314 Regler
101524
174092
100766
105044 Sicherheitsventil, Messing, G 2, Ansprechdruck 0,3 Bartypennummer:229.06-0,3
450.450-M
Fu 831
101142
737.401 Druckregler Stickstoff 25
115614
113302
36k

100368
102874
100.62
737.312
100869
437.23-M
Art.No. 104258, Type: 226.03-0,3
737.504 Konstant-Druckregler Inkl. Manometer, Bg 2, G 1/2, 0,5 - 16 Bar
100893
637.202 Getriebe
267.07-Es
129.012-8
100352 C 05-K 10-Ha
103207
101088
737.702 Konstant-Druckregler Inkl. Manometer, Bg 3, G 1, 0,5 - 6 Bar
100422
Art.No. 104400, Type: 226.03-42,0
Art.No. 104282, Type: 226.03-2,5
637.203 Hochleistungsdruckregler Mit 2 Manometern, G 2, 0,5 - 10 Bar
Art.No. 104255, Type: 226.02-50,0
Art.No. 104414, Type: 227.44-1,1
100836 Haltewinkel Mit Mutter Und Scheibe
107129 Dn5 G1/4 Internal Quick- Connect Plug Type 243 21
Fu 811
Fu 871
737.904 Druckregler
737.903

101158 Halterung 302-19
330.05
37.090
737.702
100938
100316 Valveth e Futura Series, G1 Thread, Type Fu 936
637.202
259.10 B
737.605 Chemie-Druckminderer - Druckregler Serie 737
737.605
100879
Art.No. 104280, Type: 226.03-2,2
Art.No. 104278, Type: 226.03-2,0
102511 Pressure Gauge 4086 0-25 Bar, 63 Mm, 1/4 "
Ds 4012
101152 637912 Hochdruck-Regler
220.03
75/2 Haltewinkel Mit Mutter Und Scheibe
118332 Kugelhahn
100870 Constant Pressure Regulator, Size 1, G 1/4, 0.5 - 6 Bar 737.302
Art.No. 104419, Type: 227.44-1,8
104541
243.08/9 Schnellverschlusskupplung Nw 2,7, Ms Blank, Schlauchanschluss 6x4
R 33 - 3
115501
Art.No. 104403, Type: 226.03-47,0
22.793.4
637.203 Getriebe

[Hochleistungsdruckregler Mit 2
Manometern, G 2, 0,5 - 10 Bar](#)

[100874](#)

[243.08/9](#)

[737.703 Druckmindererkonstant-
Druckregler Inkl. Manometer, Bg 3, G 1,
0,5 - 10 Bar100892](#)

[Art.No. 104269, Type: 226.03-1,1](#)

[737.702 Compressed Air Pressure
Regulator 1](#)

[Art.No. 104281, Type: 226.03-2,3](#)

[104278](#)

[Art.No. 104254, Type: 226.02-47,0](#)

[101162](#)

[100873](#)

[114381](#)

[737.705 Regler](#)

[Art.No. 104406, Type: 227.44-0,25](#)

[?15090332 Wasserhahn](#)

[450 . 420-M](#)

[120542](#)

[Art.No. 104264, Type: 226.03-0,7](#)

[118332 Kugelhahn 350.305.585 / R/Rp 1
I./A. Eckform - / Mit Schwarzem
Hebelgriff](#)

[100889](#)

[120547](#)

[Mv 1325g](#)

[387020r5640 Valvola Di Ritorno470-212
1/2 " St / Ms / Nbr 848180590,149](#)

[100782 Filterregler](#)

[737.312 Constant Pressure Regulator,
Size 1, G 3/8, 0.5 - 6 Bar](#)

[100875](#)

105544
101177
106186
Art.No. 104412, Type: 227.44-0,8
137840/Pb-Dr137840 Valvola Pneumatica
737.314
350.4050b
Art.No. 104265, Type: 226.03-0,8
243.09/6
737.601
737.704 Konstant-Druckregler Inkl. Manometer, Bg 3, G 1, 0,5 - 16 Bar
100344 Haltewinkel Mit Mutter M30x1,5
100985
103970 Sicherheitsventil Dn 8, Messing, G 1/4, Ansprechdruck 3,8 Bar
080120 Alu Pneumatische Blaspistole(Max. Druck 10bar)
637.202 Druckregler
Art.No. 104399, Type: 226.03-41,0
Art.No. 104393, Type: 226.03-35,0
115618
Art.No. 104409, Type: 227.44-0,5
113729
114432
100352
737.802 Druckregler - Druckluft 25
100346 Koppelpaket Zur Verblockung Mehrerer Komponenten, O-Ring, Bg 0
103771
Art.No. 104388, Type: 226.03-32,0
114426

Art.No. 104261, Type: 226.03-0,4	
673.201 Druckregler Druckluft	
480.11	
737.703	
38.090	
101143	
737.403 Konstant-Druckregler Inkl. Manometer, Bg 2, G 3/8, 0,5 - 10 Bar	
Art.No. 104398, Type: 226.03-40,5	
Art.No. 104256, Type: 226.03-0,2	
101179	
101159	
Art.No. 104267, Type: 226.03-0,9	
131062	
107210	
Art.No. 104289, Type: 226.03-3,5	
737.803 Getriebe	
737.704 Druckminderer-Druckregler Druckluft 1	
37.300	
142.008	
104258 Ventil Sicherheitsventil Dn 8, Messing, G 1/2, Ansprechdruck 0,3 Bar	
100887	
5.Dmd.40125	
101168	
25434	
737.704	RIEGLER constant pressure regulator including manometer Size 3, G 1, 0.5 - 16 bar Cat.-Art. No .: 737.704 Customs position: 84811099 / Country of origin: DE
102206	
37.500	

[100897 737.803 Druckminderer-
Druckregler Druckluft 0.5 -10 Bar. 12160
L/Min.](#)

[107240](#)

[100887 737.603konstant-Druckregler
Inkl. Manometer, Bg 3, G 3/4, 0,5 - 10
Bar](#)

[100153176 Kh 100 B](#)

[118332 Ventil](#)

[737.902](#)

[118332 Kugelhahn
350.305.585kugelhahn/ R/Rp 1 I./A.-
Eckform - / Mit Schwarzem Hebelgriff](#)

[100134](#)

[737.503 Konstant-Druckregler Inkl.
Manometer, Bg 2, G 1/2, 0,5 - 10 Bar](#)

[104322](#)

[190-3-10](#)

[107210 Schnellverschlusskupplung Nw
7,2, Messing Blank, G 1/2 Ag](#)

[100134 Filterelement](#)

[39 K](#)

[737.504 Druckminderer-Druckregler
Druckluft 1/2](#)

[220.02](#)

[104550 Sicherheitsventil Dn 10,
Messing, G 1/2, Ansprechdruck 3,1 Bar](#)

[107220](#)

[25201](#)

[737.503](#)

[Art.No. 104395, Type: 226.03-37,5](#)

[737.702 Ventil 100891konstant-
Druckregler Inkl. Manometer, Bg 3, G 1,
0,5 - 6 Bar](#)

[637.204 Gearbox](#)

[Art.No. 104416, Type: 227.44-1,3](#)

[100883](#)

[Art.No. 104266, Type: 226.03-0,83](#)

[22.6203.4](#)

[100219](#)

[229.06-0,7 Sicherheitsventil Dn40](#)

[103789 Muffen-Absperrventil, Messing,
G 1/2, Dn 15](#)

[737.502](#)

[Art.No. 104257, Type: 226.03-0,25](#)

[137338 Filter-Druckregler 580frc1-38-17](#)