

## Rion

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Rion** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Rion T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">565.00290 Windschutz F¼r 1/2" Mikrofone</a>	
<a href="#">Vt-06</a>	
<a href="#">Vt-Verl¼ngerungsstab F¼r Vt-06 Vt-Verl¼ngerungsstab F¼r Viskostester</a>	
<a href="#">Vm-82a</a>	
<a href="#">Vt-04f (Obsolete) Replaced By 565.03160 Vt-06</a>	
<a href="#">565.02420</a>	
<a href="#">Vt05</a>	
<a href="#">Va-05j</a>	
<a href="#">565.02360</a>	
	Sound analyzer with TFT color display, real-time third octave / Octave analysis (optional noise recording with optional

[Na-28](#)

program card NX-28WR) according to IEC 61672-1 class 1, PTB approval-approved, CE Simultaneous measurement and display of thirds and octaves in real time Easy to use and very fast - multi-spectra from 1 ms High-contrast, backlit TFT-LCD color display Time and frequency ratings can be separated for the main and secondary channels be set Measuring range: 25-140 dBA @ 1kHz; peak 143dB Frequency range: 10 (!) Hz-20,000 Hz Frequency weighting: A, C, Z: Time weighting: F, S, 10mss, Pulse, Measurement parameters: Lp, Leq, LE, Lmin, Lmax, LN (1-99%, 1% steps), Lpeak, Ltm5 Level, time and external trigger, Storage on SD card PC connection via USB interface as a virtual disk; Approximately 16 hours use with standard alkaline batteries AC / DC output; Dimensions: WxHxD 330 x 88 x 59 mm Weight: approx. 770g incl. Batteries; Supplied with: equipment case,

[565.03160](#)

[Vt05](#)

[Vt06 Viskosittstester](#)

[Va-04](#)

[Ao283](#)

[Vm-82a Hand-Schwingungsmessgert](#)

[Vm 83](#)

[Vm-63a](#)

[Ec-04b](#)

[Rion-St;Nder-F3;R-Vt-06-Istanbul-Turkiye](#)

[Vm-82 Obsolete, Replaced By Vm-82a](#)

[NI-52](#)

[Stnder Fr Vt-06 Stnder Fr Viskotester](#)

[Na-28 Sound Level Meter](#)

[Vt-06 Viskosittstester](#)

[NI-52s1 NI-52 Bu Urun Un Satislari Daha Baslamadi](#)

[Rotors No.3](#)

[565.00290](#)

[Rion-Vt-Verl;Ngerungsstab-F3;R-Vt-06-Istanbul-Turkiye](#)

[Dmi600](#)



Yursat DıŐ Tic. M¼nendislik  
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505  
Osmangazi/BURSA  
+90 224 2400304  
[info@yursat.com.tr](mailto:info@yursat.com.tr)  
[www.yursat.com.tr](http://www.yursat.com.tr)

---