



Robo Cylinder

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Robo Cylinder Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Robo Cylinder T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Rcs2-Ss8r-I-150-10-750	SLIDER / FOLDED MOTOR TYPE, 150W , STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rca-Sa4r-A-20-2.5-250	SLIDER / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
Rcp2-Sa7-I-Pm-8-800	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Sa7r-I-56p-8-650	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 8MM
Rcs2-Sa7r-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcs2-Sra7bd-I-60-4-250	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 60W , LEAD 4MM
Rcs2-Sa4r-I-20-2.5-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /

Rcp2-Sa6r-I-Pm-3-350	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcargs3ci2025100	ROD / SINGLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL
Rcp2cr-Ss-I-Pm-3-600	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55-I-60-Gd-L-150	ROD / DOUBLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, LOW
Rcp2-Sa6r-I-42p-3-450	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rcaw-Ra4r-I-30-3-50	ROD / FOLDED MOTOR TYPE, 30W DUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12
Rcs-Smr-A-150-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcp2cr-Sa5-I-Pm-6-200	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcaw-Ra4c-A-20-3-200	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs2-Rgs4c-A-20-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcp2cr-Sa6-I-Pm-3-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcp2-Sa6r-I-Pm-12-50	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcargs3ci2025150	ROD / SINGLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL
Rcs2-Sa6c-I-30-12-250	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcp2-Sm-A-Pm-5-200	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcaw-Ra3c-I-20-10-100	ROD / COUPLING TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcp2cr-Sa6c-I-42p-3-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 3MM
Rca-Ra4r-A-30-3-100	ROD / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-F5d-A-100-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P
Rcargd3ri2025100	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
	ROD / SINGLE GUIDE / COUPLING TYPE, 60W, INCREMENTAL

Rcs2-Rgs5c-I-60-4-250	ENCODER, LEAD 4MM
Rcp2-Sa7r-I-Pm-8-800	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rca-Rgs4c-A-30-3-200	ROD / SINGLE GUIDE / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rca-Rgs4d-A-30-6-250	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rca-Sa5r-A-20-3-350	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2cr-Sa5-A-Pm-6-350	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 6MM
Rcacr-Sa6d-I-30-3-550	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Erc2-Ra6c-I-Pm-3-150-Pn-R05	
Rcp2cr-Sm-A-Pm-5-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcs-Ra35-I-20-Gd-L-50	ROD / DOUBLE GUIDE TYPE, INCREMENTAL ENCODER, 20W , LOW
Rcs2-Rgd4r-A-30-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W , ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Sa7r-I-Pm-16-400	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcaw-Ra4r-A-20-3-250	ROD / FOLDED MOTOR TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54ABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2cr-Sa5-I-Pm-3-400	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcaw-Ra4c-A-20-3-300	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs2-Sa6c-I-30-3-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa6r-I-30-6-550	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs2-F5d-I-100-4-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE
	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A)

Rcp2-Sa7r-A-Pm-4-700	ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2cr-Sa7c-I-56p-4-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Rcp2-Sa7r-I-56p-8-50	SLIDER / FOLDED MOTOR TYPEINCREMENTAL ENCODERLEAD (MM) -- 4, 8, 16(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIONS
Rcaw-Ra4c-I-30-6-150	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WINCREMENTAL ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12
Rcp2-Sm-A-Pm-20-700	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcacr-Sa5c-A-20-3-100	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2-Sa7-I-Pm-4-800	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcs2-Ss8c-A-100-10-100	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcssmi100m600n	ACTUATOR
Rcp2cr-Sa6-I-Pm-6-600	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca-A6r-A-30-12-50	ARM / FOLDED MOTOR TYPE WITH BRAKE, 30WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR)
Rcp2-Sa6r-A-Pm-3-250	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcacr-Sa6d-A-30-12-200	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcaw-Ra4c-I-30-3-300	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WINCREMENTAL ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12
Rca-Sa5r-A-20-3-250	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2-Sa7r-A-Pm-8-400	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Sm-I-Pm-20-900	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcp2w-Sa16c-I-86p-4-450	SLIDER / WATERPROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 4MM
Rcs-Sa6-A-30-L-500	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW

Rcp2-Ss8c-I-56p-10-450	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs2-Sa7r-I-60-4-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcp2-Sa6r-I-42p-3-500	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ss8c-I-56p-20-650	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 20MM
Rcs-Sm-I-100-M-200	SLIDER TYPE, INCREMENTAL ENCODER, 100W , MEDIUM
Rcp2cr-Sa5-I-Pm-6-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcp2-Ba7-I-Pm-54-1150	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcaw-Ra3r-I-20-5-200	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10
Rca2-Tca3na-I-10-2-30-A3-N	
Rcs2-Sa7r-I-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rca-Rgd4r-A-30-12-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER
Rcp2-Sa7r-I-Pm-8-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rca-Sa6r-I-30-3-550	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcp2cr-Sa5-A-Pm-12-200	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 12MM
Rca-A4r-A-20-10-150	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20W ABSOLUTE ENCODER *USE W/A SEL-ABSOLUTE ONLY LEAD (MM) -- 5, 10, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Rcs2cr-Ss7c-A-60-6-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON
Rcs-Ra45r-I-30-Gd-L-50	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W , INCREMENTAL ENCODER, LOW
Rca2-Sa6r-I-30-12-450	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rca-Sa4r-I-20-2.5-100	SLIDER / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST

Rcp2-Sa6r-A-Pm-12-50	MULTIPLE SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6c-I-30-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2cr-Sa7-A-Pm-8-400	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 8MM
Rcp2-Sa6r-I-Pm-3-550	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55r-A-60-Gd-L-50	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcacr-Sa6d-A-30-12-150	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcs-Sm-A-150-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcs2-Ra5r-A-60-4-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P
Rcp2-Hs8r-I-86p-30-50	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcp2-Ba6-I-42p-54-550	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcacr-Sa5c-A-20-3-350	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcs2-Rgd4c-I-20-3-150	ROD / DOUBLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ba7-A-Pm-54-1050	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2cr-Sa4c-A-20-5-200	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, LEAD 5MM
Rcacr-Sa5c-I-20-3-450	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rca-Sa5r-A-20-3-50	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcs2-Ss8c-A-100-10-950	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcs2-Rgs4c-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcs-Ss-A-60-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 60W, MEDIUM
Rcp2-Smr-A-Pm-5-1000	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR

	ONLY
Rcp2cr-Sm-A-Pm-5-400	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2-Sa5c-A-20-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca-Sa6r-A-30-12-600	SLIDER / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcs2-Rgd5c-A-100-4-50	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, ABSOLUTE ENCODER, LEAD 4MM
Rca-A4r-I-20-5-200	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20W INCREMENTAL ENCODER LEAD (MM) -- 5, 10,(*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Rcp2-Rtbbl-I-35p-20-360-P1	ROTARY-LARGE/TALL TYPE, MULTIPLE ROTATION SPECIFICATION GEAR RATIO -- 20, 30, OSCILLATION ANGLE: 360
Rcs2-Sa5d-A-20-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcs2cr-Sa5d-I-20-3-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ba6-A-Pm-54-950	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Rgd4r-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SS
Rcs-Smr-A-150-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcp2-Ss-A-Pm-3-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2cr-Sa6-I-Pm-3-50	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2cr-Sa6-I-Pm-3-600	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcacr-Sa6d-A-30-3-150	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Sa5-A-Pm-6-500	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 6MM
Rcs2cr-Ss8c-A-150-10-950	SLIDER / CLEANROOM / COUPLING TYPE, 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2-Rtb-I-28p-20-330-P1	ROTARY-MEDIUM/TALL TYPE, STANDARD SPECIFICATION, GEAR RATIO: 20
Rcs-Ssr-A-60-M-100	SLIDER TYPE, ABSOLUTE ENCODER, 60W, MEDIUM
Rcs2-Sa6r-I-30-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL

Rca-A5r-I-20-6-200	/ XSEL ARM / FOLDED MOTOR TYPE WITH BRAKE, 20W INCREMENTAL ENCODER LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM (STANDARD), (MR) RIGHT, (ML) LEFT * LIST
Rcs-Ra45r-A-30-Gn-L-50	ROD / FOLDED MOTOR TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2-A4r-A-20-5-150	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / X
Rcp2-Ss-I-Pm-12-600	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcacr-Sa4c-A-20-10-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2cr-Ss-I-Pm-3-500	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs-Sm-A-100-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcp2-Sa7r-I-56p-16-350	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 16MM
Rcp2-Sa7-I-Pm-8-600	SLIDER TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcs2cr-Sa6c-I-30-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcp2-Hsm-I-Pm-30-1000	SLIDER / HIGH-SPEED TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcacr-Sa6c-A-30-6-50	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12
Rca-Sa4r-A-20-5-350	SLIDER / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 2.5, 5, 10 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT ** LIST MULTIPLE OPT
Rcp2-Ss7r-I-42p-12-550	SLIDER / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 12MM
Rcp2cr-Ss8c-I-56p-5-450	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 5MM
Rcs2w-Ra4r-I-20-3-150	ROD / FOLDED MOTOR TYPE, 20W, DUST/SPLASH-RESISTANT TYPE IP54, INCREMENTAL LEAD 3MM
Rca-Rgd3d-I-20-5-200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10
Rcs2-Sa6c-A-30-3-100	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Sa6r-I-Pm-3-600	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12

Rcp2-Ra10c-I-86p-5-150	ROD / HIGH-THRUST TYPE, INCREMENTAL ENCODER, LEAD 5MM
Rcp2-Grs-I-20p-1-10-P1	GRIPPER, SLIDE TYPE, INCREMENTAL ENCODER, 10MM STROKE
Rcp2w-Sa16-I-Pm-8-400	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 8MM
Rcs2-A6r-A-30-6-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / X
Rcs2-Sra7bd-I-150-4-250	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 150W, LEAD 4MM
Rcp2-Ss8r-I-56p-5-50	SLIDER / FOLDED MOTOR TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 5, 10, 20(*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT **LIST MUL
Rcp2-Ssr-A-Pm-6-100	ACTUATOR ONLY, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs-Smr-A-150-M-500	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcs2-Sra7bd-I-150-4-150	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 150W, LEAD 4MM
Rcs-Ra55-A-60-Gs1-L-150	ROD / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rcacr-Sa5c-A-20-3-50	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12
Rcp2-Smr-I-Pm-10-100	ACTUATOR ONLY, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Sa6r-A-Pm-6-300	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rca-Rgd3r-I-20-2.5-50	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10
Rcaw-Ra4d-I-20-3-200	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20W INCREMENTAL ENCODER (C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPE LEAD (MM) -- 3, 6, 12
Rcs-Ra55r-A-60-Gs1-L-300	ROD / FOLDED MOTOR / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER 1 GUIDE POSITION, LOW
Rca-Rgs3d-I-20-10-150	(A3) ACON/RACON/ASEL, (A3) ASEP
Rcs2-Rgd5c-A-100-4-150	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, ABSOLUTE ENCODER, LEAD 4MM
Rcp2-Smr-A-Pm-5-100	ACTUATOR ONLY, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Smr-A-Pm-20-1000	ACTUATOR ONLY, STEEL BASE, ABSOLUTE, LEAD 20MM

Rca-Sa6r-A-30-3-400	SLIDER / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2w-Sa16-I-Pm-4-150	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 4MM
Rcaw-Ra4d-I-20-3-300	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WINCREMENTAL ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12
Rca-Rgs4d-A-30-6-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Ra4r-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Sa7r-I-56p-4-650	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Sa6c-I-30-12-350	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcs2sa4ra2025350	SLIDER / FOLDED MOTOR TYPE, 20W, ABSOLUTE ENCODER, 2.5MM
Rca-Rgs4d-A-30-3-250	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcacr-Sa5d-A-20-3-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W ABSOLUTE ENCODER
Rcs-Smr-I-100-M-600	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcacr-Sa6c-I-30-6-250	SLIDER / CLEANROOM / COUPLING TYPE, 30W INCREMENTAL ENCODER
Rcp2-Sa6r-I-Pm-3-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2cr-Sm-I-Pm-20-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 20MM
Rcp2cr-Sm-A-Pm-5-1000	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 5MM
Rcs-Sm-I-150-M-500	SLIDER TYPE, INCREMENTAL ENCODER, 150W, MEDIUM
Rcs2cr-Sa5c-A-20-3-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcs2cr-Sa4c-I-20-5-100	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 5MM
Rcs2-Rgd4r-I-20-3-250	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM

Rcs-E-Rb7525-I-60-0 Obsolete	
Rcs-Ra45r-A-30-Gd-L-200	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W , ABSOLUTE ENCODER, LOW
Rcp2-Sa6r-I-Pm-6-550	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2-Ss7r-I-42p-6-250	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 6MM
Rcaw-Ra4r-A-20-12-50	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcacr-Sa5d-I-20-3-250	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcp2-Hsm-I-Pm-30-400	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Rcs2-Sa6c-A-30-6-300	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa5r-I-20-12-500	SLIDER / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT ** LIST MULTIPLE 0
Rcp2-Ss7r-I-42p-3-550	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Sa7r-I-60-4-750	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcs2cr-Sa6c-I-30-3-600	SLIDER / CLEANROOM / COUPLING TYPE, 30W , INCREMENTAL ENCODER, 3MM
Rcl-Sm5l-I-5-N-108	MICRO MULTI SLIDER / LINEAR SERVO TYPE INCREMENTAL ENCODER, 5W , UNIT WIDTH 48MM (A1) ACON/RACON/ASEL, (A3) ASEP
Rcp2-Sa6r-I-Pm-12-250	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcacr-Sa6c-A-30-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER
Rcacr-Sa6d-A-30-12-300	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2-Sa6r-I-Pm-12-400	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcs2-Sa6c-A-30-3-250	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Sa6-A-30-L-350	SLIDER TYPE, ABSOLUTE ENCODER, 30W , LOW
Rcs2w-Ra4c-I-20-3-250	CONTROLL

Rcp2-Sa6r-I-Pm-12-300	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcs2-Rt7r-I-60-4-300	ROTARY TYPE, SERVO MOTOR, INCREMENTAL ENCODERLIMIT SWITCH IS STANDARD, 60WRT6R / RT7R -- FOLDED MOTOR TYPEGEAR RATIO -- RT6 / RT6R = 18, RT7R = 4CONTR
Rcp2-Ss-I-Pm-3-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Erc2-Ra6c-I-Pm-6-200-Pn-R03-B-Ft	
Rca-Ra4r-A-20-6-250	ROD / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Rgd5c-I-100-4-200	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, INCREMENTAL ENCODER, LEAD 4MM
Rca2-Sa6r-I-30-12-250	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs2-Ss7r-A-60-6-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSE
Rcp2-Smr-I-Pm-5-400	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2cr-Sm-I-Pm-5-1000	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 5MM
Rcp2-Ba7-I-Pm-54-1000	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcacr-Sa5d-I-20-12-400	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcs2-Ss8r-A-150-10-350	SLIDER / FOLDED MOTOR TYPE 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2-Sm-A-Pm-20-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcp2-Ssr-A-Pm-12-400	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca2-Sa4r-I-20-2.5-300	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE
Rcs-Sm-A-150-M-600	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcacr-Sa6d-I-30-6-200	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Rcs-Ra45r-A-30-Gn-L-100	ROD / FOLDED MOTOR TYPE, ABSOLUTE ENCODER, 30W, LOW

Rcs2-A4r-I-20-5-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL
Rcp2-Hs8r-I-86p-30-550	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcp2cr-Sa6-I-Pm-6-250	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Ssr-A-Pm-3-500	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcaw-Ra4c-A-20-3-250	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcp2-Ssr-A-Pm-6-500	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Ss8c-I-56p-10-550	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs2-Rgd4c-I-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSE
Rcs-Smr-A-100-M-900	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcs-Ra55r-I-60-Gn-L-300	ROD / FOLDED MOTOR TYPE, 60W, INCREMENTAL ENCODER LOW
Rcs-Smr-I-150-M-400	SLIDER TYPE, INCREMENTAL ENCODER, 150W, MEDIUM
Rcp2-Ss8c-I-56p-20-50	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 20MM
Rcp2-Sa6r-A-Pm-12-250	SLIDER / FOLDED MOTOR TYPE, ABSOLUTE, LEAD 12MM
Rcp2cr-Ss-A-Pm-3-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcaw-Ra3r-I-20-10-200	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcs2w-Ra4c-A-30-3-50	CONTROLLER
Rcacr-Sa5d-I-20-12-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcacr-Sa6d-A-30-3-550	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2-Sm-I-Pm-5-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcs-Ra55-A-100-Gd-L-300	ROD / DOUBLE GUIDE TYPE, 100W, ABSOLUTE ENCODER, LOW
Rcs2-Sa7c-A-60-4-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Ba6-I-Pm-54-750	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE

Rca-Ra4r-A-20-12-250	ROD / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Sa7-A-Pm-16-600	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2cr-Sa5-I-Pm-3-300	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcs-Ss-A-60-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 60W, MEDIUM
Rcawra3di2025200	ROD / MOTOR BUILT-IN TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcs2-Sa7r-I-60-4-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcs2-Rgd4r-I-20-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON /
Rcacr-Sa4c-I-20-5-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcacr-Sa6c-A-30-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER
Rcs2-Sa5d-A-20-3-400	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcp2-Ba7-A-Pm-54-850	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rca-Sa5r-I-20-3-400	SLIDER / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcs-Ra55-I-100-Gs1-L-300	ROD / SINGLE GUIDE TYPE, 100W, INCREMENTAL ENCODER, 1 GUIDE POSITION, LOW
Rcs2-Ss8c-A-100-10-150	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcs2-Ss8c-I-100-10-250	SLIDER / COUPLING TYPE, 100W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Grm-I-Pm-1-14-P1	GRIPPER TYPE, INCREMENTAL ENCODER, 14MM STROKE
Rca2-Sa5r-I-20-12-400	SLIDER / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcacrsa4ca202540	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2cr-Hsm-I-Pm-30-500	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM

Rcaw-Ra4c-A-30-3-100	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASFI -
Rcs2-Rgd5c-I-60-4-250	ROD / DOUBLE GUIDE / COUPLING TYPE, 60W, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Srgd7bd-I-60-4-150	ROD / DOUBLE GUIDE / SHORT BODY TYPE, INCREMENTAL ENCODER, 60W, LEAD 4MM
Rcs2-Rgd4r-I-30-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Rgs4d-A-30-3-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Hs8c-I-86p-30-150	SLIDER / HIGH-SPEED TYPE, STEEL BASEINCREMENTAL ENCODERLEAD (MM) -- 30
Rcs2-Rgd4d-I-30-3-250	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcacr-Sa5d-I-20-3-400	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rca-Sa6c-A-30-12-1200	SLIDER / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Ba7-I-42p-54-600-P1-N	
Rcp2cr-Ss-I-Pm-3-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55-I-60-Gs1-L-250	ROD / SINGLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, 1 GUIDE POSITION, LOW
Rcp2-Sm-A-Pm-5-800	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcp2-Ba6-A-Pm-54-850	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcp2-Sa6r-I-Pm-6-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2cr-Sa5c-I-20-3-150	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, 3MM
Rcs-Ra55r-A-60-Gd-L-300	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs2-Rgd4d-A-20-3-100	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rca-Sa4r-A-20-5-300	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
	SLIDER / FOLDED MOTOR TYPE 100W, STEEL BASE,

Rcs2-Ss8r-A-100-10-850	ABSOLUTE ENCODER, LEAD 10MM
Rcacrsa4ca202535	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcs2-Sa6c-A-30-3-500	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Rgs4d-A-20-3-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Ss7r-I-42p-6-100	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 6MM
Rcs2-Ss8c-A-150-10-100	SLIDER / COUPLING TYPE, 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2cr-Sa7c-I-56p-8-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 8MM
Rcs-Ra55-A-100-Gd-L-200	ROD / DOUBLE GUIDE TYPE, 100W, ABSOLUTE ENCODER, LOW
Rcp2-Smr-A-Pm-20-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Smr-A-Pm-5-300	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Hs8r-I-86p-30-650	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcs-Ra45r-I-30-Gd-L-200	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W, INCREMENTAL ENCODER, LOW
Rcs-Ra55-A-60-Gd-L-250	ROD / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs-Ra45r-A-30-Gd-L-150	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W, ABSOLUTE ENCODER, LOW
Rcs-Ra55-A-60-Gs1-L-250	ROD / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rcp2-Sa7c-I-56p-16-650	SLIDER TYPEINCREMENTAL ENCODERLEAD (MM) -- 4, 8, 16
Rcp2cr-Hsm-I-Pm-30-800	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM
Rcs2-Sa6c-A-30-6-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2sa4ca2025100	SLIDER / COUPLING TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Rcs2-A5r-A-20-6-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / X
Rcs2cr-Sa5d-A-20-3-300	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W,

Rcs2cr-Sa7c-A-60-4-350	ABSOLUTE ENCODER, LEAD 3MM SLIDER / CLEANROOM / COUPLING TYPE, 60W, ABSOLUTE ENCODER, LEAD 4MM
Rca2-Sa6r-I-30-12-500	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT **LIST MULTIPLE O
Rcs2w-Ra4c-I-30-3-100	CONTROLLE
Rcp2-Sa7r-A-Pm-8-200	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcs2cr-Sa5c-A-20-3-450	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcp2-Ba6-I-42p-54-900	SLIDER / BELT TYPE INCREMENTAL ENCODER (U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rca-Rgd3d-I-20-10-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcacr-Sa6d-A-30-6-50	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12
Rcacr-Sa4c-A-20-10-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcs2-F5d-A-60-4-100	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rca-Sa6r-A-30-3-300	SLIDER / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT **LIST MULTIPLE OPTIO
Rcp2w-Sa16-I-Pm-8-200	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 8MM
Rcs-Sa5-A-20-L-250	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Erc2-Ra7c-I-Pm-4-150-Pn-R05	
Rca-Sa6c-A-30-6-1200	SLIDER / COUPLING TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12
Rcs2-Rgs4c-A-30-3-300	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL /
Rcs2-Ss8r-A-100-10-950	SLIDER / FOLDED MOTOR TYPE 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2-Ss8c-I-56p-10-350	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Smr-I-Pm-10-900	ACTUATOR ONLY, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY

Rcs2cr-Sa5c-A-20-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcl-Sm6l-I-10-N-48	MICRO MULTI SLIDER / LINEAR SERVO TYPE INCREMENTAL ENCODER, 10W, UNIT WIDTH 58MM(A1) ACON/RACON/ASEL, (A3) ASEP
Rcs-Ra45r-A-30-Gs1-L-150	ROD / FOLDED MOTOR / SINGLE GUIDE TYPE, 30W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rcp2cr-Sa7c-I-56p-4-750	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Rcp2w-Sa16c-I-86p-8-150	SLIDER / WATERPROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 8MM
Rcs2sa4da2025250	SLIDER / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Rcs2-Rgd4d-A-30-3-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcs2-Rgd4d-I-20-3-100	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Grst-I-20p-2-80	LONG STROKE GRIPPER, INCREMENTAL ENCODER
Rca-Rgd4r-A-20-3-100	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcaw-Ra4r-A-20-3-150	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Sa6r-A-30-3-150	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcs2-Rgd4r-A-20-3-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Sa7r-A-Pm-16-200	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Sm-I-Pm-10-400	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rca-Rgd4r-A-30-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Ss-A-Pm-3-500	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs-Sa4-A-20-L-50	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Rcp2cr-Hsm-I-Pm-30-700	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM

Rcp2cr-Sa7c-I-56p-4-450	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Ispa-Mzm-A-200-10-200-T1-Aq-B	ISPA MEDIUM VETICAL-AXIS LONG SLIDER TYPE W/ BRAKE, 200W
Rcs2-Rgd4d-I-20-3-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Sa5c-A-20-3-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa5r-I-20-3-500	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs-Sa4-A-20-L-250	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Rcp2cr-Sm-I-Pm-20-700	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 20MM
Rcs2cr-Sa6d-A-30-3-350	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcl-Sm4l-I-2-N-60	MICRO MULTI SLIDER / LINEAR SERVO TYPEINCREMENTAL ENCODER, 2W, UNIT WIDTH 40MM(A1) ACON/RACON/ASEL, (A3) ASEP
Rcs2-Rgd5c-I-100-4-50	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, INCREMENTAL ENCODER, LEAD 4MM
Rcp2-Rfw-I-Pm-2.5-300	ROD / HIGH-THRUST / SPLASH RESISTANT TYPEIP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2-Srgs7bd-I-150-4-250	ROD / SINGLE GUIDE / SHORT BODY TYPE, INCREMENTAL ENCODER, 150W, LEAD 4MM
Rcp2-Sa6r-A-Pm-3-500	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2sa4ca2025200	SLIDER / COUPLING TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Rca-Rgd3d-I-20-10-200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcs2-Rgd5c-A-60-4-100	ROD / DOUBLE GUIDE / COUPLING TYPE, 60W, ABSOLUTE ENCODER, LEAD 4MM
Rcs2cr-Sa5c-A-20-3-200	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcp2-Ss8c-I-56p-5-890	SLIDER TYPE, STEEL BASEINCREMENTAL ENCODERLEAD (MM) -- 5, 10, 20
Rcs-Smr-A-100-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcs-Ra55r-I-60-Gd-L-250	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, LOW

Rca-Rgs4d-A-30-3-300	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Sa4c-A-20-5-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca-Rgd4r-I-30-6-250	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Sa7r-I-Pm-16-800	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Ss7r-I-42p-6-50	SLIDER / FOLDED MOTOR TYPE, STEEL BASEINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12, (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MU
Rcs2-Sa6c-I-30-12-450	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcs2-Rgd4d-I-30-3-300	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rca-Rgd4r-A-30-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Ss8r-A-150-10-450	SLIDER / FOLDED MOTOR TYPE 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcacr-Sa6c-I-30-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 30W INCREMENTAL ENCODER
Rcs2-Rgs4c-A-30-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcacr-Sa6d-I-30-3-200	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Rcacr-Sa5c-I-20-3-250	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcp2-Sa7r-I-Pm-16-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcs2-Ra13r-A-750-1.25-200	ROD / SUPER HIGH-THRUST TYPE, 750W 2-TON TYPE / 19600N (4400LBS), ABSOLUTE ENCODERLEAD (MM) -- 1.25*SEE REGEN BOX REQUIREMENT BELOW*SELECT MOTOR/CABLE
Rcs2-Sa6c-A-30-6-550	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Ra5r-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P
Rcs2w-Ra4c-A-30-3-100	CONTROLLER
Rcs2-Ss8r-I-100-10-150	SLIDER / FOLDED MOTOR TYPE, 100W, STEEL BASE,

	INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Ssr-A-Pm-12-200	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6d-I-30-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcaw-Ra4d-A-20-3-250	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcp2-Sa6r-I-Pm-12-200	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcp2-Ba7-I-Pm-54-600-P1-N Replaced By Rcp2-Ba7-I-42p-54-600-P1-N	
Rcs2-Ss8c-I-150-10-450	SLIDER / COUPLING TYPE, 150W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Sa7r-I-Pm-4-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Sa7c-I-56p-16-50	SLIDER TYPEINCREMENTAL ENCODERLEAD (MM) -- 4, 8, 16
Rcp2-Ss-A-Pm-12-400	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55-A-60-Gd-L-200	ROD / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs-Sa6-A-30-L-300	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rca-Sa6r-I-30-3-200	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcs2cr-Sa6c-I-30-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcs2-Sa7r-A-60-4-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcp2-Ss-I-Pm-3-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6r-A-30-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcaw-Ra4c-A-20-3-50	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs-Sa6-A-30-L-100	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2-F5d-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcaw-Ra4c-A-30-3-250	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-

Rcs2-Sa6r-I-30-3-600	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Rca2-Sa6r-I-30-6-600	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcp2cr-Sa6-I-Pm-12-100	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs2sa4ri2025150	SLIDER / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, 2.5MM
Rcs2-F5d-I-100-4-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE
Rcs2-Gr8-I-60-5-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcacr-Sa6d-A-30-6-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Sm-A-Pm-5-600	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2-Sa7c-I-60-4-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2cr-Sa6c-I-42p-6-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcs2cr-Sa6c-I-30-3-300	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcp2-Ba7-A-Pm-54-800	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Ra4r-A-30-3-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Sm-A-100-M-600	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rca-A6r-I-30-6-150	ARM / FOLDED MOTOR TYPE WITH BRAKE, 30W INCREMENTAL ENCODER LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Rcp2cr-Sa7-I-Pm-4-800	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 4MM
Rcs2-Sa6c-I-30-12-300	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcp2-Hs8r-I-86p-30-100	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcp2cr-Sa7-A-Pm-8-800	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 8MM

Rcp2-Hs8c-I-86p-30-950	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Rca-Rgd4c-A-30-3-300	ROD / DOUBLE GUIDE / COUPLING TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12 * COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2cr-Ss-A-Pm-3-100	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs2-Rgs4d-A-20-3-100	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2cr-Sa5c-I-42p-3-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 3MM
Rca-Rgd4r-I-30-12-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rca-Ra4r-A-30-6-50	ROD / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12 * COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2w-Ra4c-A-30-3-300	CONTROLLER
Rcs2-Ss8c-I-150-10-250	SLIDER / COUPLING TYPE, 150W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs2cr-Sa6d-I-30-3-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcaw-Ra4c-I-30-12-50	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30W INCREMENTAL ENCODER (C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPE LEAD (MM) -- 3, 6, 12
Rcp2-Ssr-A-Pm-6-200	ACTUATOR ONLY, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcacr-Sa5d-A-20-3-350	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W ABSOLUTE ENCODER
Rcp2-Sa6r-I-42p-3-150	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rcs2cr-Ss7c-A-60-6-100	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON
Rcp2cr-Sa6c-I-42p-6-550	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcacr-Sa6d-A-30-12-550	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Sa5-I-Pm-3-500	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcs-Sm-I-100-M-500	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcacr-Sa6c-A-30-6-400	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER
	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE,

Rcp2cr-Ss7c-I-42p-3-350	INCREMENTAL ENCODER, LEAD 3MM
Rcargd3ri2025200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rca-Rgd4r-I-30-3-250	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12
Rcp2cr-Ss-A-Pm-6-400	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs2-Sa5r-A-20-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcp2cr-Sa5c-I-42p-6-450	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcs-Smr-I-100-M-700	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcp2-Sm-I-Pm-5-500	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2-Rgd4d-A-20-3-250	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Ssr-A-Pm-6-300	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcacr-Sa6d-A-30-6-300	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Hsm-I-Pm-30-300	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM
Rcp2-Sa6r-I-Pm-6-450	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs2-Rgd4d-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON /
Rcp2cr-Ss-A-Pm-3-600	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2-Sa7c-I-56p-4-450	SLIDER TYPE, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Sa6d-A-30-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcp2-Ss-I-Pm-12-500	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2-Ss7c-I-42p-12-150	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 12MM
Rca-Rgd4r-I-30-12-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rcs2cr-Sa5c-I-20-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, 3MM
	ROD / SUPER HIGH-THRUST TYPE, 750W, 1-TON TYPE /

Rcs2ra13ri750251	9800N, INCREMENTAL ENCODER, LEAD 2.5MM
Rcacr-Sa5c-A-20-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2-Ba6-I-Pm-54-900	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2w-Ra4r-A-20-3-300	ROD / FOLDED MOTOR TYPE, 20W, DUST/SPLASH-RESISTANT TYPE IP54, ABSOLUTE LEAD 3MM
Rcp2cr-Sm-I-Pm-5-200	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rca-Rgd4r-A-30-6-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Rgd4r-I-20-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Sa6r-A-Pm-6-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2cr-Sa5-A-Pm-6-250	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 6MM
Rcs-Sa6-A-30-L-50	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2cr-Sa5c-I-20-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, 3MM
Rcs2w-Ra4r-I-30-3-300	ROD / FOLDED MOTOR TYPE, 30W, DUST/SPLASH-RESISTANT TYPE IP54, INCREMENTAL LEAD 3MM
Rcs2-Sa5r-I-20-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Rcp2cr-Sa5-I-Pm-6-500	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcp2-Sa7r-A-Pm-4-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rca-Rgs3c-I-20-5-150	ROD / SINGLE GUIDE / COUPLING TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10
Rcs-Ra55r-I-60-Gn-L-200	ROD / FOLDED MOTOR TYPE, 60W, INCREMENTAL ENCODER LOW
Rcp2cr-Ss8c-I-56p-5-950	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 5MM
Rcacr-Sa6c-I-30-3-550	SLIDER / CLEANROOM / COUPLING TYPE, 30W INCREMENTAL ENCODER
Rcp2-Rtcs-I-20p-30-330-P1	ROTARY-SMALL/FLAT TYPE, STANDARD SPECIFICATION, GEAR RATION: 30
Rcp2cr-Sa7-I-Pm-4-700	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 4MM

Rcp2-Ba7-I-42p-54-700	SLIDER / BELT TYPE INCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcs-Ra35r-I-20-Gd-L-50	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, INCREMENTAL ENCODER, 20W, LOW
Rca-Rgd4r-I-20-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12
Rcp2-Grst-I-20p-2-100	LONG STROKE GRIPPER, INCREMENTAL ENCODER
Rcp2-Rfa-I-Pm-2.5-200	ROD / HIGH-THRUST TYPE INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10
Rcs2-Sa6r-A-30-3-300	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcs2cr-Sa6c-I-30-3-150	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcp2cr-Sa7-A-Pm-4-300	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 4MM
Rcs-Sa5-A-20-L-300	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Rca-Srgd4r-I-20-5-200	ROD / DOUBLE GUIDE / SHORT / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rcp2cr-Sa5-I-Pm-12-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcs2-F5d-I-100-4-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE
Rcp2cr-Sa5c-I-42p-6-350	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcp2-Sm-I-Pm-5-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2-Srgd7bd-I-100-4-300	ROD / DOUBLE GUIDE / SHORT BODY TYPE, INCREMENTAL ENCODER, 100W, LEAD 4MM
Rcs-Smr-A-100-M-700-T1-M	SLIDER TYPE, ABSOLUTE ENCODER, 100W
Rcp2cr-Sm-A-Pm-10-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 10MM
Rcs2-Sa5c-A-20-3-500	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Rgd5c-A-60-4-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcp2-Sa7r-A-Pm-8-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Grm-I-28p-1-14-P1	GRIPPER, SLIDE TYPE, INCREMENTAL ENCODER, 14MM STROKE
	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL

[Rcs2-Sa6d-A-30-3-300](#)

/ XSEL-