



Rose Krieger

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Rose Krieger Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Rose Krieger T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
105000000200	Cross clamp K 50 industrial design - Surface: 2 - vibratory ground standard - Clamping to A: 0 screws - Clamping on B (slide): 0 - screws
111500000200	Angle clamp W 15 industrial design - Surface: 2 - vibratory ground standard - Clamping to A: 0 screws - Clamping on B (slide): 0 - screws
Alternative item to item 000020	115000000200 Angle clamping piece W 50 industrial design - Surface: 2 - vibratory ground standard - Clamping to A: 0 screws - Clamping on B (slide): 0 - screws
12300000020	Flange clamp FK 30 industrial design - Surface: 2 - vibratory ground standard - Clamping to A: 0 screws
101600000200	Cross clamp K 16 industrial design - Surface: 2 - vibratory ground standard - Clamping to A: 0 screws - Clamping on B (slide): 0 - screws
103000000200	Cross clamp K 30 industrial design - Surface: 2 - vibratory ground standard - Clamping to A: 0 screws - Clamping on B (slide): 0 - screws

101600003800	Cross clamp K-VA 16 industrial design stainless steel - Surface : 0 - omitted - Clamping on A : 0 - screws - Clamping on B (carriage): 0 - screws
FNA5023TA0120	Linear unit RK Compact 50, RH, threaded spindle 1 drive pin Standard stroke = 25mm - Unit length : 120 mm
12300000020	Flange clamp FK 30 industrial design - Finish : 2 - tumbled standard - Clamping on A : 0 - screws Statistical commodity no.: 76169910 Origin: IN Y901-(goods not listed in Annex I of the EC Dual-Use Regulation) Net Weight: 1.038KG
TP0011863 (FS VA-14)	
TP0011864	
182500040200	Joint clamping piece GWZ 25 industrial design - Surface: 2 - vibrated standard - Clamping on A: 0 - screws - Clamping on B (slide): 0 - screws Statistical commodity number: 76169910 Manufacturer: IN Y901-(goods not listed in Annex I of the EC Dual-Use Regulation) Net weight: 0.776KG
91899	Centering set size B Slide centering for RK Duoline S+Z 120/160 Floor centering for RK Duoline S+Z 60/80/120/160 Slide centering for RK Monoline 80/120 Slide centering for EPX-II 30/40 KG
91327	Drive hub RK Duoline Z 160 3G RK MonoLine Z 120 Diameter: 80mm, width: 40mm suitable for coupling half GS38 including mounting screws
TB12B5F4A11A02754	Linear unit RK MonoLine Z 120 Carriage length: 330 mm Roller guide guided toothed belt B: 60mm, T: 8mm Protection class IP 20 - Unit length: 2,754 mm
TB12B5F4A11A01854	Linear unit RK MonoLine Z 120 Carriage length: 330 mm Roller guide guided toothed belt B: 60mm, T: 8mm Protection class IP 20
80121520500	Stainless steel tube round 12x1.5, cut to size 500 mm
13300000390	Foot clamp FS-VA 30 industrial design stainless steel - Surface: 0 - not applicable - Clamping on A: 0 - screws
80302020650	Stainless steel tube round 30x2, cut to size 650 mm
103000003900	Cross clamping piece K-VA 30 industrial design stainless steel - Surface: 0 - not applicable - Clamping on A: 0 - screws - Clamping on B (slide): 0 - screws
903041	Round tube plug 30x2, black polyethylene
Foot clamp FRA 50 block form	- Surface: 2 - vibratory ground standard - Clamping at A: 6 - screws block form
QST11H12AA000	Control: MultiControl II duo, basic Supply voltage: 100-240V AC; 3.5-1.5A; 50/60Hz for plug connection Minifit Jr. - 8-pin Multilift II Multilift II ESD Multilift II safety Multilift II clean max. 10 A current output, 28V DC output voltage Protection class: IP20 Power cable: without

Kv50
Fvaa50
123-3437
Fk30
132500000
Fs30
7015011
00422970
41536946
V50
W kv50
91003
123-3307
50x4
00422983
3033000
Ket30
1501510
Vo30
4015000
50x50x4x6000
Wv50
8 01 415 1 1000
Ev30
Ev30+vo30
131 400 000 2 0
Fva50
Vh50
121 400 000 2 0
Gf30