

Ross



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ross Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Ross T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
265k77	
1776F5307Z	4/2-WAY VALVE MAGNETIC BET. PAC 110/50 Weight: 3.3000 kg / 3.3000 kg Lot number: 84812090 Country of origin: US
D517C79	PILOT HEAD SER. 27 Weight: 0.6500 kg / 1.9500 kg Lot number: 84819000
1"C5111-B6009 MAX.10BAR	
1010K77	
1762L77	
1968B5007	
1968B6017	
2676 B-5001	
2771A4002	
2771A8958W	
2773B6001Z	
2776B5001	
334B33	
387C93	
411B0410	
421	
5021B5008	
503K87	

515K87	
5500A6003	SILENCER
697K87	
698K87	
942K77	
C5011B4008	
C5021B5008	
C5022B4005	
C5022B9018	
C5112A7005	
C5211B4017	
C5H00C6412	
D2153A5929	
D2153B5001	
D2154A6905	
D2171A5926	
D2171B4011 ROSS	
D2259L77	
D2753A4011	
D2772B6011	
D2773B4011	
D2774B4011	
D2776B4011	
D2776B5001	
D365G97	
D366G97	
D9576K2001Z	
J3573A8871	
J3573B5259	
MR 2IV 100 UO2A 511	
MR 2IV 64 UO3A 511	

R 3/8" 220V	
RESK0599.1	
RESK4015.10	
ROSS 503K87	
W1613B2825	
W517C7916 24 VDC 14W 150PSI + CUERPO 2773B5001	
W6076A4934	
W6076B5417	
W6377S4407	
W6476B2402	
W6476B3401	
W6476B3402	
W7476B2331	
YD1523C6002	
D2783A6912	G1 3/2-WAY ON VALVE. N.G. LOX/EEZ-ON 3LEGS. SEALED
D9576K1002	COMPACT VALVE G1/8 5/2 WAY MAGNET BET. DOUBLE MAGNET 24 VDC
D9576K1001W	COMPACT VALVE G1/8 5/2 WAY SOLENOID OPERATED 24VDC; 4 pieces 81.67 326.68 SPRING RETURN
D2773B4001	G1/2 3/2-WAY VALVE N.G. MAGNETIC ACTUATED PAC
W7076C6331	
W6076B4417	
3031218 - AIR MONORAIL PRESSURE REGULATOR	\ 9 KW \ 1 1/2" \ ROSS:C5X00B8029
C5X00B8029A	C5X00B8029 G1-1/2 PRESSURE REGULATOR REMOTE CONTROLLED WITHOUT PRESSURE GAUGE
C5X00B6056A	G1 PRESSURE REGULATOR REMOTE CONTROLLED WITHOUT PRESSURE GAUGE
DM2DXA5XA2X	DOUBLE VALVE SZ8 24VDC WITHOUT BASE PLATE MAGNETIC RETURN
946K87	PILOT REPAIR KIT
Valve 2771B3001	NPT3/8 2/2-WAY MV N.G.PAC

306K33165	MAGNETIC COIL 48/50-60; 24VDC; 5.8 WATTS Drawing no. 0558 14.1-10/5392
D2776B6011	G1PL 4/2 WAY VALVE MAGNETIC ACTUATED PACER
946K87	PILOT HEAD REPAIR KIT
D9576K1001W	COMPACT VALVE G1/8 5/2 WAY MAGNETIC ACTUATED 24VDC;
W7476B2331	5/2-WAY VALVE NG 1.5 AIR RETURNED 110/50
3126A5010	NPT3/4 4/3 HAND VALVE RATCHING, CLOSED CENTERST.
C5022B5005 ROSS FILTER	
C5112B5009 ROSS LUBRICANT	
C5112B7109 ROSS CONDITIONER	
C5211B4017 ROSS REGULATOR	
C5211B5027 ROSS CONDITIONER	
C5211D5017 ROSS REGULATOR	
D1968B4007 ROSS FLOW CONTROL VALVE	
D1968B4107 ROSS CHECKVALF	
D1968B7007 ROSS FLOW CONTROL VALVE	
D1968D3001 ROSS CHECKVALF	
D2751A4915 ROSS CHECKVALF	
D2751B703001 ROSS VALVE	
D2773B5001 ROSS ENABLA VALVE	
D2773B7001 ROSS VALVE 24V DC	
D2776B7003 ROSS VALVE 24V DC	
D5500A8001 ROSS SUSPENDER	
D9576K4001 ROSS VALVE 24 V	
M5076B2401 ROSS VALVE DIRECTION VALVE	
W6077B3401 ROSS VALVE 24V DC	
W6077B4401 ROSS VALVE 24V DC	
W6077B4407 ROSS DIRECTION VALVE	
D2776B5001 ROSS VALVE 24V DC	

3126A5010	NPT3/4 4/3 HAND VALVE RATCHING, CLOSED CENTERST.
D2771B6011	G1PL 2/2-WAY VALVE N.G. MAGNETIC ACTUATED PAC
MANUAL OPERATED 4/3 DIRECTIONAL VALVE	3126A5010
C5211D6007A	C5211D6007 G1 PRESSURE REGULATOR REMOTE CONTROLLED WITHOUT MANOMETER
W 6077B5411	5/3-WV ISO 4,MAGN. BET. CLOSED AVERAGE
SOLENOID VALF-ROSS-D3573A 8831	D3573 A8759 2-8,5 BAR-R 1 1/2" Air pilot controlled double coil VA 26/26 VOLT HZ=110V / 50V AC 110-120 / 60V AC 100 % ED Pressure switch type under valve 0420 JN3 1,5 -805803 R1/8
W 6476B4417	5/2-WV ISO 3 IMPULSE MAGNET BET REST
C5211B9007A	C5211B9007 PRESSURE REGULATOR G2 WITHOUT REMOTE CONTROLLED MANOMETER
C5112B5008	G3/4PL OIL NEBULIZER
C5022B5015	FILTER WITH AUTOMATIC DRAIN G 3/4PL
C5211B5027A	G3/4 PRESSURE REGULATOR WITHOUT PRESSURE GAUGE TYPE O-125 PSI
C5022B4005	FILTER WITH AUTOMATIC DRAIN G 1/2 AND METAL CONTAINERS
C5211B4017A	C5211B4017 G1/2 PRESSURE REGULATOR TYPE 0-125 PSI WITHOUT MANOMETER
C5112B4008	G1/2 OIL NEBULIZER
D2776B5001	G3/4 4/2-WAY VALVE SOLENO OPERATED PAC 24 VDC
D1968B5904	G3/4 SPEED CONTROL VALVE FOR HIGH TEMP.
1968B8017	NPT1-1/2PL SPEED CONTROL VALVE
961K77	REP. SET 2" CONTROLLER REMOTE CONTROLLED
3573A5142	NPT3/4PL PRESS VALVE CF8
D3573D8753Z	G1-1/2 PRESSURE VALVE CF30; FLANGE,PRESSURE,110/50 SILENCER,WITH BG, NEW VERSION OUTSIDE FORECAST.
RESK 3478.26.3-06	
9-12-056	
D3573D7630W	G1-1/4 PRESSURE VALVE CF30; FLANGE,PRESSURE,24 VDC SOUND,WITH BG, NEW VERSION
435K77	VALVE REPAIR KIT

P-800	3/2-WAY PILOT VALVE FOR 21 VALVE BLOCK
D2776B4001	G1/2 4/2-WAY VALVE MAGNET-OPERATED PACER Please let us know the desired voltage and frequency when ordering
5/2, W6476B4417	
D3573B7630	
W6077B4401	5/3-WV ISO 3 MAGN. BETH.GENDER MEDIUM NOT RESTING
D2153b6012	
411b04105 110v/50hz	
494k87	
1523c4002	
3573-8012	
D2783a4065	
W7076c6332	
Fc.3018	
2776b6001	
2776a6002	
2273b6011	
D2773b4001	
Fc.1309	
Fc.3020	
1131a2002	
C5211b3017	
306k33	
886k87	
936k87	
C5321h3042	
D2783a4903	
2753.3001	
D2783a6903	
D5500b9001 2quot;	
2753.6001	

J3573d8015
Art. Nr. 2773b7930
W1616b2020
2771b4011, 501k87
2773a7930,24vdc (250-0280)(Mp) , 250-0260-S
D1968d4001
512k87
2753.4011
2771b3001
3573a5161
W6476b2417
2753.4001
D1968d3001
W1618b2020
1776f5307z
946k87
2776b6011
2774b4001
2276b4011
497k87
436 K77
2752a7001
02752a7001
2783a8016
D2776b5011
C5022b5005
C5111b8009
D1968d3014
2273b4011
2753.6011

Fc.3019
2754 A-5001 3 Way N.O. 3/4
C5211d5017
1quot;C5111-B6009 Max.10bar
C5022b3005
C5022b6005
1quot;C5111 ?B7009 Max.10bar
W 6476b3411
1968e3007
1776f7305z
D517c79
434k77
D2176c5003
501k 87
445 K77
2753.8011
2776b6011w
2772b5001z
2776b8012
D2773b5001
435k77
Dm2cda54a21
170k83
2773b4011
D1968b4007
3573-6161