



Ross Controls

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ross Controls Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Ross Controls T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

| ¼r¼n | A¼ıklama |
|-----------------------------|--|
| R-KA37- | REGULATOR REPAIR KIT |
| D2773B4001 | G1/2 3/2 WAY VALVE N.G. MAGNET ACTUATED PAC When placing an order, please let us know the desired voltage and frequenc |
| W7076C6331 | 5/2-WAY VALVE NG 10 MAGNET OPERATED Please let us know the voltage and frequency you want when you place the order |
| W6076B4417 | 5/2-WV ISO 3 IMPULSE MAGNETB. RESTING Please let us know the voltage and frequency you want when you place the order |
| W6476B4407 | 5/2-WV ISO3 IMPULSE MAGNET BET. N. RESTENDING |
| D2776C6032 | G1PL 4/2 WAY VALVE ALF |
| W7476C4332 | 5/2-WAY VALVE NG 4 IMPULSE BET. REST Voltage: 24/50-60 |
| Dm2dna55a21 | |
| D2776b4003 | |

| | |
|-----------------------------------|---|
| Dm2cda54a21 | |
| D2771b5001 | |
| 3573a6151 | DOUBLE VALVE PRESS CONTROL 2-8.5BAR 110-120V |
| D2773b5001 | |
| D2773a4035 | |
| W7077c4332 | SOLENOID VALVE 3/8-3/4INCH PORTS SIZE4 5/3 OPEN |
| W6076d4910 | |
| 3573a7161 | 1-1/4 CF SZ12 NLAR EP SIL |
| J2773a4970 | |
| C5213c2018 | |
| 3573a6162 | DOUBLE VALVE MODULE W/ LG MONITOR 1INCH PORT SIZE |
| C5022b2005 | |
| D2773a9001 | |
| 3573a7996 | A7171 W SPEC MON/7-PIN CONN |
| 958b11 | |
| 356a30 | |
| Vd150-10y-C-Kb-Al | HIGH VOLTAGE DIVIDER 150KV |
| Dm1eda21a31 | |
| 2753a9001 | CHECK VALVE 3-WAY 2IN IN 2-1/2IN OUT NC |
| 2103k77 | |
| D326k86 | |
| 2151h77 | |
| C5h00c6210 | |
| 886k87 | |
| W7077c8332 | |
| 3573b5153 | 3/4 CF SZ12 NLAR DS SIL FLG |
| C5f00b2222 | |
| 3573a8872 | SOLENOID VALVE CROSS FLOW 110-120VAC 50/60HZ |
| 1404h79 | |
| D1450177 | |

| | |
|-----------------------------|--|
| D2771b4001 | |
| C5h00c8210 | |
| 2776b4011 | |
| 3573a4208 | CONTROL VALVE CF8 NLAR LG/EP SIL NO FLG24VDC |
| 2751a5906 | |
| J3573a8813I | |
| D2776b4011 | |
| 849k87 | |
| 851c79 | |
| 339c11 | |
| C5f00b4220 | |
| D2773a6857 | B6075 W/4P MIC IND GM |
| 3573a5141 | 3/4 FL CF SZ8 NLAR ERES MUF |
| 4473a5401 | PRIMARY VALVE 0-40BAR 600PSI AIR PRESSURE |
| 2776b6011 | |
| D328k86 | |
| D462k91 | |
| 2773b9011 | 2 1/2 OT 3W NC L INT PQUEEN |
| D2776b6013 | |
| 936k87 | |
| 350 K33 | |
| 2153a5909 | |
| 3573a4201 | SZ8 S-P CF NLAR EP SIL NO |
| 3573a5162 | 3/4 CF SZ8 NAR LG SIL FLG |
| 2773b9001 | SOLENOID VALVE 3-WAY 2-1/2IN NC 110/120V |
| W7076c8332 | T16 4W MESP DET SOL NLAR LITE |
| C5x00b4004 | |
| 2771b9900 | 2771B9001 W/POP BLEED 3/16 |
| 338a13 | |
| D460k91 | |
| D2773a6814 | |

| | |
|----------------------------|---|
| D5500a2003 | |
| J3573a7161 | DOUBLE VALVE CROSSFLOW 1-1/4INCH |
| 3573a4014 | CONTROL VALVE CROSSFLOW DOUBLE |
| C5f00b2220 | |
| W6476b4407 | |
| J3573a4141 | PNEUMATIC VALVE 26VA 110-120V 50/60HZ 2-8.5 BAR |
| W7076d4332 | |
| D2773b9001 | |
| 3573a6161 | |
| D2776a5003 | |
| 2776b5001 | |
| W6076b3407 | |
| 3573a4202 | CONTROL VALVE 3/4INCH 2-8.5BAR 110-120V |
| 2773a8971 | A8072 W/IND,4PIN MIC CHRY 24DC |
| J3573a8161 | 1-1/2 CF SZ30 NLAR EP SIL FLG |
| D2173a595 | |
| 3573a5151 | 3/4 CF SZ12 NLAR EP SIL FLG |
| C5h00c5212 | |
| 3573a5201 | SZ12 S-P CF NLAR EP SIL NO |
| 1523c5012 | |
| D2771b8051 | |
| 2776-B6003 | VALVE 15-150PSIG 40-175DEGREE 100/130V 50/60HZ |
| D5500a4003 | |