



## Samhydraulik

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Samhydraulik** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Samhydraulik T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">H1V 12 PV C DX LC</a>	
<a href="#">S5AV P 050 50 0 ME 02 SAH SX N</a>	LSPCX20 300 XX XX XX
<a href="#">CTM1016 S 609 CF F07 04 002 VAM XX</a>	transmission Weight about 22 kg
<a href="#">BGE 250 2A R08 CL250 N XXX ORBİT</a>	
<a href="#">BR2L 200 814</a>	
<a href="#">SEM 51031506042</a>	Gerollemotor HTC 315 C4 M10 DB002 N 1220-1310-0013 326,3ccm/U, p= 210 bar, Qmax=125ltr/min, Gewicht ca 20 kg
<a href="#">H1C M 040 ME OC SAI FM1 RV N</a>	
<a href="#">H1C M 020 ME OB SAG FM1 RV N</a>	

<a href="#">H1V30PVCSXLC</a>	
<a href="#">HT 315 C C4 DB002 M10 N</a>	
<a href="#">SPO0000126 seal kit BR N</a>	
<a href="#">BR E 080 2A R08 CL250 N QDR</a>	
<a href="#">BR E 080 2A R08 CL250 N SVA</a>	
<a href="#">SEM 51005011B31</a>	BR-O-050-2A-M08-CL250-N-XXXX-000-XXX-XX (old: BR 50 N C25) 1220-1310-0047 49 ccm/rev, p=175 bar, Qmax=40l/min., cylindrical shaft d=25 mm, Key -C, SAE-A-2 hole -N, with leakage oil at the rear 1/4", Connections on the side 1/2", 024.0100.4401 (Successor to the AR engine)
<a href="#">LKM 51005011131</a>	EPRM-50-C-D 100896 vg = 51.5 cc, SAE-A 2-hole Flange EP = 82.5 mm, LK = 106.4 mm, cylindrical Wave d = 25 mm with high pressure seal, connections G 1/2", Leak oil G 1/4"
<a href="#">S6CV 128 BF SX HIR PC 08 SA</a>	BF = shaft Z.23 HIR = proportional hydraulic control = HI required PC = with pressure compensator 08 = with 8/1 chokes SA = with SAE predispositions A = Z9-16/32 DP
<a href="#">HTC 315 C4 M10 DB002</a>	
<a href="#">Wheel drive</a>	(B0020699) CTM 1016 T 609 CF F07 ZV 100 VAM HPS XX XX 1230-1310-0015 Gear motor consists of: - Gearbox CTM1016 T 609 CF F07 - Motor BRZV 100 S14 HPS - Valve VCT11-AF (VAM) (CTM12D00002)
<a href="#">BRZ 100 S14 S/N 473655</a>	
<a href="#">Ars250dc25</a>	
<a href="#">04201010604</a>	
<a href="#">1220-1310-0164</a>	
<a href="#">Arf160nc25 Af</a>	
<a href="#">1205 - 279849 Hydraulikpumpe</a>	
<a href="#">Bg130325</a>	
<a href="#">Hiv 226</a>	
<a href="#">Ar200 Nc25</a>	
<a href="#">Lc / 1 - 99120114</a>	
<a href="#">Htc 315 C4 M10 Db002 N</a>	Gerollermotor 1220-1310-0013 326,3ccm/U, p= 210 bar, Qmax=125ltr/min, HS CODE 84122981 Gewicht ca 20 kg Stk.
<a href="#">1009 - 075046</a>	
<a href="#">Br O 200 2a M08 Lc254 N Xxxx 000 Xxx Xx</a>	

[Hr C Lw 250 B4 M09 Db001 N](#)

[Br1o9e0001](#)