

Sartorius



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sartorius** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Sartorius Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
17805-----E	Midisart 2000 Air&Gas Filter Pack size: 12 pieces Disposable filtration unit, sterile, individually packed. Housing material: Polypropylene Filter material: PTFE, reinforced with gauze Pore size: 0.2 micron Filtration area: 20 sq.cm
PR5230 Combinatoric	(As a possible successor to PR1710) Process transmitter in stainless steel housing, IP66 discount 564.90-1,318.10 Tariff no .: 85389099, country of origin: Germany □ housing Degree of protection: IP66 stainless steel, electropolished □ Dimensions: 350 x 250 x 150 mm □ Display: LCD, transfective, backlit, elements: 6-digit, Resolution 128 x 64 pixels, status LEDs □ Ethernet TCP / IP and Modbus TCP interface □ Serial interface RS 422/485 and RS232
17804 E	
721951	
722001	
9405 203 01250	
940515210001	

940526211521	
940536130043	
940536135322	
BOS103960541	
CAIS1	
FBP101947	
FBP101949	
H2O-CPFAD-1	
H2O-CPFCO-1	
H2O-CPR	
H2O-CRO-H-1	
H2O-CSO-1	
H2O-S-PACK	
MP20/00	
Option fur PR 5230	
PR 5211/11	
PR 6001/10S	
PR 6135/12	
PR 6251/23LA	
PR6211/12 D1	
PR6211/52D1	
PR6212/3t C1	
PR6212/500kg C1	
YIB02-230V	
LA220S - (70904670)	Accuracy class "Laboratory balances of general purpose and exemplary" according to GOST 24104-8 8 : 3 Accuracy class according to GOST 24104-2001: II Maximum weighing limit, g: 220 Part price, g: 0.001
11807--50-----N	PTFE membrane_0.2 µm_50mm_100pcs: membrane filter Pack size: 100 pieces Material:,,PTFE, white Pore size: 0.2 microns Diameter: .50mm
5502505P3	0.65micron
5382507H3	0.2micron
	Membrane filter 47 mm, 0.45 µm white with black grid sterile,

9.054 032	VE=100 (No ADR)
PR 1710/04	
9.054 032	Membrane filter 47 mm, 0.45 µm white with black grid sterile, VE=100 (No ADR)
11406--47----ACN	(0,45 µm)
GL224i-1CEU	
GL3202i-1S	
Midisart	
17805-----E	Midisart 2000 Air&Gas Filter Pack size: 12 pieces Disposable filtration unit, sterile, individually packed. Housing material: Polypropylene Filter material: PTFE, reinforced with gauze Pore size: 0.2 micron Filtration area: 20 sq.cm.
9.049 152	Midisart® 2000, 20 cm² Porengr. 0,2 µm, steril VE=25
FILTRE PTFE 64MM SARTORIUS STEDIM MIDISA	1000132433 \ 10
PR76/3000kgC3	As successor to MP46/33 C3: Minebea S-type tension load cell LC Tigo 3 t, Accuracy class C3 = 0.025%, stainless steel
11406-47 ACN 0,45 UM	
Type: PR6221/30T , C5	
PR6211/13D1	
PR6011/30N	
PR1721/31	
PR 5410/01	
MA30 / Display	
MDB D100x50	coil MDB 8-E BO-623710000/0 SN: 369 limestone on the band after stockhol 50X200
MDB D120x30	raw meal mill with search coil 3 mill inlets
4.669 132	Precision balance Entris® II internal calibration, 3200g/10mg, weighing plate 182x182mm
6.317 368	Load cell WZA1203-NC weighing range 1200g, readability 1 mg
WZA224-N	FLS0001 WZA224-N high precision load cell
WZA224-N	
MP20/00	
30" filtre 1,2µ	2227014413 0113 0091 0092
Ft 3 102 125	
3716	BALANCE

Pr6043/30n	
Mp58/454kg_C3mr	
H2o-Cbs-5-S	
5231507h7_B	
Msa3203s-1ce-Dr	
25006_90g	
H2o-Cro-H-1_Modul	
Quintix224-1s	
940515410011	PR5410/01 X3 PROCESS INDICATOR 24V DC
H2o-Cpr_Patrone	
H2o-Cso-1_Patrone_Erweichung_Vor_Dem_Edi-Modul	
Pr6130/08	
Pr_6135/12_Kabel	
Fc06bbe-S0ur	ELECTRONIC SCALE ANALYTICAL BALANCE 240X294X86MM
940515500011	PR5500/01 MAXXIS4 CONTROLLER WITH A/D CONVERTER
11406z_50scm	
291f7-1616--F	
721955	
940526211331	
Pr1713/Bsc	
Pr6221/30t/C5	
14075-47-N_47mm	
Ma160-1	
11107-47-N	
Bo-103960458_Display_Dialog_Pc	
Pr1591/00	
Pr1721/31	
Pr6201/23d1_Cellulose_Dosing_Tank_5_M3	
Pr1720/00	
6980104	
Cpa623s	SCALE

Mse5201s-100-D0	
Mdb8-E	
Pr6211/12d1	
Sartopure Pp2 5592542p1 5micron 10ã39;Å39;	
14053-47-N	
Fb6cceh	BALANCE
5592542p2	
Pr 6201/24d1	
2602	TRANSMITTER
Msa2202s-100-D0	
16612 Laboratory Vacuum Pump	
13906-50-Ajn	
11407-47-Acn	
Pr6201/14d1	
Msa3.6p-000-Dm	
291s7-1216--F	
13806 47 50acn	
Qc7dces	SCALE
Pr6011/30n	
Bo-377111385(Coated Rubber)	
Quintix124-1s	
Pr6041/30n	
Pr1721/01	
Bo-104601358	
17805	
Msa3 6potrdm	
17804-G Midisart 2000; 0,45?M	
11406--47----Acn Cellulose Nitrate Membrane Filters	
Entris 224i-1s (Sartorius Entrisã174; Analytical Balance)	
13906-47-Apr	

Cubis Msa 3203s-0ce-Dr Replaced By Msa3203s-1ce-Dr	
Einzelgewicht Klasse F2 500g	
Ydk01	
Pr6201/53l	S/S COMPRESSION LOADCELL, 5T CAPACITY
Nps Schaufus Pottinger	
13806 50 Acn	
U1sp18104	KIT
940526211231	
Cce40kj	PART
Pr1713/06	
25006 90g Filter Paper	
5580510w2	
13906-47-Acn	
Msa225s100di	BALANCE
Mm40 Water Bath (Capacity Of About 21l With Digital Display)	
Pr5410/00	
Pr6021/01n	
Pr 6201/23c3	
H2o-Cpfad-1 Vorfilter	
Pr6011/10n	
3713mp	BALANCE
9405 154 10001	
5182507t3	CARTRIDGE
Py-P12 - Obsolete, Replaced By Ma100c-000230v1	
Ft 2 605 100100r	
Pr 6201/53c3	
Einzelgewicht Klasse F2 2kg	
Nps Endo	
940526211521 Kompakt Druckwaegezelle Pr 6211/52d1	
Pr620124la	LOAD CELL

Cp2202s	SCALE TOP-LOADING
Mw1s1-15dc-L	
Ydp20-0ce	DATA PRINTER 2.5LINES/SEC 24CHARACTERS
6093016	POWER SUPPLY
Pr 6201/24c3	
Ma35m-000230v1	
H2o-Cpfco-1 Vorfilter	
11106--47----Acn Membrane Filter	
Pr6152/02	
721951 Piston 50ml	
Msa224s-0ce-Du	
Pr 6211/33 D1	
Eb60feg-I	SCALE DIGITAL 60KG MAX W/DIGITAL READ
153i-1s	
Siwrhcp-1-35-I	BENCH SCALE 13.8X9.5IN 35KG-1G EST.SHIP WT. 24LBS
Pr6241/13c3	
Pr6201/13d1	COMPRESSION LOAD CELL +/-0.04% OR +/-4KG
Pr6221/25tc4e	
Capp1u-20cc-Lu	PLATFORM SCALE
9405 360 51102	
16407-25-Ack	
Pr6201/23d1	
69qc0001	
5592820p3	
Ma100c-000230v1	
Pr1713/12	
Nps Ttc Standard	
940536135322 Pr6135/32 Installation Cable, 300 M Drum	
140555-47-N	
1413mp8	SCALE
Pr6211/23	
Ea35ede-I	SCALE ECONOMY EXPRESS 35KG/77LB MAX

69qc0047	
H2o-Cbs-50	
13400-47q	
11407 47 Acn	
Pr 6251/53la	
14068-47-N	
Ma150q-000230v1	
Msa225p-100-Du	
11107-50-N	
H2o-S-Pack Patrone	
Pma 7500 Analysis Is Over 0.1	
940526201531	
Mdb5-E	
Pauschale	
Bp3100s	SCALE
120988	
17805-----E	
Lh-780316	
Pr6241/52d1	
13006 47 Acn	
69qc0039	
H2o-Ccs	
Nps M-Tge	
Ydp20oce	DATA PRINTER 2.5LINES/SEC 24CHARACTERS
Pr6221/50to C3	
940596051122	
Maxxis5	CONTROLLER
Bo-103960155	
Pr5210/10	
Mp58/454kg	
11406 47 50acn	
Pr6221/50tc3	

940536130043 Pr6130/04n Cable Junction Boxe For 4 Load Cells,Aluminium, Ip67	
11107-50-N	
Pr6201/53c3	
790014	
13906 47 50acn	
Pr6201/23d1 Silica Dosing Tank 2.5 M3	
Ba310s	SCALE LAB BALANCE ANALYTICAL
Sartobran P Mini Cartridge 5231507h9 0,45+0,2 Micron 5ã39;Å39;	
Mp92/00 N	
940596051002	
17593-K	
Ycc01-02ism3	
Pr6201/15n	
13006z 47 50scm	
Py-P10	
Pr 5510/00 (Ex Pr5610)	
Pr5220/06	art nr. 940515220061
Ma30	MOISTURE ANALYZER 3.3AMP 100-120/220-240VAC
940556251149	
17804-G Midisart 2000; 0,45m	
Mse225s000du	BALANCE
Mw1s1-30-Fe-L	
14068-50-N	MFC NPS, R: 50 MM 0.45 MIKRON
120988 Card Pasf 2 Series	
Combics 1 Cais1	
Mw1s1-30ed-L	
17593-K Minisart® Nml Syringe Filter	
Pr6211/13d1	
Combics 1 Cais1	
Pr 6246/52c6	
11406 47 Acn	

[11304 25 N](#)

[940515210001 Pr5211/00 Process
Transmitter With Usb -Profibus-Dp And
Analogue Output](#)

[940526211231 Kompakt Druckwaegezelle
Pr 6211/23d1 2 T](#)