

Sauer Danfoss



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Sauer Danfoss Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Sauer Danfoss Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunulmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Sauter Avm322sf132	
Sauter Vqe065f300	
Omm 32 M. 16mm Shaft (Side Port)	ORBITALMOTOR
11004919	SAUER DANFOSS AXIAL PISTON HYDRAULIC PUMP MODEL CODE:90L 130 MA1AB80 L3F1 F00 GBA 383824
H1-P-130-L-B-A-M1-C3-N-D3-G-G3-	H2-K-38-K-38-A-M-24-H1-NNN-M00 Danfoss Axial piston pump
hydraulic pumps	SNP3NN/048RN06AAP1BBBANNNN/NNNNN Danfoss gear pump ID.Nr.: 111.25.080.0C
GEAR PUMP; Sauer-Danfoss hydraulic pumps	SNP3NN/048RN06AAP1BBBANNNN/NNNNN; DISPLACEMENT: 48.3CM3/REV; PEAK PRESSURE; 250BAR; RATED PRESSURE; 230BAR; MIN SPEED: 800)RPM); MAX SPEED; 2500)RPM) ----- PART NO.PU- :SNP2NN/022RN02AAP1B7B5NNNN/NNNNN 2H180GEAR PUMP; SNP2NN/022RN02AAP1B7B5NNNN/NNNNN; PART NO.PU-2H180
Rickmeier R45/80 FL-Z-SO	
Rickmeier 401752	Gear pump SNP3NN / 48-R-N-06AA-P1-BB-BA (ALT SNP3 / 48 DCO06)
Rickmeier SNP3NN/48-R-N-06AA-P1-BB-BA	Gear pump (ALT SNP3 / 48 DCO06)
FRR074BLS2618NNN3S2B2-A1NNNNNNNNNN	Material surcharge Danfoss axial piston pump ID no .: 80004353
PVRES	
155B4212	Danfoss joystick 63224212
Danfoss 155U2601	PVREL with spring neutral (no neutral sw)

OMPX 80, IDNr.:	Successor to OMP 80, Danfoss IDNr .: 1510611 Technical specifications: Swallowing volume: 77.8 cm ³ Shaft: cylindrical Ø25mm Feather key: A8x7x32mm (DIN 6885) Connection: side connection Mounting flange: A2 (2hole M12) Connection A + B: G1 / 2 "IT Leak oil connection: G1 / 4 "IG Coating: not available Seal: including high pressure seal
020401817	
060G3983	
10102718	
10104073A	
10107463	
1020526	
11008670	
11024064 PVG 32	
11026042	
11026813	
11050146	
11056378	
11062177	
11089556	
11091800	
11095724	
11097497	
111.22.068.0C	
11100638	
11108994	
11122324	
11148925	
11166743	
11166824	
11177353	
11186652=151-0717	

11186674=151-0712
11186714=151-0618
121.12.076.00
149027
1508012
150-8012 OSPC 70 LS DYN 90/150BAR LENKUNGEN
150N1151
151-00 307
151-0724
151-1286
151B3003
151B3104
151B3121
151B3300
151B4021
151F0504
151F0552
151G0001
151G0013
151Z8202
152B8262 OLS 80 7 BAR FEDER,SCHWARZ PRIORITATSVENTIL
155 B 4210 PVRES / 63254210
155B4041
155B4210
155G4092
155G4093
155G4093 - 12-32V
155L4022
157 B 4128 / 63252128
157B40086

157B4032
157B4033
157B4033 PVEH 12/24V ELEKTR. AKTIVIERUNG
157B4036
157B4036,pve-di 32(s4)
157B4063
157B4086
157B4086/157B4088 PVEH 12-24V
157B4128
157B4228
157B4528 (S24216)
157B4921
157B5301
157B6500
157N7147
162F1300
162F1310
162F1315+162B6017
171146019
181.20.024.00 PNN014/014RN01 BQP3C7C3NNC7C3 NNNN/NNNN
1EEC12-01-B-12S-E-A-400-10.0-015A
257B 4736
3103197
327627
341958
356113
387A-382A
4465078
48000770002

501400 DECKEL 90P130-250 FUELLP.GESCHL. KPL.
508179
509417.
51*060
510004 JM52502
515369
516350
517310
518703
51D060
51D110-1 AD3NT2 CANNX1NNN031AAF30028 80000428 F080217576
51D160
51MV080
51V110
520710
5310-00-130-533
5310-00-215-533
63244093 (155 G 4093 fur PVG 120 _1132 V.DC)
63254033 157 B 4033
63254036
63254228 157 B 4228
700300
7004303S (OEM)
7004543S (OEM)
7005257
734608 PASSFEDER A 5X 5X12 DIN 6885 HRC 40-50
800005750
80004940

805315419
81871528
83003957
83005356
83008461
83014891
83026209
8510116
9008000-0114
90L055HF1BC80R351
90L100KP1CD80L3F1E03GBA292924
90L250-KA-5-NN-80-S-3-C8-K-03-NNN-35-14-24
90-M-042-NC-0-N-8-N-0-K4-W-00-NNN-00-00-F3
90-M-055-NC-0-N-8-N-0-S1-W-00-NNN-00-00-24
90MO75-NC-0-N-8-N-0-C7-W-00-00-24
90PV130
90R075
90R100-KA-5-NN-60-S-4-S1-E-00-GBA-38-38-24
90R100-KA-5-NN-80-S-4-S1-E-03-GBA-38-38-24
90R100KC1NN80P4S1C29GBA361024
90R100-M8-1-CD-80-S-3-C7-E-03-FAD-42-42-24
90R130+90R100
90R130-KA-5-NN-80-R-3-C8-H-03-GBA-30-14-28
90R250-KA-5-NN-80-T-3-C8-K-04-NNN-30-14-28
9721140_90L130-HF-1-NN-80-R-3-C8-H-01-GBA-32-32-24
A-03-20-45527

BE230AS
BQP3C7C3
C23.0L38758
C24 5L01897
CP200-1-B-0-A-C-200
CP230-3-B-0-E
CP458-2-B-015-0
CP520-1-B-6S-24D-H
CP618-2-B-0-E
D08-16W-20D-SD
DC054231227 OEM
Deckel 90P030-100 Fullp. geschl. kpl.
DHI-0713-23
Du-Buchse 30DU08-S
EHPS 80/8-1 + OLS320+HIC - OEM
ERL100BLS2520NNN3S2RPA1NAAANNNNNN
H1P078R A A8C2C OEM
HPM 51.2
Id. No. 10102837, S1X-46 G2 AMP K164C NFPE
JS 120-0006
KA5NN80T3CK04
KR-R-038C-RP-21-20-NN-N-3-K1RG-A6N- AAA-NNN-P00
KVEBB0504
L38-7053
LRL030DPC10NNNNN3C2BGA6NPLBNNNNN
LR-R-025C-PC-26-NN-NN-N-3-C2NF-A6N- AAA-NNN-NNN
LR-R-030D-LS-20-20-NN-N-3-K1NG-A6N- KNB-NNN-NNN
M46-20543

MCE209B1011
MCV105C3023
MCV110A1058
MCV116A3201
Mcv116f4201
MCV116G4201 1262610
MCV116G4204
Model:10103275 Serial:04060080
MOTS 315
MPT044DG5REAABAAABFFDRAFFBC
MPV046CBBHTBBBAAA 6HHCB AJJANNN*** - OEM
MT125HU4DVE
N-1304-157B4063
NFPE 90PV075
OLSA 40
OMP 250
OMR 151-6211
OMR 250 S.6 A2/W25/RV/SA G1/2 LA G1/4
OMR 315 A2/W1"VK/HPS/SA / 151-0427
OMS 315 151F0506
OMS 315 ZYL WELLE 32 MM
OMSW 200
OMT 160 FH 40 MM
OMT 400 151B040
OMTW 500 / 151B3035
OMV 800
OMV 800 M 50MM-W
OMV-630 151B2153
OMVW 315 151 B 3120
OMVW 500 (151B3122)

OSPC 100 ON 125/180BAR G1/2A
OSPC 200 LS /150-8270
PVED-CC 32 std. NC AMP
PVEH 157B403300
PVEH 32 Ex mb IIB T4 Gb STD. 5M
PVEH-DI 32 S4 (157 B 4036 2413 B 057173)
PVG 100 OR 120
PVG32
PX042408460
Q020
QC05
R13-12D-16W-SL
RPP06
RR 510 154F6120M197
RR 510 SI i=5,0 RF Spec
S1X-11 G2AMP K196
S1X-22 G2 AMP K196C
S1X-22 G2 AMP K196C S/N:015019573
S1X-26 G2 AMP K196C
SERVO-SLEEVE-TMPD42MM (F50)
SMF 23 6000 PSI
SNP3/22 D SC 11 A
SNP3/26 D SC 11 C
SNP3/26 D SC11/OM
S-N-W-3-N-N-/-022-R-N-07-BN-NN
SPH 9257
SPV15-2216
SPV2/089-R6Z-PS183-CXX-R1
SPV2/89
SPV6/119-R6Z-988988

SPV6/119-R6Z-988988-KS25X-F4040-VAD200-305-E1	
SPV6-119	
TMG 51.2--LI-102-NN (Uns.Nr.: S24040)	
TMP 089	
TMT 470 V	
TMT 470 V / 151Z3305	
Model Code: 42R41DE1A602B5G2CN	S/No: A-03-35-15610
OMPX 100, IDNr.:	Danfoss engine Technical specifications: Displacement: 97.3 cm ³ Shaft: cylindrical Ø25mm Key: A8x7x32mm (DIN 6885) Connection: side connection Mounting flange: A2 (2 holes M12) Connection A+B: G1/2" IT Leakage oil connection: G1/4" IT Coating: not available Gasket: including high-pressure gasket Danfoss OMPX 100 (11186725) replaces OMP 100 1510612
51D160AD4NT3C0LNJ1ADA040AAE600B1	IDNr.: 519228 Danfoss axial piston motor
Oil filter element N°201083 SAUER SC22-8-MA50	
Sealing set N°201065 SAUER SC22-8-MA50	
V-belt N°201005 SAUER SC22-8-MA50	
type: SNP 2/19 D C001 1F	
pressure relief valve, type: MV53B-R½" - 500 Bar	
type: R28/38.38-TN28/28A	
Prof1 Joystick 162F4002	
509965	MOTOR-VAR-DISPL 51MD160 Model code: 51D160-A-D4-N-T1-C0-L-N-K7-NNN- 045-AA-A0-00-B0
OMS200, hydraulic motor, 151F0511	
OMS315, hydraulic motor, 151F0513	
FF18NNNNNN	
73010068	Danfoss gear pump SNP2NN/019RN01BAP1F5F4NNNN/NNNNN Ident No.: 111.20.286.00 Old name: SNP2/19 D CO 01F Technical data: Displacement volume: 19.2 cm ³ Direction of rotation: right Shaft: conical 1:8 Mounting flange: European 4-hole centering diameter: 36.5mm Connection, mechanical: G3/4" G1/2" continuous pressure: 210 bar max. operating pressure: 230 bar
Danfoss TRIPLE GEAR PUMP=GR3+GR2+GR2	

7301	PRNN075/025/022R001BLP 3CDCANNC8C7NNC7C3NNN N/NNNNN ID No.: 181.25.851.00
Mpv046cbahrbaaaab	
S1 X-47 G2 Amp K164c	Please look at the attachment
155g5038	PRESS RELEIF VALVE MANIFOLD SAE FLANGE CLOSED CNTR
Series H1	
151b2270	MOTOR
Series 44,	
Series 51v,	
4510048	KIT
10100890	INTERFACE GRAPHIC TERMINAL 32BIT 36VDC 2IN VIDEO
151f6121	HYDRAULIC MOTOR TMK200 500RPM
Tmk200	HYDRAULIC MOTOR TMK200 500RPM
Mmf-044-Dasgabnnn	
10101079	MICROCONTROLLER
Series 90,	
26-2012	HYDROSTATIC/HYDRAULIC VARIABLE PISTON PUMP
M9146872	PUMP- MPT046CAVCJAABAAABHHABUEDBCAABHHABUEDANNN
Series 15,	
Omvw 500	61053122 Danfoss engine OMVW 500 151 B 3122 Wheelmotor with kegl.Welle Cone: 1:10. Connection: G 1 "
Series 40,	
Snp2nn/011rn01ba-P1c3c3nnnn/	IdentNr.: 111.20.218.00 Old name: SNP2 / 11 D CO 01
4465124	PUMP-MPY046CAVCJAABAAABJJATUFFBCAABJJATUFFBNNN
M9146567	PUMP-MPT046CAVCJAABAAABJJABDEDBCAABJJABDEDBNNN
151-0311	
150n2083	Danfoss steering orbitrol 150N2083
151b0310	MOTOR
60r075dc5ab80p4s1d03gba353524	PUMP
Series 18,	
Tmt630	HYDRAULIC MOTOR 240RPM

Dp600-Sa-Ca-V2-Ks	INTERFACE GRAPHIC TERMINAL 32BIT 36VDC 2IN VIDEO
150-1240	
Tmk250	HYDRAULIC MOTOR 400RPM
42r28de1a307ana2fna2525nnnnnnn	PISTON PUMP HYDROSTATIC AXIAL 42SERIES
151b3158	MOTOR
Series 20 - 27,	
Series 45,	
151z3075	HYDRAULIC MOTOR TMK630 240RPM
151f6122	HYDRAULIC MOTOR 400RPM
151z8206	MOTOR
Da-162-F0412	PROF1 JOY STICK
150g5113	6211 Danfoss steering unit
M9146624	PUMP-MPT046CAVCJAABAAABJJABDAABCAABJJABDAAANN
Series 30,	
Series L,	