

Scandymet

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Scandymet Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Scandymet T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
1606KL-01W-B49	
1P100mm	
2P300 TI/PTFE	
2P300+PT100 SS/PTFE	
2P300mm SS/Teflon	
2P300SS	
2P300Ti	
2P400mm SS	
2P400SS/Teflon	
2P400Ti/Teflon	
2P700	
2P300TI/ PTFE	

3 Phase 400V
3P300
A036161
A036162
A036167
AO 20734 - STFX 3kW 3x400V
AO39481
AO40161
AO46366
AO48323
FLEX
for STFX 12000 W 320 x 810 x 50 mm
GTF-2P
GTF-4P 7,1m2
HSS904L-2P
INGA
PT 100 SS
PT-100 flex 1500mm
Pt-100 L300
Pt-100 L400
PT-100 Rigid SS/Teflon 500mm
PT-100 SS/Teflon
PT100S300
PT100S400
PT100S600
RF 12000W
RF 9000W
RÖR
SCAX
SCAX 0,5kW 1x230V

SCAX 12000W 3x415V
SCAX 12kW (2x6kW)
SCAX 12kW (2x6kW) 3x400V
SCAX 316 L
SCAX 35
SCAX 4,5kW 3x400V
SCAX 6 KW 3 x 400
SCAX 6kW
SCAX 6kW 3x400V
SCAX 7,5kW 3x400V
SCAX 9000W 3x400V
SCAX 9kW 3x400V
SCAX 9kW 3x400V, 535x270x35mm
SFO10022
SFO100223
SFO150333
SFO600103
SFO800181
SFR 125351
SQG600201
SQG800201
SQG800203
SQG800253
SRF 100303
SRF100301
SRF800251
SS/Teflon 3P 500mm
SST100303
SST150453
SST600201
SST800203

STE800203
STFP 2kW 1x230V
STFX 11kW 3x400V
STFX 12000 W 320 x 810 x 50 mm
STFX 12kW
STFX 12kW 3x400V
STFX 12kW 3x400V, 860 x 380 x 50mm
STFX 15kW
STFX 15kW 3x400V
STFX 3kW
STFX 3kW 1x230V
STFX 3kW 3x400V
STFX 4,5kW 3x400V
STFX 6kW 1x230V
STFX 6kW 3x400V
STFX 7,4kW
STFX, 1000 W, 230 V, AO36167
STI100303
STI800253
STIX
STIX 12 KW 3 x 400
STIX 6kW 3x400V
STIX 9,0 kW 3x400V
STIX 9kW 3x400V
X2
A036164
A036166
A036158
A036170
A036171

AO47878
OHP2
STFX 15000W 3X400V IP66
Stfx, 1000 W, 230 V, Ao36167 Temperatur 70-90, Das Bad Volumen 30 L,
Scax 12kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
?036166
Sqq60020
Stfx 9.0 Kw 3x400v Heater With Optional Curved Plane (Or Equivalent)
Stf 3 Kw 400v Ao 20734
Level Sensor 1 Probe 500mm Ss/Teflon
?-410 ?-325 ?-75
?036162 Scax 6kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Bottom Mount
Pt-100, Ss/Teflon, 400mm
Sxax/Ly 5000 W, 400 V, Ao36173
?036164
Scax 7.5 Kw Scandymet Immersion Heater 7.5 Kw 320x420x35 3 Phase 400v
?? 100s300ss/Pife Temperatursensor
Stfx,45967-2
Stix 9 Kw Scandymet Immersion Heater 9 Kw 320x420x35 3 Phase 400v
2p400 Ti/Ptfe Sensor
?036161 Scax 9kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Bottom Mount
15198 Befestigungsteil
Sst60020
Pt100 Ss/Teflon 300mm
Srf125353
Hss904I-2p Tank Hampus

3,8m2stainless Steel 904l
Sfo150333 Sfo150333 With Pvd Head (3,3kw 3x400v As Ao42209)
2p300 Ti/Ptfe
Stfx 3 Kw Scandymet Immersion Heater 3 Kw 320x420x35 3 Phase 400v
Sfo10022 (1x230v Or 3x400v?), Standard 2m Cable
Heizung Stfx 6 Kw, 3x400v, 320 X420
Sgq600201 Heizung
Stfx 11kw 3x400v, 410 X 325 X 75mm, 1,5m Submersible + 1m Non- Submersible Cable, Vertical Mount
Scax/Ly 6000 W, 400 V, Ao36172
Stfp 2kw 1x230v 390 X 240 X 35mm, C200
Level Sensor, Ss/Teflon, 2probe 300mm
Hss-2p 5,8 Tanksurface Area 5,8 M2weight 72,64 Kg
Pt100s300 Pt-100
Pt100 S400 Ss/Ptfe
Scax 4,5kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
Sti800253 Petn Sti 800253 2500 Watt 400v 800mm Titan
Scax 7,5kw 3x400v, 535 X 270 X 35mm, 1m + 1m Cable, Vertical
Hti-1p Tank Hampussurface Area 1,7m2titanium
Pt100 S500 Ss/Ptfe
Scax Scax 7,5kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
Stfx 11kw 3x400v, 410 X 325 X 75mm, 1m Submersible + 1m Non-Submersible, Vertical Mount
X2 Kelvin Digital Regulator
??? Sensor (For Stfx, Cable Length 2 M)

Stfx P-15000w U-400v Flexible Teflonheating Element
Scax 9kw 3x400v 535 X 270 X 35mm, 1m + 1m Cable, Vertical
Stix 6kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
2p300 Ti/Ptfe Level Sensor 2 Probe 300mm Ti/Teflon
Teng Scax Stainless Steel, 3 Phasen, 400 V, 12 Kw A = 640; B-240; Th = 35; W / Cm2 = 6.8 "?
Srf 100303 Heizer, 3000 W, 400v Galvaniseur
Ste800203 (2,0kw)
Ao 31087 Stfx 2,25kw 3x400v, 335 X 340 X 35 Mm, 1,5m Submersible + 1m Cable, Bottom Mount
Pt100 Ss/Teflon 400mm
Sst80020
Inga Heat Exchanger 7m2, 805 X 805 X 150mm, C200mm
Stfx
Stfx 6000w, 400 V, Ao 36166
Atfx Typ B P-12000w U-400v Flexible Teflon Heating Element
Stfx Stfx 12kw 3x400v, 550 X 530 X 50 Mm, 1m Submersible + 1m Cable, Vertical Mount
Sfo 80018 V 220v Tubular Phosphate Heaters
Stfx 11.0 Kw Electric Heater 3x400v 320 * 420 Flexible Teflon
Ss/Teflon 2 Probe 500mm
Stfx 6kw 3x400v 320 X 420 X 50mm, 1m + 1m Cable, Vertical Mount
Scax 9kw 3x400v Heater320 X 420 X 35 Mm, 1m Submersible + 1m Cable, Vertical Mount
Ssp/L 6000 W, 400 V, Ao36171

Sfo10022 Sfo - Rigid Phosphate Heater3x400v
Scax 6kw 3x400v, 410 X 320 X 35mm (P.78), C320, F250, 0,5m + 1,5m Cable, Side-Riser
Scax 12kw (2x6kw) 3x400v 10 X 325 X 35mm, 0,5m + 3m Cable, Vertical (As Ao 43021)
2p300 Ss/Ptfe
Mod Sfo 15033
Stfx 12000 W 320 X 810 X 50 Mm Teflon Heater
Sst600201 Heizer
F. Scax
Pt 100 Ss Teflon 500 Mm
Pt100s600 Ss/Teflon 600mm
Hss904l-2lp Tank Hampus, 4,6m2, Stainless Steel 904l
Ao 42136
Smsx 3000 W, 400 V, Ao36160
Sfo800181 Heater (1,8kw 1x230v)
??36170
Fastener Flex Heater 4-Hole
Level Sensor 2 Probe 500mm Ss/Teflon
Stix 9,0 Kw 3x400v Immersion Electric Heater (Flexible Titanium)
Stfx 3kw 3x400v, 320 X 420 X 35mm, 1+1m Cable, Vertical
Scax 12kw 3x400v Heater320 X 420 X 35 Mm, 1m Submersible + 1m Cable, Vertical Mount
Scax 9kw 3x400v, 535x270x35mm Ten1m + 1m Cable
Scax 3000 W, 400 V, Ao 36164
Ste80020
Stfx 9.0 Kw Electric Heater 3x400v 320 * 420 Flexible Teflon

2?300ti/ Ptfе Level Sensor Probe 2 300 Mm Ti/Teflon
Sti100303 Petn Sti 100303 3000 Watt 400v 1000mm Titan
Scax 9kw 3?400v
Scax 35 Heating Element Stainless Steel 6 Kw
Stfx 6000w 400v
2p400 Ti/Ptfe
Stfx 3kw 1x230v 410 X 325 X 35mm, 2,5m Submersible + 1m Non-Submersible Cable, Vertical Mount
Hti-1p Exchanger 2,6m2, 1500 X 900 X 35mm, C200
2p400/Rf
Srf100301 (3,0kw 1x230v)
P-12000w Scandymet Stfx Typ B P-12000w U-400v Flexible Teflon
Scax 12kw (Ao41048)
Stfx 12kw 3x400v, 420 X 650 X 50mm, 1m Submersible + 1m Non-Submersible Cable, Ohp1, Vertical
Scax 4.5 Kw Scandymet Immersion Heater 4.5 Kw 320x420x35 3 Phase 400v
Level Sensor 2 Probe 300mm Ss/Teflon
Hss904l-2p Tank Hampus 4,6m2 Stainless Steel 904l
For Stfx 12000 W 320 X 810 X 50 Mm Fastener
Hss-2p 3,7m2 Tank Stainless Steel 316l
2p500 Ss/Ptfe Sensor
Stfx Stfx 12kw 3x400v, 680 X 225 X 100 Mm, 1m Submersible + 1m Cable
?036167
L=70 Level Meter

Stix 12 Kw 3 X 400 Stix 12 Kw 3 X 400
Pt100s400 Ss/Teflon Incl. Mounting Bracket
Pt-100 L300 Pt-100 L300 Ss/Teflon
Stfx Ao45968
Stfx Stfx 3kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
Scax 6 Kw 3 X 400 Scax 6 Kw 3 X 400
Ti/Teflon 2 Probe 400mm
Stfx 3000w 30v Ip66, Ao-45688-8
Stex
2p300 Ss/Ptfe Level Sensor
Pt100 Ss/Teflon 500mm
Scax 6 Kw Scandymet Immersion Heater 6 Kw 320x420x35 3 Phase 400v
Stix 6 Kw Scandymet Immersion Heater 6 Kw 320x420x35 3 Phase 400v
Hti-1p 1,2m2, 700 X 1100 X 35mm, C200mm
Level Sensor 2 Probe 400mm Ti/Teflon
Pt100s300 Sensor Temperature Rigid With Pp Head Pt-100 Sensor 300mm Ss/Teflon
P-12000w Scandymet Aafx Type B P-12000w U-400v Flexible Teflon
Heating Element + Cable For Srf 800203
Pt100s400 Ss/Ptfe Harte Temperatursensor
Stfx El. Heater6kw, 400v 320x420x50
Ns 2/30-35/Lc-K
Pt100 S300 Ss/Ptfe
Pt100 S300 Ss/Ptfe Temperature Sensor
Scax 9kw 3x400v, 410 X 325 X 35mm, 1,5m Submersible + 1m Non-Submersible Cable, Vertical Mount
2p-700 Level Sensor

1 Kw 1-230v
Pt-100 400mm Ss/Teflon
?036161
L=170 Level Meter
Stfx Ao38366 6000w 400v
Srf60020
Pt100 S500 Ss/Ptfe Temperature Sensor
?-1771 ?-192 D-55
??36158
Pt-100 L400 Pt-100 L400 Ss/Teflon
Fastener Tubular Heater
Gtf-2p 1,4m2, 800 X 430 X 50mm, C1000, E250mm
Scax 6kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
Stfx 9kw 3x400v Heizelement535 X 270 X 35mm, 1m + 1m Cable, Vertical
Stix Stix 9kw 3x400v, 320 X 420 X 35mm, 1m + 1m Cable, Vertical
Scax 0,5kw 1x230v 230 X 180 X 35mm, 1+1m Cable, Vertical
Scax 6000 W,400 V, Ao36162
Pt100s400 Ss/Ptfe Temperature Sensor
??36171
Sgg800253 Petn Sgg 800253 2500 Watt 400v 800mm Glas
Smsx 9000 W,400 V,Ao36158
???? Ohp2 With Relay For Stfx, Cable Length 2 M
15280
Stfx 9.0 Kw 3x400v Electric Heater With Curved Plane Option
Sgl800201 Tubular Heating Element 2000w, 230v, Ip66
Sst100303 3x400v

[2p500 Ss/Ptfe](#)

[Scax 9000 W, 400 V, Ao36161](#)

[Scax 7,5kw 3x400v, 320 X 420 X 35mm,
1m + 1m Cable, Vertical](#)

[Sfo100223 Tubular Heaters 3 For 3
Phase 400v](#)

[1p100 S500 Ss/Ptfe](#)

[Scax 12kw 3x400v, 535 X 270 X 35mm,
1m + 1m Cable, Vertical](#)

[Srf800251 Heater](#)

[Stfx 50 Heating Element Stainless Steel
7.4kw](#)

[Pt100 S400 Ss/Ptfe Temperature Sensor](#)

[?036162](#)

[Ssp/L 9000 W, 400 V, Ao36170](#)

[3p300 Level Sensor Ss/Ptfe](#)