

Schenck

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Schenck** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Schenck Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Vs-068	Vibration speed sensor Standard for stationary use, 5 m cable With the following configuration: Temperature range: -40 ... + 80 ° C Measurement direction: horizontal Cable length K: 5 m, open end Cable protection: with steel protection hose Order code: VS-068 Material no .: X081242.07 Stat. Item no .: 9031 90 00 Country of origin: DE
V064082.B01	Control unit VHM20110 with lower cover Version without connection cable
V089990.B03	DISOCONT Tersus HL, VCU 20100 with software VLW 20172 and fieldbus PROFIBUS VPB 28020
Flb400	
Vibrocontrol 1000 VC-116 VC1000	
Vibrocontrol 1000 typ CV-110	
RTN 10t C3	D726176.02 Load cell RTN 10t C3 Execution according to data sheet BV-D2019DE
SPM 10t	SENSiQ self-aligning bearing SPM 10t SENSiQ Pendulum Mount SPM 10t without footplate Execution according to data sheet BV-D 2025 DE
RTN 1t C3	D726173.02 Load cell RTN 1t C3 Execution according to data sheet BV-D2019DE
SSM 1t/2.2t	SENSiQ storage unit SSM 1t / 2.2t SENSiQ Secure Mount SSM 1t / 2.2t Design according to data sheet BV-D 2083 DE Construction and production certified according to DIN EN 1090-2 EXC 2

VST-100 KIT 2	
Vibrocontrol 900	
80035785-1000-SCHENCK BLUETOOTH	ADAPTER DELOCK 61477
NAMUR M12 ATEXII 4MM EGE IGEX 04 IDN: P31152	S160
VS-068	Vibration Velocity Sensor Standard for stationary use, 5 m cable With the following configuration: Temperature range : -40...+80°C Measuring direction : horizontal Cable length K : 5 m, open end Cable protection : with protective steel tube Order code : VS-068 Material no.: X081242.07 Stat. Goods no.: 9031 90 00 Country of origin: DE
24B33 1316D2 +571AE	
V003853.B13	DISOCONT system unit VSE 20100 program VDD 20150 Software switchable to VDM 20150
V022761.B03	Circuit board VLP 112V for DISOCONT VLG with program VLG 20150-XX
F217905.04	DISOCONT VLB 20120 operating unit in field housing
LOADCELL 500Kg (RTB)	493081-1 - T42-1100223579-
V713566.B41	SENSiQ weighing disc WD 200t + connection cable Execution according to data sheet BV-D2454 with 15 m cable and connector plug
V713566.B21	SENSiQ weighing disc WD 50t + connection cable Execution according to data sheet BV-D2454 with 15 m cable and connector plug
VS-068 S/N: 00229VRU	HORIZONTAL
VPN 28020	Communication module PROFINET for data exchange via PROFINET
VME 21044 VA	Evaluation device DISOBOX® Plus calibratable analogue-digital converter with 4 measuring channels in a stainless steel housing Execution according to data sheet BV-D 2397 DE
WD 50t	Weighdisc SENSiQ® with plug in the outgoing cable Execution according to data sheet BV-D 2454 DE.
Schenck controller frs0052	
VSE 20100	
VEA 20100	
VLG 20100	
VLG 20105	
VLB 20150	
load cell- RTN 1t C3- Order no. K-RTNC3/1T	
load cell- RTN 4.7t C3- Order no. K-RTNC3/4.7T	
load cell- RTN 2.2t C3- Order no. K-RTNC3/2.2T	
LOAD CELL RTR 2.2 2,85MV/V (POL)	RTR 2.2 2,85MV/V Ln=2,2t,Lı=3,3t,Ld=6,5t,Re=4400ohm,Ra= 4010ohm Cn=2,85mV/V,Usmax=100V
LOAD CELL VBB.D1 0,02 t 2 MV/V	Schenck Emax=0,021t,Emin=0%,Elim=150%,Vmin=0,036%,Cn=2mV/V,TC 5182 KOD=1400980/10
50025966	LOADCELL RTN 33T 33t.2,85Mv/v wagazalle RTN 0,05t

RTN10	Weighing load cell
NVM RTN-C3-2.2T	
T:VS-068/1/1/1/0	MDF-2 REFİNER S/N:40600 fn:8 Hz.Rj:4 kohUn:100mV/mm/s I % S dir:Horizontal
BMP MM-DI 10	PEED TRANSDUCER, TYPE: FGA20 / BELT WEIGHER SYSTEM INTECONT PLUS, TYPE: VEG20600 LOAD CELL, TYPE: RTN-1T TERMINAL BOX
V082005.B01	WEIGHFEEDER CONTROLLER, FRONT-OF-PANEL UNIT WITH VIF 20650 SOFTWARE for MULTISTREAM WEIGHFEEDER TYPE: VEG 20650 POWER: 18-30 VDC
RTB 0.5T MR C3	LOAD CELL, ACCURATE CLASS: C3, INPUT RESISTANCE: 1110±50 OHM, OUTPUT RESISTANCE: 1025±25 OHM, SUPPLY VOLTAGE: MAX 30 V/ RECOMMENDED: 5-15 V, COLOR CODE: INPUT+82: PINK/ INPUT-81: GREY OUTPUT+28: BROWN/ OUTPUT-27: WHITE P/N: V041087.B07
VS 068 4-20 ma	
D726173.02	load cell RTN 1t C3 Design according to data sheet BV-D2019DE
B03466101	SUPPORT SYSTEM
1111kwk703ag	
Vc-1000-Cv110	VIBRATION MONITORING UNIT 230/115VAC 50/60HZ
B03465901	BRIDGE
3649102	
F217904.02	INPUT MODULE 24-48VDC/115-230VAC
Ac 180	
2490426	
3721977	
Vb-430	VIBROCONTROL 4000 Module
3211510	
Besbeav005	
B04932701	BRIDGE
F201007.01	I/O MODULE
Cv-110/1/1/2 /2/1/2/1/1/1/1/1/1/0/125	
Vc-920	
Rv-116	POWER SUPPLY VC-1000 24VDC 10W
3721978dp317	
Rtn 10t/C3	
121ara	SERVO VALVE
2235759	BALL JOINT
B04000601	SENSOR
3721041	
Sem 10/15/22t	

Rtn_15t_C3	
Besarev700	
Course	
Cpu68020mpvme	
B03463901	BASE
F020401.01	FGA20RSLE,ZINC,FRICITION WHEEL,SUPPORT 4.1KG/842390
2460540	
Vs-069 Vertikal	VIBRATIONSENSOR
V081539.B09	
K00318203	PC BOARD
9031_80_80	
B04000701	MODULE
Tp-419	VIBROCONTROL 4000 Switch Panel
D726174.04	
X04462701	PICK UP
Besanh700/1	
Rc-400	VIBROCONTROL 4000 Rack
Vibrocontrol_960	
Ps-420	Power Supply
1006487272_00	
3721976	
Ci_411	
3721042	
F020401_01	
Aan-V590-D-018-327/5-2	PC BOARD
Sd053/3/030/10/0/0/096	SENSOR
4486/Sx	
Ref-500	Digital I/O Power Control Module
X081242.07	VELOCITY TRANSDUCER VIBRATION SENSOR 15FT HOSE
F020401_02	
Ac608	
3721975	
F217765.01	VLB20120 CONTROL UNIT
D13733501	SUPPORT SYSTEM
Frs_0052	

Dallas 24b33 1332d2+ 215af Rtn 33 T C3	Memory chip
B03465701	SUPPORT SYSTEM
Sfplpzus	
E101489.01	
4606829	
Sa130cpump1021	
Course-Book	
Vs-068/1/1/1/0/071	
Mla12b	
5000107677	
Mat. No: F202524.03	
Besaic700	
Gp-410	VIBROCONTROL 4000 Module
Cab750	KEYBOARD
Besbamv001	
D724781 02	
Lneg600	
Type: For 0052	
An700 4	
4606857	
1000 Cv 110	
Besbcpv001	
Besbeav007	
Fsr0052	
E101489.02	
Bskv001	
24904229	
Hlpld10513d	PUMP
As 030	
Asiv700 6094	Discrete Function Interface Unit ASI 700-1
Besbvkv002	
1000rv116	CONTROL
B03465801	PICK UP
4217162	
Cv 110 1522222211110 134	

A909001.02	POWER SUPPLY
Bedienungskurs Für Vibrotest 60	
Ci-411	VIBROCONTROL 4000 Module