

## Scheuch

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye  
içi kapı teslim fiyat  
ve teslim s¼resi  
içeren teklifimizi  
almak için  
**info@yursat.com.tr**  
e-posta adresine  
baŐvuru yapabilir ya  
da ayrıntılı bilgi için  
+90 224 240 03 04  
numaralı  
telefonumuzdan  
bizlere  
ulaŐabilirsiniz.  
**Scheuch** Markası,  
tedarik s¼resi için  
l¼tfen bizimle  
iletiŐime geçiniz.

*Firmamız Scheuch T¼rkiye  
Distrib¼t¼r¼ veya temsilcisi  
deĐildir. Firmamız sipariŐ  
durumunda, belirtilen  
¼r¼nlerde sadece Orjinal ve  
yeni ¼r¼n teklifi  
sunmaktadır. Bu sitede  
g¼sterilen ¼zel marka adları  
ve ticari markalar ilgili  
sahiplerinin  
m¼lkiyetindedir, talep  
durumunda  
kaldırılmaktadır.*





¼r¼n	Açıklama
<a href="#">Vmk90</a>	
<a href="#">0012173</a>	
<a href="#">0012232</a>	
<a href="#">ISTBR</a>	
<a href="#">ISTBRI</a>	
<a href="#">mk31_0160-ka29</a>	
<a href="#">PM-A (IP65)</a>	

<a href="#">SFE ISTRR-IM15</a>	
<a href="#">SFE MVK-5MV24</a>	
<a href="#">SHFDH170</a>	
<a href="#">zss g-rmdl-0220-6/2</a>	
<a href="#">DDMU_DS3</a>	
<a href="#">AT-800031027-2/20</a>	Shaft – rotor – main mechanical spare parts of the fans in the annex
<a href="#">SFDW_05/12-D-04 F-1095/17</a>	A-182064 filter hose filter hose □165mm, L=4500mm fs16-450s-pan550
<a href="#">0012174</a>	Differential pressure transducer 0-35 mbar mre ddmu DS3-0-035
<a href="#">0012847</a>	filter spare parts control unit ISTBR filter connection cable 2,8m sfe istbr-fkl
<a href="#">0012845</a>	control unit ISTBR bus cable 4,6m connect power modules sfe istbr-fkl
<a href="#">0286295</a>	repair kit installation. Repair set of double wear strips
<a href="#">0095997</a>	Screws + housing knife for zss0322
<a href="#">PM-B+ sfe pmb-Plus ac ip65</a>	1467831 Pulsemaster Basic+AC IP65
<a href="#">640.32.000.28-EMV</a>	
<a href="#">ZSS SCHEUCH 0400-TK-25 SER. NO: S-1484/17(182064)</a>	Rotary valve for conveying bulk materials. Drive: direct via clutch Inlet cross-section 507x322 mm Outlet cross-section 507x322 mm Housing height 530 mm Material temperature approx. < 120 °C Flow rate at 99% filling level 79.0 m3/h (86,900 kg/h) Goods to be conveyed kaolin Bulk weight conveyed 1 100 kg/m3 Speed 26 rpm Housing material 1.0038 Material rotor Creusabro 4800 Zone suitability: no zone inside / no zone outside Solid steel housing and rotor, hard chrome-plated housing bore, solid blade rotor or rotor bars made of wear-resistant steel; Bearing maintenance-free, shaft seal by stuffing box. Accesories: Wear plate in the area of incidence Shaft seal (stuffing box) with grease seal or sealing gas connection Rotor with double wear strip Weather protection cover for geared motor Pulse generator ring for rotation monitoring Rotation monitoring, IFM proximity switch with integrated evaluation, 10...36 VDC PNP (normally open)
<a href="#">Shaft seal wdgl NW125</a>	vkdl6 0224-hd29 2-3347-B-13
<a href="#">Block storage repair kit 090s 1 deep groove-</a>	ball bearing vkdl6 0224-hd29 2-3347-B-13
<a href="#">Coupling with flexible N-eupex coupling package</a>	vkdl6 0224-hd29 2-3347-B-13
<a href="#">Shaft seal wdgl NW125</a>	vkdl6 0160-hc29' 2-347-B-10
<a href="#">Bearing repair kit - spherical roller bearing</a>	vkdl6 0160-hc29' 2-347-B-10
<a href="#">Coupling with flexible N-eupex coupling package</a>	vkdl6 0160-hc29' 2-347-B-10
<a href="#">Shaft seal wdgl NW040</a>	vml31 0125-hb29' 2-088-B01
<a href="#">ddmu_DS3</a>	
<a href="#">AT-80047887-3/23</a>	
<a href="#">vmk31 0200-ka 29</a>	
<a href="#">00128451 Kabel Sfe Istbr-Bkl 4.6 M</a>	
<a href="#">0012234</a>	

<a href="#">7grw0372</a>
<a href="#">0316053</a>
<a href="#">0012847</a>
<a href="#">S Xq110a051</a>
<a href="#">1194550</a>
<a href="#">0087000</a>
<a href="#">Condensate Tank For Maintenance Unit Sfe We- Kb-1,00-Pa-P3y</a>
<a href="#">0012234 Modul Sfe Istbr-Lm15</a>
<a href="#">0008115</a>
<a href="#">0012234 Steuergeraet Istbr Leistungsmodul 15 Ausgaenge</a>
<a href="#">1215298</a>
<a href="#">1268015.</a>
<a href="#">0042732 Steuergeraet Istbr + Istbr Ac/Dc Konverter Ac (100 Vac - 240 Vac)</a>
<a href="#">0337000</a>
<a href="#">301-0065-004</a>
<a href="#">0012389</a>
<a href="#">012232</a>
<a href="#">Vz Kl-1250x1000-A300</a>
<a href="#">0725708</a>
<a href="#">St37-2</a>
<a href="#">0688837</a>
<a href="#">01.06.06.02 - 160 X 100 X 15 Mm</a>
<a href="#">0699316</a>
<a href="#">0014433</a>
<a href="#">Serie E1293013</a>
<a href="#">Zsg0220-Nk-38</a>
<a href="#">0012502</a>
<a href="#">0265965</a>
<a href="#">0012769</a>
<a href="#">640.32.010.4</a>
<a href="#">00128451 Kabelsteuergeraet Istbr Buskabel 4,6 M Verbind. Leistungsmodule Sfe Istbr-Bkl</a>
<a href="#">0012232 Leistungsteil Istbr 10 Ausgaenge Ohne Blarue</a>
<a href="#">15 Ausgang -20</a>

<a href="#">0266278</a>
<a href="#">0012173 Differenzdruckmessumformer Zur Messung In Trockenen Gasen</a>
<a href="#">00128451 Steuergeraet Istbr Buskabel 4.6 M Verbind. Leistungsmodule</a>
<a href="#">0012494</a>
<a href="#">0688870</a>
<a href="#">0012472</a>
<a href="#">3dt70 - 10</a>
<a href="#">0725637</a>
<a href="#">Ddmu -Ds3</a>
<a href="#">0042732</a>
<a href="#">Lta5 E1150391</a>
<a href="#">Vre50-450-Ka23-GI090r2048 U/Min</a>
<a href="#">Istbri</a>
<a href="#">0044341</a>
<a href="#">0045481</a>
<a href="#">0012234 Modulsteuergeraet Istbrleistungsmodul 15 Ausgaengesfe Istbr-Lm15</a>
<a href="#">0036014</a>
<a href="#">Vz KI-1250-A300</a>
<a href="#">0725701</a>
<a href="#">Nw 90 1-200</a>
<a href="#">Mk31 0160-??29</a>
<a href="#">0154417</a>
<a href="#">Steuergeraet Istbr(15 Ausgaenge)</a>
<a href="#">0012847 Steuergeraet Istbr Filteranschlusskabel 2.8 M</a>
<a href="#">0086999</a>
<a href="#">00128451</a>
<a href="#">1265462</a>
<a href="#">Istbri Control Panel 0513988</a>