



## Schiebel

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Schiebel** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Schiebel T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">07836672</a>	
<a href="#">95803933</a>	
<a href="#">C300</a>	
<a href="#">P/N 8z1</a>	
<a href="#">RAB3 E 10 30NM</a>	
<a href="#">RAB5 E 30 40NM</a>	
<a href="#">AB3 E 80 CSC.V1.2mW4 H K2+E550 G</a>	
<a href="#">rCM03.V1.2 E ER SR+E550G</a>	
<a href="#">150</a>	
<a href="#">C405</a>	
<a href="#">7z0</a>	
<a href="#">C3z2</a>	
<a href="#">P/Ná;:Á;Opf004-2ap</a>	
<a href="#">Type Ab5a5, No: 95803933</a>	
<a href="#">Hna30aa001,Model:</a> <a href="#">Ab8e80,Sn:88824543,</a>	
<a href="#">Lca20aa001, Model:Ab18b40,</a>	
<a href="#">603</a>	
<a href="#">Ab200</a>	
<a href="#">1201</a>	
<a href="#">161</a>	

<a href="#">375ma C 302a Vpe</a>	
<a href="#">P/Ná;8z1á;Á;</a>	
<a href="#">152z2ta</a>	
<a href="#">P/Ná;7z1á;</a>	
<a href="#">Mbr20aa051,Model:R Ab18e40zh,</a>	
<a href="#">713</a>	
<a href="#">0067 2175</a>	
<a href="#">Hna30aa51-52,Model:Hna30aa51-52,Sn:88801999,</a>	
<a href="#">Type Ab18b30, No: 07836672</a>	
<a href="#">12z1</a>	
<a href="#">C2z1</a>	
<a href="#">500ma C 302b Vpe</a>	
<a href="#">0567 2177</a>	
<a href="#">Type Ab18e80, No: 95834090</a>	
<a href="#">Mt 5004 00 001</a>	
<a href="#">Pn:Á;11z1</a>	
<a href="#">3z1</a>	
<a href="#">Han24e Casing, Ab5b20,Sn:89804401</a>	
<a href="#">Rab18 X 120 Csc.V1.2 Csz1fu Er Sr Fu-Fc280-4,0-400 Hk2 + L220.18</a>	exchange operator - for drive with Fab. No .: 0883 6896 - from comm. no .: 080633 (mechanically in the same version but with our current Smartcon FU control) rAB18 X 120 CSC.V1.2 CSZ1FU ER SR FU-FC280-4.0-400 HK2 + L220.18 Max. Regulating force 39.55 kN set force: 60 kN Drive is not self-locking 10 s positioning time (fast) for 117 mm stroke (variable Operating time) Dimensional drawing without control: M83_5E26_6m Motor: 400/230 V, 50 Hz, with brake (brake voltage 230 VAC) Power: 3.0 kW Inenn: 5.9 A Ia: 32.9 A Motor changes reserved with temperature switch SMARTCON V1.2 Drive control with Bluetooth interface - FU-FC280-4.0-400: frequency converter 4.0 kW - Input voltage: 3x380-480 VAC - 8 binary outputs (24 VDC) - freely configurable - 5 binary inputs (24 VDC) - freely configurable - CSZ1FU: Control Cassette Type for wall mounting - ER: 0 / 4-20 mA position feedback - SR: Positioner for input signal: 0 / 4-20 mA - Heating 5 watts 24 V - Electrical connection
<a href="#">Pná;14z1á;</a>	
<a href="#">Pn:1201</a>	
<a href="#">Mt5004/00/001</a>	

[153](#)

[Csc C 301 Type B](#)

[Type Ab5b30, No: 95803703](#)

[Ab18](#)

[4x1](#)