

Seg

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Seg Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Seg T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
IGNITION DEVICE ZSM230 V1.0	ZSM230 V1.0 replaces for ZSM2-30 AvK
S05-0180-01-00	
S05-0185-01-00	
Zsm230 V1.0	
Seg-Mbs10	Load cell SEG-MBS10 € 1.830,00 m 4-core connection cable number: 8423 90 00 manufacture: Sweden Rated load 10 t, 7 Customs tariff Country of
Gme8440-Xxx	
Xc48-30	
81000	JTAG EMULATOR, J-TRACE ARM, USB, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS ARM7 AND ARM9 DEVICES, USB INTERFACE
Zsm2-30 Obsolete, Replacement Ni910044328	

Psy5-Fu-D Obsolete, Replacement Gme8440-Psy5-Fu-D	
80814	JTAG EMULATOR AND J-LINK SOFTWARE, USB, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS ARM, CORTEX-M, CORTEX-A, RX000 SERIES CORTEX-R4 MCUS, U
8.10.00j-Tracearm	(PRICE/EA) JTAG EMULATOR, J-TRACE, USB, FOR ARM, SILICON FAMILY NAME:-, CORE ARCHITECTURE:-, CORE SUB-ARCHITECTURE:-, IC PRODUCT TYPE:USB JTAG EMULATOR
50-Xc48	
50x50x5	
30x30x2	
51501	FLASH PROGRAMMER, RENESAS RX600 SERIES MCU, IC PRODUCT TYPE:PROGRAMMER, FEATURES:FLASH PROGRAMMER FOR RENESAS RX600 SERIES MCU, JTAG TARGET INTERFACE
80-Xc48	
Kn4-100	
150x25	
Zsm 2-30	
Psy3-N1-50-E Obsolete, Replacement Gme8440-Xxx	
81300	JTAG EMULATOR, J-TRACE, CORTEX-M, USB, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS CORTEX-M AND ARM SERIES CORES, USB 2.0 INTERFACE
Seg Mrd1-G1la/89925109-001	
81200	JTAG EMULATOR, J-LINK PRO, USB2.0 ETHERNET, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS ARM, CORTEX-M, CORTEX-A, RX000 SERIES CORTEX-R4 M
60 X 60 X 5	
J-Linkultra	, CORE ARCHITECTURE:ARM, FEATURES:VERY HIGH PERFORMANCE FOR ALL SUPPORTED CPU CORES, HIGH SPEED USB2.0 INTERFACE, ROHS COMPLIANT: YES
Zsm2-30 Obsolete, Replacement Zsm230 V1.0	
100x50	
Ni910044328	
100x100x5	
	FLASH PROGRAMMER, POWERPC MCU, IC PRODUCT

51001	TYPE:PROGRAMMER, FEATURES:FLASH PROGRAMMER FOR POWERPC BASED MCU, USB, ETHERNET RS232 HOST INTERFACE, JTA
60x60x2	
30-Xc48	
Xc48-40	
Gme8440-Psy5-Fu-D	