



Seim

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Seim** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Seim Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Bvpa031/2g	Zolltarifnummer: 84136031
02004-0981 (MD032	
032 ARO 00 E07 E02	
0554072000 SERIAL: 12010130	
10757SP	
KPCXV	
KPDA	
KPE	
KPWQ	
KPMC	
P DAO 40	
P00328ar00800122000259643	
PA055	
PA072	
PA072	

PCX032	
PDA-029-2AL1-D05-D01-90	
PE032	
PFX040	
PWO025	
PWO025	
PWO025	
PWO032	
PWO055	
PX032	
PX040	
PX040	
PXC040	
PXC040	
PXC040	
PXC040	
PXC045	
PXC055	
PXF040	
PXF060	
PXF060	
PXF060	
PXF060	
PXF072	
PXF102	
PXF126	
PXFE083	
PXFE083	
PZ072	
VMPI	
PWO032#6BRWF3WF400	Screw Pump - Series PWO for hydraulic applications Housing: aluminum Spindles: steel nitrided Weight: approx. 15.00 kg
1213L/M 5BAR PPE-PEA083-23070	
SSP.3 / PXF040#4BR0A000C13X0200	Screw pump weight: 15.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane axial suction side without integrated safety valve ◆◆◆ "C13" - improved mechanical seal
PXF083#3AR0A000C13X3200	Screw pump weight: 110.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane axial suction side with chamfered spindle entry
	Screw pump weight: 180.0 kg inline design Body: EN-GJS-400 Spindle:

PZ102#3AC0Z15CV045Z3200	hardened steel
PWO055#6AR008W0400	Screw pump for coolant/lubricant Weight: approx. 67 kg Case: GG25 - hardened Spindles: steel - hardened with mechanical seal for dry installation
083-3-170-0000 0.164406.D	
PXF055#4CR0A0HUC13X0200	Screw spindle pump weight: 25.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane axial suction side with integrated safety valve ◆◆◆ "C13" - improved mechanical seal ◆◆◆
PWO055#6AR008W0400	Screw spindle pump for coolant/lubricant Weight: approx. 67 kg Housing: GG25 - hardened Spindles: Steel - hardened with mechanical seal for dry installation
PA40AS	
PXF032#4BR0R000C13X0200	Screw spindle pump weight: 13.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane T2100 radial suction side without integrated safety valve ◆◆◆ "C13" - improved mechanical seal ◆◆◆
PXF072#4CR0A0HUC13X3200	Screw spindle pump weight: 60.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane T2100 axial suction side with integrated safety valve with chamfered spindle entry ◆◆◆ "C13" - improved mechanical seal ◆◆◆
VMP#030BV0400	Pressure relief valve Weight: 6.0 kg Adjustment range: 7-16 bar
VMPI#060FV1000	Safety pressure relief valve, pilot operated Pressure: 2-50 bar
PXF060#4AR0R0HUC13X3200	Screw spindle pump Weight: 50.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane T2100 Radial suction side With integrated safety valve With chamfered spindle inlet ◆◆◆ "C13" - improved mechanical seal ◆◆◆
PWO040#6CR013W08MW	Screw spindle pump for coolant/lubricant Weight: approx. 32 kg Housing: GG25 - hardened Spindles: steel - hardened with mechanical seal for dry installation
02004-0963	
Pz032ã3ar0z03cv063z0100	
Kupplung	
Px0055	
Pcxv102c-Com15 10-Rpo 36244010e	
Pcxa055c-Com017/17	
Satellite Spindle Pos.8 For Pcxa060a	
E83314000	
E0554086s000ã; Poz:15	
Pga072#4br0	
Vmp-042-Av-0400	
Px-060-4a-R0-R2-00-X01-X02-00 Pumpe	
Seim-32	
Pa055ã4a0ma01r019	
Svd 65x50 Scm4 200ad 455 C1-13028	
Pxf055	

Vmpi
Pa072ã4b0ma10r000
Pof032ã6brof3of100
Pxf072ã4c R0a0hux01x0200
Po040-6c
Px040ã4ar0a0hbx18x3200
Pe045#4a.R.0.Ha
Kpx040 Å 4a
Pz072ã3ar0z13cv051z0100
Pga0404ar0 (Ex.Pfga040ar000)
Kpxf
Kpeã04040e02e07r
Pe045ã4a.R.0.Ha
Px040ã4ar0a0hbx01x0200
0554072000 Serial: 12010130
Px055-4b-R0-R2-00-X01-X02-00 Pumpe
Px040ã4 - Obsolete
Vm100sca-C-Hw
Pxf032ã4br0a000x01x0200
Spider Insert For Pump Pe_032 Aro_00 E07 E02
Pa055 4c - Om
Px025
Pa072ã4b0ta01r000
Driving Spindle Pos.7 For Pcx060a
Pxf032
Vmp-030-B
Pea_072=3cr000e07e2900
Pa040
Pz102ãc3r0z01cv046z010
Repair Kit For Pump Pcx032ã4alx01cx000000
Pxf045
Pxf032ã4br0a0hux01x0200
Kpcx
Px83-3a-R0-R200-X01-X0-300 Pumpe
Px_040 Å 4

Px060
Pe032ã4ar000e07e02e7
Pxf032ã4br0r0hax01x0200
Pxf055ã4ar0a0hux01x0200
Vms80sca-C
Pcx055
Pxf 060
Pu102ã3bru05u07000024r002500
Pda040ã2a00d05d0100
Pda0322b01d05d0100
P_Dao_40ã2c01d05d0100
Pga072ã4br0
Pa_072_4-A
Pcxv102, Wie Unter Com15/10 Geliefert
Pz060-3f00p-Dn80
Pga045
Px045ã4br0r2hbx01x32
Pa_083_4-A
Px040ã4cr0r0hux01x0200