



## Seim

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Seim** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Seim Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Bvpa031/2g</a>	Zolltarifnummer: 84136031
<a href="#">02004-0981 (MD032</a>	
<a href="#">032 ARO 00 E07 E02</a>	
<a href="#">0554072000 SERIAL: 12010130</a>	
<a href="#">10757SP</a>	
<a href="#">KPCXV</a>	
<a href="#">KPDA</a>	
<a href="#">KPE</a>	
<a href="#">KPWO</a>	
<a href="#">KPMC</a>	
<a href="#">P DAO 40</a>	
<a href="#">P00328ar00800122000259643</a>	
<a href="#">PA055</a>	
<a href="#">PA072</a>	
<a href="#">PA072</a>	

<a href="#">PCX032</a>	
<a href="#">PDA-029-2AL1-D05-D01-90</a>	
<a href="#">PE032</a>	
<a href="#">PFX040</a>	
<a href="#">PWO025</a>	
<a href="#">PWO025</a>	
<a href="#">PWO025</a>	
<a href="#">PWO032</a>	
<a href="#">PWO055</a>	
<a href="#">PX032</a>	
<a href="#">PX040</a>	
<a href="#">PX040</a>	
<a href="#">PXC040</a>	
<a href="#">PXC040</a>	
<a href="#">PXC040</a>	
<a href="#">PXC040</a>	
<a href="#">PXC045</a>	
<a href="#">PXC055</a>	
<a href="#">PXF040</a>	
<a href="#">PXF060</a>	
<a href="#">PXF060</a>	
<a href="#">PXF060</a>	
<a href="#">PXF060</a>	
<a href="#">PXF072</a>	
<a href="#">PXF102</a>	
<a href="#">PXF126</a>	
<a href="#">PXFE083</a>	
<a href="#">PXFE083</a>	
<a href="#">PZ072</a>	
<a href="#">VMPI</a>	
<a href="#">PWOFO32#6BRWF3WF400</a>	Screw Pump - Series PWOFO for hydraulic applications Housing: aluminum Spindles: steel nitrided Weight: approx. 15.00 kg
<a href="#">1213L/M 5BAR PPE-PEA083-23070</a>	
<a href="#">SSP.3 / PXF040#4BR0A000C13X0200</a>	Screw pump weight: 15.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane axial suction side without integrated safety valve ◆◆◆ "C13" - improved mechanical seal
<a href="#">PXF083#3AR0A000C13X3200</a>	Screw pump weight: 110.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane axial suction side with chamfered spindle entry
	Screw pump weight: 180.0 kg inline design Body: EN-GJS-400 Spindle:

<a href="#">PZ102#3AC0Z15CV045Z3200</a>	hardened steel
<a href="#">PWO055#6AR008W0400</a>	Screw pump for coolant/lubricant Weight: approx. 67 kg Case: GG25 - hardened Spindles: steel - hardened with mechanical seal for dry installation
<a href="#">083-3-170-0000 0.164406.D</a>	
<a href="#">PXF055#4CR0A0HUC13X0200</a>	Screw spindle pump weight: 25.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane axial suction side with integrated safety valve ◆◆◆ "C13" - improved mechanical seal ◆◆◆
<a href="#">PWO055#6AR008W0400</a>	Screw spindle pump for coolant/lubricant Weight: approx. 67 kg Housing: GG25 - hardened Spindles: Steel - hardened with mechanical seal for dry installation
<a href="#">PA40AS</a>	
<a href="#">PXF032#4BR0R000C13X0200</a>	Screw spindle pump weight: 13.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane T2100 radial suction side without integrated safety valve ◆◆◆ "C13" - improved mechanical seal ◆◆◆
<a href="#">PXF072#4CR0A0HUC13X3200</a>	Screw spindle pump weight: 60.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane T2100 axial suction side with integrated safety valve with chamfered spindle entry ◆◆◆ "C13" - improved mechanical seal ◆◆◆
<a href="#">VMP#030BV0400</a>	Pressure relief valve Weight: 6.0 kg Adjustment range: 7-16 bar
<a href="#">VMPI#060FV1000</a>	Safety pressure relief valve, pilot operated Pressure: 2-50 bar
<a href="#">PXF060#4AR0R0HUC13X3200</a>	Screw spindle pump Weight: 50.0 kg Housing material: EN-GJL-250 Mechanical seal: J.Crane T2100 Radial suction side With integrated safety valve With chamfered spindle inlet ◆◆◆ "C13" - improved mechanical seal ◆◆◆
<a href="#">PWO040#6CR013W08MW</a>	Screw spindle pump for coolant/lubricant Weight: approx. 32 kg Housing: GG25 - hardened Spindles: steel - hardened with mechanical seal for dry installation
<a href="#">02004-0963</a>	
<a href="#">Pz032ã3ar0z03cv063z0100</a>	
<a href="#">Kupplung</a>	
<a href="#">Px0055</a>	
<a href="#">Pcxv102c-Com15 10-Rpo 36244010e</a>	
<a href="#">Pcxa055c-Com017/17</a>	
<a href="#">Satellite Spindle Pos.8 For Pcxa060a</a>	
<a href="#">E83314000</a>	
<a href="#">E0554086s000ã; Poz:15</a>	
<a href="#">Pga072#4br0</a>	
<a href="#">Vmp-042-Av-0400</a>	
<a href="#">Px-060-4a-R0-R2-00-X01-X02-00 Pumpe</a>	
<a href="#">Seim-32</a>	
<a href="#">Pa055ã4a0ma01r019</a>	
<a href="#">Svd 65x50 Scm4 200ad 455 C1-13028</a>	
<a href="#">Pxf055</a>	

<a href="#">Vmpi</a>
<a href="#">Pa072ã4b0ma10r000</a>
<a href="#">Pof032ã6brof3of100</a>
<a href="#">Pxf072ã4c R0a0hux01x0200</a>
<a href="#">Po040-6c</a>
<a href="#">Px040ã4ar0a0hbx18x3200</a>
<a href="#">Pe045#4a.R.0.Ha</a>
<a href="#">Kpx040 Ã 4a</a>
<a href="#">Pz072ã3ar0z13cv051z0100</a>
<a href="#">Pga0404ar0 (Ex.Pfga040ar000)</a>
<a href="#">Kpxf</a>
<a href="#">Kpeã04040e02e07r</a>
<a href="#">Pe045ã4a.R.0.Ha</a>
<a href="#">Px040ã4ar0a0hbx01x0200</a>
<a href="#">0554072000 Serial: 12010130</a>
<a href="#">Px055-4b-R0-R2-00-X01-X02-00 Pumpe</a>
<a href="#">Px040ã4 - Obsolete</a>
<a href="#">Vm100sca-C-Hw</a>
<a href="#">Pxf032ã4br0a000x01x0200</a>
<a href="#">Spider Insert For Pump Pe 032 Aro 00 E07 E02</a>
<a href="#">Pa055 4c - Om</a>
<a href="#">Px025</a>
<a href="#">Pa072ã4b0ta01r000</a>
<a href="#">Driving Spindle Pos.7 For Pcx060a</a>
<a href="#">Pxf032</a>
<a href="#">Vmp-030-B</a>
<a href="#">Pea 072=3cr000e07e2900</a>
<a href="#">Pa040</a>
<a href="#">Pz102ãc3r0z01cv046z010</a>
<a href="#">Repair Kit For Pump Pcx032ã4alx01cx000000</a>
<a href="#">Pxf045</a>
<a href="#">Pxf032ã4br0a0hux01x0200</a>
<a href="#">Kpcx</a>
<a href="#">Px83-3a-R0-R200-X01-X0-300 Pumpe</a>
<a href="#">Px 040 Ã 4</a>

<a href="#">Px060</a>
<a href="#">Pe032ã4ar000e07e02e7</a>
<a href="#">Pxf032ã4br0r0hax01x0200</a>
<a href="#">Pxf055ã4ar0a0hux01x0200</a>
<a href="#">Vms80sca-C</a>
<a href="#">Pcx055</a>
<a href="#">Pxf 060</a>
<a href="#">Pu102ã3bru05u07000024r002500</a>
<a href="#">Pda040ã2a00d05d0100</a>
<a href="#">Pda0322b01d05d0100</a>
<a href="#">P_Dao_40ã2c01d05d0100</a>
<a href="#">Pga072ã4br0</a>
<a href="#">Pa_072_4-A</a>
<a href="#">Pcxv102, Wie Unter Com15/10 Geliefert</a>
<a href="#">Pz060-3f00p-Dn80</a>
<a href="#">Pga045</a>
<a href="#">Px045ã4br0r2hbx01x32</a>
<a href="#">Pa_083_4-A</a>
<a href="#">Px040ã4cr0r0hux01x0200</a>