

Sens

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Sens Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Sens T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Qpk-Std-N0000	6 INCH COLOR STN TCP LABEL NO ETHERNET CF 24VDC UL CUL CE UL1604
Fgd-2000-E	REMOTE MONITORING SYSTEM
Qpi-Geg-201	COMMUNICATION MODULE FOR 7 INCH/ 9 INCH/ 10 INCH 12 INCH: GE FANUC GENIUS/ UL/ CUL/ UL1604
Op2200b8k	OPERATOR INTERFACE SMART DISPLAY MODULE
Fgd-3000	CPU BASE UNIT SCADA 3000
Mm123400cxx	OPERATOR INTERFACE
Qpj-Abd-201-F	COMMUNICATION MODULE DATA HIGHWAY W/INTERFACE MOD
Mms23661cia	LOGIC UNIT 120V 3AMP 1PH W/POWER SUPPLY
Nrg2410rc	BATTERY CHARGE
Qpi-31200-C2p	OPERATOR INTERFACE 10.4INCH COLOR TFT 120VAC

Qpi-Abd-201-F	D-HWY PLUS MOD
060-F508-10	TRANSDUCER DISPLAY SIGNAL CONDITIONER UNIT 2LINE
9450-Sa-C	PROTOCOL CONVERTER. 2 SERIAL 1 BIDIRECT PARALLEL PORT. WITH CLOCK/ C ALENDAR
060-C065-02	PRESSURE TRANSDUCER 5000PSIG 9-28VDC 15/PSI
5612	GREYLINE MICRO MC. 4 LINES, (20) 5MM CHARS. VFD. ASCII/SERIAL INTERFAC E. NEMA 4
Nrg2410rcd	BATTERY
4941c0d000	SLUDGE DENSITY TRANSMITTER 10AMP RELAY 115VAC
060-F896-02-01	TRANSDUCER 9-28VDC 1-5 RANGE 50PSID
Mms23441cxx	LOGIC UNIT 120V 3AMP 1PH W/POWER SUPPLY
T261-108-S	TORQUE SENSOR W/SPEED SENSOR 5000LB-IN
Mmi22300c1a-E	PS/LOGIC UNIT
Sk1-S6-75/44/32-N-X-Y1	CAPACITIVE LABEL SENSOR
Smc11150-8foa-G	SMART MESSAGE DISPLAY
Qpi-Abr-201	1771-I/O MODULE
Mms22400mia	LOGIC PACK POWER SUPPLY 3AMP 110-120V 1PHASE
Nrg2420hcls	BATTERY
Qpj-Abr-201	AB RIO INTF MOD
Fa45-300-Wcc-Obo12hs4	EYESIGHT VISION SYSTEM/IMAGE PROCESSOR
Qpi-Dem-C02	OPERATOR INTERFACE 10.5IN TFT COLOR
45/8878-01	LOAD CELL TRANSDUCER 0-50,000LBS PANCAKE MODEL45
Qpj-1d100-L2p	5 Q-PANEL JR.
Tje/060-E982-06tjg	PRESSURE TRANSDUCER 30PSIG 22-32VDC
Op2200b16k	DISPLAY UNIT
Mms22361c1a	LOGIC UNIT W/POWER SUPPLY LP2 TYPE 3AMP 1PH
Tx51a	TRANSMITTER DIGITAL PICTURE HYPERSCAN III 4-CAMERA
Mms22651c1a	LOGIC UNIT 3AMP 1PH 110-120V
060-3147-03	METER DIGITAL DISPLAY/SIGNAL CONDITIONER MODEL GM
Fgd-2000	REMOTE MONITORING SYSTEM
Mmi23361c1a	CPU ASSEMBLY

Tcs250-120131 Nrg22-10-Rc	INDUSTRIAL COMPUTER TOUCHPANEL 486/586 1.4GB VOLT CHARGER SINGLE PHASE, 12V AT 10 AMPS
Mms22400c1a	LOGIC UNIT W/POWER SUPPLY
Gck-Dem-S02	OPERATOR INTERFACE TOUCH SCREEN DISPLAY GLC100
Mms22361cxx	PS/LOGIC UNIT
Gck2d100I2p	OPERATOR INTERFACE GLC100 TOUCHSCREEN 6INCH COLOR
Tcs250-450041-A	CONTROL PANEL 10.4 INCH TFT P133 64M STDTCH
Hmi-50100a2p	SMART TOUCH
90175	CAPACITIVE LABEL SENSOR
Qm1104roa	QUICKMARQUEE. 1 X 10 4.8 INCH OR 2 X 20 2.1 INCH RED