



Sentry

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sentry** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Sentry T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Thermal Shut- Off Valve	
Pressure Reducing Valve	
ISOLOK SA-SAB-24-09-03 SAMPLER	THICKNER ISOLOK OTOMATİK SAMPLE
Plunger Seal Kit 9699	
1 set ; PN : 09693 SEAL OD (POLY X)	
PN : 02952 ORING ID (VITON)	
Cylinder Seal Kit 7343	1 Set ; PN : 07149 SEAL PROD (GT/HC) 2 PC PN : 02948 SEAL PİSTON(GT/SS) 2 PC PN : 02953 ORING NECK (V) 1 PC PN : 00163 ORING NECK (F-V) 1 PC
VALVE SENTRY VREL S-0112-0074	
MODEL:SAL-B	THICKNER ISOLOK OTOMATİK SAMPLER THICKNER ISOLOK OTOMATİK SAMPLER SENTRY
Sentry	
VEREL-11 SEAL KIT 6-2302C	
VREL S-0112-0074	
Plunger Seal Kit – 1 set	Plunger Seal Kit 9699 1 set ; PN : 09693 SEAL OD (POLY X) 7 PC PN : 02952 ORING ID (VITON) 14 PC

Cylinder Seal Kit - 1 set	Cylinder Seal Kit 7343 1 Set ; PN : 07149 SEAL PROD (GT/HC) 2 PC PN : 02948 SEAL PİSTON(GT/SS) 2 PC PN : 02953 ORING NECK (V) 1 PC PN : 00163 ORING NECK (F-V) 1 PC PN : 02954 ORNG NECK (R-V) 1 PC
Tlr-4225	
2-03972a	
Flr-62b3u	
Tsv 49 -Tsv 49 (7-01337e) -And Switch (4-05144a)	
50010, Vrel 11	
7-01137e	
Rc-100 (7-00816b)	
Tsv 49 Incl. Kontaktschalter	
Tsv - 7-01137e	
2-03972a. Bottle	
2-00789d Ph Cell Holder	
Bs-Hd13mini-15	MINI ITX, 1.3 HD MEDIA PLAYER, WINDOWS 8 X 64, INTEL CORE I5-4570S 8GB, DDR3 120GB SSD, WIRELESS 802.11, 3YEAR DEPO WARRANTY
Flr-6222	
4-04869a	
7-04037b	
G160a-3nl	BATTERY CHARGER 60AMP 12VDC
Rc-100/Part Number: 7-00816e	
Rc-100	
Flr 6225, 7-00757, 345 Bar 537c	
Vrel 11	
Rc Cation Resin Refill Bag	
Sal-02-62-15	Sampler Isolok SAL-B Sampler Body Material - 316 stainless steel Bore Lining - Nickel Tungsten Carbide Annulus Size - 25 cc Plunger outer Diameter Seals - Polyurethane (3-in-1) Plunger Inner Diameter Seals - Viton Purge Port - 1/4 NPT Nose Connection Size and Type - Bolted Hub Discharge Port Size and Type - 1-1/4 " MNPT Sentry part no. 26172
Sentry Isolokã174; Model Sab Automatic Point Sampler	
Flr-6225u	
Bs-Hd13mini-17	MINI ITX, 1.3 HD MEDIA PLAYER, WINDOWS 8 X 64, INTEL CORE I7-4770S 16GB, DDR3 250GB SSD, WIRELESS 802.11, 3YEAR DEPO WARRANTY
Rc O-Ring Seal	
7-01137e	SHUT-OUT VALVE 120DEG/F 250PSI/OUT 4400PSI/INLET
Sampler Model: Isolok Model Sal-B	
9699	

2-03892a	
Cation Resin Refill For 2-03972a	
7-00964a	PRESSURE REDUCING VALVE 1/4IN 5000-7803PSI
6-02503b	
Vrel 11 (60 Pcs.)	
Sabisolok Modelsab (10 Cc)	
Bprva-20, 7-00868a	
7-00744a Pressure Reducing Valve	
St513	
P/N: 7-01137e	
2-00789d	
7-02065d	
Sentry Isolokã174; Model Saa Automatic Point Sampler	
St510	
2-03892a	
4-05953f	
7-00744a	PRESSURE REDUCING ELEMENT VREL-11 5000PSI 1/4IN
7-02690f	TEST SHARING CONTROLLER .72-1.2AMP 115-230VAC
Isolok® Model Sal-B Automatic Point Sampler	
Isolok® Model Sab Automatic Point Sampler	
50001, Tsv 49, 7-01137e	
4-04869a	
Bprva-20	
Bprv - 00868a	
2-03972a Resin Refill Bag	
Flr-6225	
7-039-53a	HEAT EXCHANGER W/FLANGE 450-5000PSI 31-345BAR
6-02503d	
Tsv (Thermal Shut-Of Valve) U.S. Patent No:5,826,790	
Sentry Isolokã174; Model Sal-B Automatic Point Sampler	
G225a-3nl	BATTERY CHARGER 25AMP 24VDC
Seal Kit:6-02302c	
St512	
	OKI B721DN, DIGITAL MONO PRINTER, W/DUPLEXNETWORK, 120V

62442001	(49PPM)
4-04820c	
4-05953e	
4-02342x	
Flr-62b3	
Flf-6222	
Isolok® Model Saa Automatic Point Sampler	
50010, Vrel 11	
Cation Resin Refill Bag For Model Rc-100 2-03972a	
Handle And Rod Kit 6-02302e	
7-00868a	
Tlr4225, Pn:7-03951a Sn:15703951a2406	
4-04820c	
Sab-24-09-03	SAMPLER Isolok Body Material 1316 stainless steel Bore Lining - Nickel Tungsten Carbide Annulus Size - 25 cc Plunger outer Diameter Seals - Polyurethane (Ramp) Plunger inner Diameter Seals - Viton Nose connection Size and Type - 2" MNPS Discharge Port Size and Type - 1-1/4 FNTF
7343	
Bprva-20 Reg	
Porous Disc For 6-02503d	
7-00816b Refillable Ion Exchange Resin Column Model Rc-100	
7-00868a Pressure Regulator	
1/4in,85m3/Hr Regulator	
Flf 6225	
Kit Rc-100	
Tsv 49	
6-02503d	
1/4in,85m3/Hr	
Tlf-4225	
7-04037b Equipment , Rc-400 Cation Exchange Column	
Rc 100	
4-05953d	
Rc Quick Disconnects Fittings	
Cation Resin Refill For 2-03972a	
Sbc Controller	

7-00816b
50001, Tsv 49, 7-01137e
7-00816e
6-02503b