



## Sentry

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sentry** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Sentry T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">Thermal Shut- Off Valve</a>	
<a href="#">Pressure Reducing Valve</a>	
<a href="#">ISOLOK SA-SAB-24-09-03 SAMPLER</a>	THICKNER ISOLOK OTOMATİK SAMPLE
<a href="#">Plunger Seal Kit 9699</a>	
<a href="#">1 set ; PN : 09693 SEAL OD ( POLY X )</a>	
<a href="#">PN : 02952 ORING ID ( VITON )</a>	
<a href="#">Cylinder Seal Kit 7343</a>	1 Set ; PN : 07149 SEAL PROD (GT/HC) 2 PC PN : 02948 SEAL PİSTON(GT/SS) 2 PC PN : 02953 ORING NECK (V) 1 PC PN : 00163 ORING NECK (F-V) 1 PC
<a href="#">VALVE SENTRY VREL S-0112-0074</a>	
<a href="#">MODEL:SAL-B</a>	THICKNER ISOLOK OTOMATİK SAMPLER THICKNER ISOLOK OTOMATİK SAMPLER SENTRY
<a href="#">Sentry</a>	
<a href="#">VEREL-11 SEAL KIT 6-2302C</a>	
<a href="#">VREL S-0112-0074</a>	
<a href="#">Plunger Seal Kit – 1 set</a>	Plunger Seal Kit 9699 1 set ; PN : 09693 SEAL OD ( POLY X ) 7 PC PN : 02952 ORING ID ( VITON ) 14 PC

<a href="#">Cylinder Seal Kit - 1 set</a>	Cylinder Seal Kit 7343 1 Set ; PN : 07149 SEAL PROD (GT/HC) 2 PC PN : 02948 SEAL PİSTON(GT/SS) 2 PC PN : 02953 ORING NECK (V) 1 PC PN : 00163 ORING NECK (F-V) 1 PC PN : 02954 ORNG NECK (R-V) 1 PC
<a href="#">Tlr-4225</a>	
<a href="#">2-03972a</a>	
<a href="#">Flr-62b3u</a>	
<a href="#">Tsv 49 -Tsv 49 (7-01337e) -And Switch (4-05144a)</a>	
<a href="#">50010, Vrel 11</a>	
<a href="#">7-01137e</a>	
<a href="#">Rc-100 (7-00816b)</a>	
<a href="#">Tsv 49 Incl. Kontaktschalter</a>	
<a href="#">Tsv - 7-01137e</a>	
<a href="#">2-03972a. Bottle</a>	
<a href="#">2-00789d Ph Cell Holder</a>	
<a href="#">Bs-Hd13mini-15</a>	MINI ITX, 1.3 HD MEDIA PLAYER, WINDOWS 8 X 64, INTEL CORE I5-4570S 8GB, DDR3 120GB SSD, WIRELESS 802.11, 3YEAR DEPO WARRANTY
<a href="#">Flr-6222</a>	
<a href="#">4-04869a</a>	
<a href="#">7-04037b</a>	
<a href="#">G160a-3nl</a>	BATTERY CHARGER 60AMP 12VDC
<a href="#">Rc-100/Part Number: 7-00816e</a>	
<a href="#">Rc-100</a>	
<a href="#">Flr 6225, 7-00757, 345 Bar 537c</a>	
<a href="#">Vrel 11</a>	
<a href="#">Rc Cation Resin Refill Bag</a>	
<a href="#">Sal-02-62-15</a>	Sampler Isolok SAL-B Sampler Body Material - 316 stainless steel Bore Lining - Nickel Tungsten Carbide Annulus Size - 25 cc Plunger outer Diameter Seals - Polyurethane (3-in-1) Plunger Inner Diameter Seals - Viton Purge Port - 1/4 NPT Nose Connection Size and Type - Bolted Hub Discharge Port Size and Type - 1-1/4 " MNPT Sentry part no. 26172
<a href="#">Sentry Isolokã174; Model Sab Automatic Point Sampler</a>	
<a href="#">Flr-6225u</a>	
<a href="#">Bs-Hd13mini-17</a>	MINI ITX, 1.3 HD MEDIA PLAYER, WINDOWS 8 X 64, INTEL CORE I7-4770S 16GB, DDR3 250GB SSD, WIRELESS 802.11, 3YEAR DEPO WARRANTY
<a href="#">Rc O-Ring Seal</a>	
<a href="#">7-01137e</a>	SHUT-OUT VALVE 120DEG/F 250PSI/OUT 4400PSI/INLET
<a href="#">Sampler Model: Isolok Model Sal-B</a>	
<a href="#">9699</a>	

<a href="#">2-03892a</a>	
<a href="#">Cation Resin Refill For 2-03972a</a>	
<a href="#">7-00964a</a>	PRESSURE REDUCING VALVE 1/4IN 5000-7803PSI
<a href="#">6-02503b</a>	
<a href="#">Vrel 11 (60 Pcs.)</a>	
<a href="#">Sabisolok Modelsab (10 Cc)</a>	
<a href="#">Bprva-20, 7-00868a</a>	
<a href="#">7-00744a Pressure Reducing Valve</a>	
<a href="#">St513</a>	
<a href="#">P/N: 7-01137e</a>	
<a href="#">2-00789d</a>	
<a href="#">7-02065d</a>	
<a href="#">Sentry Isolokã174; Model Saa Automatic Point Sampler</a>	
<a href="#">St510</a>	
<a href="#">2-03892a</a>	
<a href="#">4-05953f</a>	
<a href="#">7-00744a</a>	PRESSURE REDUCING ELEMENT VREL-11 5000PSI 1/4IN
<a href="#">7-02690f</a>	TEST SHARING CONTROLLER .72-1.2AMP 115-230VAC
<a href="#">Isolok® Model Sal-B Automatic Point Sampler</a>	
<a href="#">Isolok® Model Sab Automatic Point Sampler</a>	
<a href="#">50001, Tsv 49, 7-01137e</a>	
<a href="#">4-04869a</a>	
<a href="#">Bprva-20</a>	
<a href="#">Bprv - 00868a</a>	
<a href="#">2-03972a Resin Refill Bag</a>	
<a href="#">Flr-6225</a>	
<a href="#">7-039-53a</a>	HEAT EXCHANGER W/FLANGE 450-5000PSI 31-345BAR
<a href="#">6-02503d</a>	
<a href="#">Tsv (Thermal Shut-Of Valve) U.S. Patent No:5,826,790</a>	
<a href="#">Sentry Isolokã174; Model Sal-B Automatic Point Sampler</a>	
<a href="#">G225a-3nl</a>	BATTERY CHARGER 25AMP 24VDC
<a href="#">Seal Kit:6-02302c</a>	
<a href="#">St512</a>	
	OKI B721DN, DIGITAL MONO PRINTER, W/DUPLEXNETWORK, 120V

<a href="#">62442001</a>	(49PPM)
<a href="#">4-04820c</a>	
<a href="#">4-05953e</a>	
<a href="#">4-02342x</a>	
<a href="#">Flr-62b3</a>	
<a href="#">Flf-6222</a>	
<a href="#">Isolok® Model Saa Automatic Point Sampler</a>	
<a href="#">50010, Vrel 11</a>	
<a href="#">Cation Resin Refill Bag For Model Rc-100 2-03972a</a>	
<a href="#">Handle And Rod Kit 6-02302e</a>	
<a href="#">7-00868a</a>	
<a href="#">Tlr4225, Pn:7-03951a Sn:15703951a2406</a>	
<a href="#">4-04820c</a>	
<a href="#">Sab-24-09-03</a>	SAMPLER Isolok Body Material 1316 stainless steel Bore Lining - Nickel Tungsten Carbide Annulus Size - 25 cc Plunger outer Diameter Seals - Polyurethane (Ramp) Plunger inner Diameter Seals - Viton Nose connection Size and Type - 2" MNPS Discharge Port Size and Type - 1-1/4 FNTF
<a href="#">7343</a>	
<a href="#">Bprva-20 Reg</a>	
<a href="#">Porous Disc For 6-02503d</a>	
<a href="#">7-00816b Refillable Ion Exchange Resin Column Model Rc-100</a>	
<a href="#">7-00868a Pressure Regulator</a>	
<a href="#">1/4in,85m3/Hr Regulator</a>	
<a href="#">Flf 6225</a>	
<a href="#">Kit Rc-100</a>	
<a href="#">Tsv 49</a>	
<a href="#">6-02503d</a>	
<a href="#">1/4in,85m3/Hr</a>	
<a href="#">Tlf-4225</a>	
<a href="#">7-04037b Equipment , Rc-400 Cation Exchange Column</a>	
<a href="#">Rc 100</a>	
<a href="#">4-05953d</a>	
<a href="#">Rc Quick Disconnects Fittings</a>	
<a href="#">Cation Resin Refill For 2-03972a</a>	
<a href="#">Sbc Controller</a>	

<a href="#">7-00816b</a>
<a href="#">50001, Tsv 49, 7-01137e</a>
<a href="#">7-00816e</a>
<a href="#">6-02503b</a>