

Sera Prodos

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Sera Prodos Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Sera Prodos T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
:37604801, sera	
15002541	
15005448	
15005575	
16005267	
16006235 / R409.2-350E	
16006276	
16006339	
16006339 R409.2-50E	
16006466	
16006869	
16007118	

16007163
16007252
16007312
16007683
16008269
16008500
16008859
16009639
16009680 R409.2-12e
16010830
16011292
16012315
16012599
16013170
16013994
16014282
16014322
16016021
16019915
16020207
16020446
16020686
16021368
16021370
16022020
16023277
16023516
16023562
16024164
16024336

16024487
16024624
16024676
16025057
229305
240119
30053008
30058008
30071042
36241105
37600009
37600072
37600826
37602320
37603636
37604006
37604058
37604116
37604642
37604802, sera
37606577
411.1-1000 5
55001048
56000011
56000305
56000432
56000561
56002837
56002838
691.1
713.1

83001942
900 049 10
9000 4165
90000067
900005056
90000722
900011191
90001829
90002081
90002083
90003367
90004163
90004914
90004924
90004925
90004959
90005082
90005129
90005130
90005320
90005628
90005630
90005928
90005929
90005976
90005978 Sera
90006226
90006227
90006228
90006526

[90006846](#)

[90007041](#)

[90007042](#)

[90007185](#)

[90007706](#)

[90008992](#)

[90009523](#)

[90009897](#)

[90011191](#)

[90011192](#)

[90011311](#)

[90011356](#)

[90011434](#)

[90011436](#)

[90011693](#)

[90013052](#)

[90016849](#)

[90016971](#)

[90022048](#)

[90023984](#)

[90023991](#)

[90023998](#)

[90024006](#)

[90024013](#)

[90024268](#)

[90024269](#)

[90024529](#)

[90024851](#)

[90025450](#)

[90029927](#)

90034658
90036633
90036640
90036645
90036653
90036654
90036663
90036915
90036918
90036920
90036921
90036924
90037107
90037118
90037119
90037120
90037163
90037165
90037331
90037805
90037811
90038119
90038165
90038432
90038455
90038524
90038532
90038542
90038773
90039652
90039653

90039655
90039660
90041392
90042725
ATOMIZER
C204.1-1.2e
C204.1-10e
C204.1-14e
C204.1-2.4e
C204.1-25e
C204.1-30e
C204.1-35e
C204.1-6.0e
C204.1-7.0e
C409.2-25e
C409.2-90e Pro+ MBE-02
C409.2-ML
C410.2-ML
CS204
CS409.2-0,8
CS409.2-1,6e
CS409.2-12e
CS409.2-18e
CS409.2-2,4
CS409.2-25e
CS409.2-4,0c
CS409.2-7,0c
D104PU
EPDM 1.4401 G1 1/4
EPDM d78, Art N: 90023998

FLP2
G3/4" RF409.2-90e ÜV
Item-No. 30095004
MV 3335 K
MV2381K
PP M24x1,5 DN8
PP-GFK DN8
PP-GFK/1.4401/EPDM/G1 1/4
PVC/FPM
PVC-U DN8
R 411.1 -550
R 411.1-500ML
R204
R204.1-35e
R408.1-27 E
R409.1 - 150 E
R409.1 - 190 E
R409.2-110ML
R409.2-11ML
R409.2-12e
R409.2-140E
R409.2-140e UV
R409.2-150ML
R409.2-17ML
R409.2-220ML
R409.2-30ML
R409.2-45ML
R409.2-72ML
R409.2-75e (WP 343659)
R409-K.1
R409-KM

R410.2-1100e
R410.2-1450e
R410.2-200e
R410.2-280e
R410.2-450e
R410.2-500ML
R410.2-570e
R410.2-700e
R410.2-900e
R410-K.1
R410-KM
R410-ML
R411.1 – 550 E
R411.1 – 810
R412 SOE
RF409.2-115e
RF409.2-12e
RF409.2-140e
RF409.2-140e UV
RF409.2-180e
RF409.2-18e
RF409.2-2,4e
RF409.2-25e
RF409.2-25e UV
RF409.2-350e
RF409.2-4,0e
RF409.2-45ML
RF409.2-50e
RF409.2-7,0e
RF409.2-75e

RF409.2-90e
RF409-2-250e
RF410.2-1100E/RK410.2-450E
RF410.2-1450e
RF410.2-500ML
RF410.2-570e
RF410.2-900e
RS204
SK6550
SL-02
WA68808
WD01752
WP292610
KDO - 100.1
KDO - 1000.1
KDO - 200.1
KDO - 300.1
KDO - 500.1
KDO - 75.1
C204.1-2,4e
C409.2-115e
C409.2-140e
C409.2-180e
C409.2-25e
C409.2-350e
C409.2-50e
C409.2-7,0e
C409.2-75e
C409.2-90e
C409-2-250e

C410.2-1450e	
C410.2-570e	
C410.2-900e	
C409.2-250e Pro+	16026054
C409.2-25e Pro+	16026252 Microprocessor-controlled motor pump 409.2 Control with detachable and dismountable hand control, Clickwheel for simple and intuitive menu navigation, LC display with plain text display and 4-color status display (white, green, yellow, red), timer function with 10 events per day, digital and analog outputs for various status reports, configurable input for pulse control with reduction/translation as well as quantity-proportional dosing or analogue input 0/4..20mA for quantity-proportional dosing or batch dosing with recipe memory, password protection against unauthorized use, Extensive service information (operating hours/volume counter) as well as maintenance control, prepared for Profibus/Profinet INTERFACE MODULE, Interfaces: - 3 digital/analog inputs - 2 digital outputs - 1 analogue output - Input for 2-stage level switch - SD card slot incl. SD card Technical specifications: Type : C409.2-25e Pro+ Nominal flow rate (QN) : 0 - 25 l/h at 50/60Hz Suction lift : 3mWS Back pressure (p2max) : 10bar Rated stroke frequency (nN) : 150 per minute at 50/60Hz Pump body : PVDF-GRP Double valves : PVDF-GRP Valve balls : PTFE Valve seals : FEP encapsulated Actuator membrane : PTFE laminated Connections : G3/4 Drive : 0.18kW, 210-250V, 50/60Hz, 1~, IP55, iso.cl. f Electrical connection: 3m connection cable with Schuko plug Approval : EAC Flow rate adjustment: manually via stroke frequency and stroke length Coating : sera standard surface protection Particularities: MBE-02 Scope of delivery incl. 5m control cable 8-pin Conveying medium: ??? 20°C, max. 100mPas, without solids Weight: 11.894 kg / h Customs tariff number: 8413 50 40 Country of origin: DE
WP376838	15007199 RF409.2-350e
S-C204.1-1,2	
R409.2-75e	