



## Shanghai Turbine Co. Ltd

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Shanghai Turbine Co. Ltd** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Shanghai Turbine Co. Ltd Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">The Diameter Of The Actuator Cylindder Is 177,8 , The Stroke Is 130 And The Medium Is Fire Resistant</a>	
<a href="#">Valve Steam Screwed Bushing / Item No:4 / Main Stop Valve / 191.30.41.30</a>	
<a href="#">Rocker Arm / Item No: 19 / Drawing No:191.30.60.28g01 / Reheat Stop Valve / B191.30.61e01bm</a>	
<a href="#">Bushing / Item No: 34/ Drawing No:157.30.60.38 / Material 38crmoaia / Reheat Stop Valve / B191.30.61</a>	
<a href="#">(B191.31.67-1-1e01) (We Want Walve Completly)</a>	
<a href="#">Valve Clapper / Item No: 12 / Drawing No:157.30.60.16 / Reheat Stop Valve / B191.30.61e01bm</a>	

[Bushing / Item No: 3 / Drawing](#)  
[No:191.30.62.06/ Material](#)  
[2cr12nimo1w1v / Reheat Interceptor](#)  
[Valve /](#)

[Shaft / Item No: 14 / Drawing](#)  
[No:191.30.61.01 / Material](#)  
[15125z2\(Gh901-T6\) / Reheat Stop Valve](#)  
[/ B19](#)

[Bushing / Item No: 37/ Drawing](#)  
[No:A156.30.60.12 / Material 38crmoala](#)  
[/ Reheat Stop Valve / B191.30.6](#)

[Voluble Gasket / Item No: 10 / Drawing](#)  
[No:191.34.20.14 / Material 304+flexible](#)  
[Graphite / Governing](#)

[Valve Disc / Item No: 7 / Drawing](#)  
[No:192.34.20.06 / Material](#)  
[2cr12nimo1w1v / Governing Valve /](#)  
[B191](#)

[Leveler / Item No: 32 / Drawing](#)  
[No:157.30.60.36 / Material Wcr5mo /](#)  
[Reheat Stop Valve / B191.30.61e0](#)

[Valve Disc / Item No:1 / Main Stop](#)  
[Valve / 191.30.41.53g01](#)

[\(B191.30.64-1-1e01\) \(We Want Walve](#)  
[Completly\)](#)

[Key / Item No: 30/ Drawing](#)  
[No:157.30.60.29 / Material](#)  
[2cr12nimo1w1v / Reheat Stop Valve /](#)  
[B191.30.61](#)

[Valve Stem / Item No: 5 / Drawing](#)  
[No:192.34.20.04 / Material Gh901-T6+6](#)  
[/ Governing Valve / B191.34.](#)

[Coupling Rod / Item No:5 / Main Stop](#)  
[Valve / 191.30.41.36g01](#)

[Key / Item No: 28/ Drawing](#)  
[No:157.30.60.28 / Material](#)  
[2cr12nimo1w1v / Reheat Stop Valve /](#)  
[B191.30.61](#)

[Valve Pocket / Item No: 6 / Drawing](#)  
[No:192.34.20.05 / Material](#)  
[2cr12nimo1w1v / Governing Valve / B1](#)

[Linkage / Item No: 8 / Drawing](#)  
[No:191.34.20.13 / Material](#)  
[2cr12nimo1w1v / Governing Valve /](#)  
[B191.34](#)

[Key / Item No: 33/ Drawing](#)

[No:157.30.60.37 / Material  
2cr12nimo1w1v / Reheat Stop Valve /  
B191.30.61](#)

[Spring / Item Shown In Picture / Main  
Stop Valve / 191.30.41-3/3e01](#)

[Bushing / Item No: 15/ Drawing  
No:191.30.60.18 / Material  
10705bu\(2cr12nimo1w1v\) / Reheat Stop  
Valve](#)

[Screw / Item No: 7 / Drawing  
No:W1068.3-M16x30/ Material Wr26 /  
Reheat Interceptor Valve / B191.30.](#)

[The Diameter Of The Actuator Cylindder  
Is 152.4 , The Stroke Is 253,6 And The  
Medium Is Fire Resist](#)

[Valve Steam / Item No:2 / Main Stop  
Valve / 191.30.41.54](#)

[Coupling / Item No: 26 / Drawing  
No:191.30.62.16/ Material  
2cr12nimo1w1v / Reheat Interceptor  
Valve](#)

[Bushing / Item No: 17/ Drawing  
No:191.30.60.20 / Material  
10705bu\(2cr12nimo1w1v\) / Reheat Stop  
Valve](#)

[Valve Screw Bush / Item No:3 / Main  
Stop Valve / 191.30.41.55](#)

[Nut / Item No: 18 / Drawing  
No:157.30.60.27 / Material  
2cr12nimo1w1v / Reheat Stop Valve /  
B191.30.6](#)

[Collar / Item No: 6 / Drawing  
No:A156.30.62.37/ Material Wcr5mo /  
Reheat Interceptor Valve / B191.3](#)

[The Diameter Of The Actuator Cylindder  
Is 101.6 , The Stroke Is 253,6 +-1 And  
The Medium Is Fire Res](#)

[Valve Stem / Item No: 4 / Drawing  
No:191.30.62.07 / Material Gh901 /  
Reheat Interceptor Valve / B191](#)

[Pin / Item No: 35 / Drawing  
No:191.30.60.31 / Material  
10705bu\(2cr12nimo1w1v\)/ Reheat Stop  
Valve / B](#)

[Valve Disc / Item No: 5 / Drawing](#)

No:A156.30.62.35g01 / Reheat  
Interceptor Valve / B191.30.62e01bm

The Diameter Of The Actuator Cylindder  
Is 177,8 , The Stroke Is 83 And The  
Medium Is Fire Resistant