

Shimpo Industrial Co

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Shimpo Industrial Co Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Shimpo Industrial Co T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Fpm-6-Gv	
Cag2001-1	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 10 MM RANGE, 1 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Fg-M6pin2	
Fgv-10xycal	DIGITAL FORCE GAUGE, FORCE CAPACITY:100LBF, FORCE RESOLUTION:0.1LBF, GAUGE DISPL
Fgv-1000hxy	1000 LB (453 KG) CAPACITY DIGITAL FORCE GAUGE, RS-232, USB VOLTAGE DATA OUTPUT
Dt-5rl-3	
Dt-329	AC POWERED LINEAR LED STROBOSCOPE
Dt-209x	
Fg-M10fab80u	
Ceg2000-2	THREE COLOR VERTICAL ELECTRIC GAUGE DISPLAY, 5-1000 MM RANGE, 2 CHANNEL FOR USE WITH ELECTRIC GAUGE

SENSOR.	
Dt-900-U	
Fg-7003	
Bat-Dt315a	
Dt-365e	HIGH INTENSITY LED PORTABLE STROBOSCOPE WITH RECHARGEABLE BATTERY, NEMA 4X, 6 LED ARRAY
Fg-7fl	
Cag3005-111	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 50 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Tnp-0.5	TORQUE MEASUREMENT, 50 N-CM / 500 MN-M / 5099 G-CM / 4.425 LB-IN
Cu2pc	
Dop-Fvtr	
Fgv-Fgs250p	
Fgs-500pvl	VERTICAL, LOW SPEED WITH LED SPEED, COUNT, DISPLACEMENT
Fgs-50l	
Dt-326	HANDHELD BATTERY POWERED LED STROBOSCOPE
Fgv-Pt100(100lbdart2.0gauge)**	PHYSICAL THERAPY / ERGONOMIC KITS
Re2b-30f	
Fg-M6wter100	
Dt-725-230v	
Fge-Pt100	PHYSICAL THERAPY TEST KIT, 100 LB (50 KG) CAPACITY
Vrkf-9c-200-N	
Fgv-10xycaldu	DIGITAL FORCE GAUGE, FORCE CAPACITY:100LBF, FORCE RESOLUTION:0.1LBF, GAUGE DISPL
Fg-7004	
Pt-110	
Ceg2000-4	THREE COLOR VERTICAL ELECTRIC GAUGE DISPLAY, 5-1000 MM RANGE, 4 CHANNEL FOR USE WITH ELECTRIC GAUGE SENSOR.
Fgv-Pt500	PHYSICAL THERAPY TEST KIT, 500 LB (250 KG) CAPACITY, RS-232 DATA OUTPUT
Fg-Twn500b	

Fg-M10gy	
Dt-314p	STROBOSCOPE INTERNAL BATTERY 115VAC CHARGER
Fgs-Length-L	
Fg-M6tj10	
Dt-315aeb-230v	
Cag2000-Op-Ar	
Fg-M6cn-Al	
Re1-Brkt	
Dt-315p-230v	HEAVY DUTY XENON STROBOSCOPE, INTERNAL BATTERY POWERED, NEMA 4X, 230VAC CHARGER
Dt-315aeb	
Dop-Fv	
Fgs-Length-H	
Fge-10x	
Dt-5ts	
Dt-105a	
Dt-105a-12cbl	
Fge-Pt200(200lbjavelingauge)	PHYSICAL THERAPY / ERGONOMIC KITS
Fgv-Pt500(500lbjavelingauge)**	PHYSICAL THERAPY / ERGONOMIC KITS
Dt-721kit-220v	
Fge-200xy	
Fgs-50h	VERTICAL MANUAL TEST STAND, CARRYING CAPACITY:200LB, FOR USE WITH:SHIMPO FORCE GAUGES, OPERATION MODE:HAND WHEEL, ROHS COMPLIANT: NA
Dt-105a-S12	
Cag2000-Op-Af	
Dt-209x-S12	
Dt-315acal	STROBOSCOPE, 40FPM TO 35000FPM, 0.01%, FLASH RATE RANGE:40FPM TO 35000FPM, ACCUR
Dt-315p	STROBOSCOPE
Fg-M4fpg8	
Bracket-M18	
Dt-721kit	

Dt-107acal	
Fg-3003	
Fg-Jac5b	
Tnp-2	TORQUE MEASUREMENT 2 N-M / 200 N-CM / 20.39 KG-CM / 17.7 LB-IN
Bdta0500151	
Zzlc0001	
Dt-900-Uttravelerkitwithuniversalcharger	
Dt-5tx	
Tnp-5	TORQUE MEASUREMENT, 5 N-M / 500 N-CM / 50.99 KG-CM / 44.25 LB-IN
Dt-207lr-S12	
Cone12	
Dop-Rmt	
Ft5001	SINGLE COLUMN VERTICAL AIR GAUGE DISPLAY WITH BALL FLOAT, 10,000 X MAGNIFICATION SCALE, FOR USE WITH AIR GAUGE SENSOR.
Dt-900-Ut	
Cable-361-10ft	
Fg-M6hk-AI	
Cone34	
Cag3002-103	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 20 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Vrkf-Lb-5c-750	
Cag2005-2	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 50 MM RANGE, 2 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Dag2010-1	AIR GAUGE DISPLAY WITH 5 LIGHT JUDGMENT, 100 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Dt-900-Up	
Fg-7009	
Fg-7chrg	
Tdcg1020000	
Fge-50xcal	GAUGE, DIGITAL FORCE, 100LBF, 0.2%, FORCE CAPACITY:50LBF, RESOLUTION (G):0.01KG

Dt-5tp	
Dt4lb	
Fg-M6ftg20u	
Fgs-250pvh	VERTICAL MOTORIZED TEST STAND, CARRYING CAPACITY:500LB, FOR USE WITH:SHIMPO FORCE GAUGES, INTERFACE TYPE:RS232C, OPERATION MODE:MOTORIZED, ROHS COMPLI
Fgs-100pxh	HORIZONTAL MOTORIZED TEST STAND, HEIGHT MIN:40MM, HEIGHT MAX:400MM, ROHS COMPLIANT: NA
Cbl-75anl	
Fgv-20xy	
Fge-Pt500(500lbjavelingauge)	PHYSICAL THERAPY / ERGONOMIC KITS
Fg-Ftg20b	
Fg-7001	
Bp-100	
Factorycertificate	
Mf-2	
Dt-311j	HEAVY DUTY XENON STROBOSCOPE, AC POWERED, NEMA 4X, 120VAC INPUT
Zzh00017	
Fg-M10twn500u	
Fge-100xy	
Adtc3100320	
Dt-207l	
Fgv-200xy	
Fge-20xy	
Case-900	
Dt-311n-Pwb2	
Fge-50xcald	GAUGE, DIGITAL FORCE, 100LBF, 0.2%, FORCE CAPACITY:50LBF, RESOLUTION (G):0.01KG
Dt-5tg-0	
13f	
Carry-Case-Mf	

Dt-12v230	
Mfd-06	
Cag2001-2	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 10 MM RANGE, 2 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Fgv-100x	GAUGE, DIGITAL FORCE, 100LBF,0.2%, FORCE CAPACITY:100LBF, RESOLUTION (G):0.01KG, HEIGHT:38MM, WIDTH:75MM, DEPTH:130MM, FORCE RESOLUTION:0.1LBF, GAUGE
Fg-7usb	
Fg-M6spo10u	
Bdtb3100830	
Cag2020-1	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 200 MM RANGE, 1 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Dt-315acald	STROBOSCOPE, 40FPM TO 35000FPM, 0.01%, FLASH RATE RANGE:40FPM TO 35000FPM, ACCUR
Erkv-Nb-11d-4500	
Tt-5	
Dag2005-1	AIR GAUGE DISPLAY WITH 5 LIGHT JUDGMENT, 50 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Nevsh-15d-400	
Fge-100x	
Re1b-60f	
Mf-20kg	
Fua-503	
St11uevc-A	
Dt-311a-115v	
Fgs-250pvl	VERTICAL MOTORIZED TEST STAND, CARRYING CAPACITY:500LB, FOR USE WITH:SHIMPO FORCE GAUGES, INTERFACE TYPE:RS232C, OPERATION MODE:MOTORIZED, ROHS COMPLI
Fgs-500pvh	VERTICAL, HIGH SPEED WITH LED SPEED, COUNT, DISPLACEMENT
So-300(Softwarefordfsdrifgforcegauges)	
Bdtb3100411	
Fg-Clv10b	
Fgs-200pv	220 LB (100 KG, 1000N)

Dt-4pl-P047	
Cone114	
Fgs-250pvm	VERTICAL MOTORIZED TEST STAND, CARRYING CAPACITY:500LB, FOR USE WITH:SHIMPO FORCE GAUGES, INTERFACE TYPE:RS232C, OPERATION MODE:MOTORIZED, ROHS COMPLI
Fsw-1	
Fg-M6rd-5in	
Bdtb3103411	
Cable-Dt329-Link	
Lub-3a-Rxc	SPEED CONTROL 115VAC
Fg-M10tj5/16	
Fg-M10hk-1000hx	
Dop-Fvcr	
Ft5101	SINGLE COLUMN VERTICAL AIR GAUGE DISPLAY WITH BALL FLOAT, 1000 X MAGNIFICATION SCALE, FOR USE WITH AIR GAUGE SENSOR.
Flashtube900	
Fgs-100eh	VERTICAL MOTORIZED TEST STAND, 110 LB (50 KG) CAPACITY, HIGH SPEED
Fg-Handle	
200adapter	
Fge-10xcaldu	DIGITAL FORCE GAUGE NO OUTPUTS 10 LB CAPACITY
Fge-500hx	GAUGE, DIGITAL FORCE, 500LBF, 0.2%, FORCE CAPACITY:500LBF, RESOLUTION (G):0.1KG, HEIGHT:54.5MM, WIDTH:82MM, DEPTH:214MM, FORCE RESOLUTION:0.1LBF, GAU
Dfs-100	DIGITAL FORCE GAUGE, FORCE CAPACITY:100LBF, FORCE RESOLUTION:0.1LBF, GAUGE DISPLAY:LCD, GAUGE OUTPUT:ANALOG/DIGIMATIC/RS232 ROHS COMPLIANT: NA
Fgs-Acc	
Cag3010-111	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 1000 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Fg-7gv	
Fg-M10hk	
Dop-Bcdr	
Tcdn1210000	

Dt-Carry100	
Ch-900	
Dt-4ag	
Fgs-50pxh	HORIZONTAL MOTORIZED TEST STAND, FOR USE WITH:SHIMPO FORCE GAUGES, OPERATION MODE:MOTORIZED, WEIGHT CAPACITY:110LB ROHS COMPLIANT: NA
Fgv-10xycald	FGV-10XY CALIBRATED
Cag2020-2	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 200 MM RANGE, 2 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Mfp-Handle	
Fg-M6hkl(Largehook)	
Dt-601cg	
Fgv-500hx	GAUGE, DIGITAL FORCE, 500LBF, 0.2%, FORCE CAPACITY:500LBF, RESOLUTION (G):0.1KG, HEIGHT:54.5MM, WIDTH:82MM, DEPTH:214MM, FORCE RESOLUTION:0.1LBF, GAU
Cag2005-1	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 50 MM RANGE, 1 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Fg-3008	
Fg-W dg50b	
Re2b-60c	
Dt-900- Upprofessionalkitwithuniversalcharger	STROBOSCOPE
Sas-360	
Fgs-100pvh	VERTICAL MOTORIZED TEST STAND, HEIGHT MIN:61MM, HEIGHT MAX:181MM, ROHS COMPLIANT: NA
Ee-1	
Cag2010-2	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 100 MM RANGE, 2 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Fge-2x	
Tape	
Trc-10	TNP DIGITAL TORQUE CHECKER 10 N-M / 1000 N-CM / 102 KG-CM / 88.5 LB-IN
Fg-M4adp	
Fg-M10comp50u	

Fge-Pt100(100lbdartgauge)	PHYSICAL THERAPY / ERGONOMIC KITS
Fge-20x	
Carrying-Case	
Fge-200hx	GAUGE, DIGITAL FORCE, 100LBF, 0.2%, FORCE CAPACITY:200LBF, RESOLUTION (G):0.1KG, HEIGHT:54.5MM, WIDTH:82MM, DEPTH:214MM, FORCE RESOLUTION:0.1LBF, GAU
Sg-300	
Mf-3kg	
Dt-601cg-Dc	
Bdtb3100521	
Fg-M10adhe3	
Dag2002-1	AIR GAUGE DISPLAY WITH 5 LIGHT JUDGMENT, 20 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Vrsf-25c-100	
Fg-M6hkl-Al	
Cag2002-1	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 20 MM RANGE, 1 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Dt-365	HIGH INTENSITY LED PORTABLE STROBOSCOPE WITH RECHARGEABLE BATTERY, NEMA 4X, 18 LED ARRAY
Dt-311-Pwb3nb	
Ypm	
Fg-M6puncture-St	
Ls-S50mlr-Dt311	
Sas-360base	
3070-Xp12010	
Se-G2	
Zzh00018	
Fg-M6fkl	
Fgs-Analog	
Fg-M6pin05	
Dt-311j-230v	HEAVY DUTY XENON STROBOSCOPE, AC POWERED, NEMA 4X, 230VAC INPUT

Fg-M10rd	
Fge-1xy	
Dt-900	
Tnp-10	TORQUE MEASUREMENT, 10 N-M / 1000 N-CM / 102 KG-CM / 88.5 LB-IN
Fgv-500hxy	500 LB (250 KG) CAPACITY DIGITAL FORCE GAUGE, DATA OUTPUT
Fge-10xcald	FGE-10 X CALIBRATED
Mg-M10rd	
Lub-3c2	POWER SUPPLY
Dt-326adp-Cable	
Fgs-50pvl	VERTICAL MOTORIZED TEST STAND, FOR USE WITH:SHIMPO FORCE GAUGES, OPERATION MODE:MOTORIZED, WEIGHT CAPACITY:110LB ROHS COMPLIANT: NA
Fgs-100el	VERTICAL MOTORIZED TEST STAND, 110 LB (50 KG) CAPACITY, LOW SPEED
Fg-7cn	
Dag2001-1	AIR GAUGE DISPLAY WITH 5 LIGHT JUDGMENT, 10 MM RANGE FOR USE WITH AIR GAUGE SENSOR.
Fg-Spo10b	
Dt-900-3	
Fg-M4cn	
Trc-5	TNP DIGITAL TORQUE CHECKER 5 N-M / 500 N-CM / 50.99 KG-CM / 44.25 LB-IN
Fge-Pt500	PHYSICAL THERAPY TEST KIT, 500 LB (250 KG) CAPACITY
Fgs-500pvm	VERTICAL, STANDARD SPEED WITH LED SPEED, COUNT, DISPLACEMENT
Ft5201	SINGLE COLUMN VERTICAL AIR GAUGE DISPLAY WITH BALL FLOAT, 2000 X MAGNIFICATION SCALE, FOR USE WITH AIR GAUGE SENSOR.
Fgv-Analog	
Fge-Pt200	PHYSICAL THERAPY TEST KIT, 200 LB (100 KG) CAPACITY
Fg-M10ten7u	
Fge-1x	
Mcs-625	RETRO REFLECTIVE SENSOR 250 HZ ACTIVATING FREQUENCY
Zhh0018	

Lab-3a-2-Rxc-7	SPEED CONTROL 115VAC
N.I.S.T.Traceablewithdata(1000lbs)	
Re1-60	
Carry-Case721	
Fg-Flm50b	
Dt-361	HIGH INTENSITY LED STROBOSCOPE WITH 100-230VAC POWER INPUT, NEMA 4X, 18 LED ARRAY
Cag2010-1	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 100 MM RANGE, 1 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Dop-Cpt	
Mfd-04	
Dt-301	
Fgv-50xy	
Dt-725-Fast	
Fgv-Pt200	PHYSICAL THERAPY TEST KIT, 200 LB (100 KG) CAPACITY, USB DATA OUTPUT
Re1b-1000c	
Dt-311acald	
Dt721	
Dt-315acaldu	STROBOSCOPE, 40FPM TO 35000FPM, 0.01%, FLASH RATE RANGE:40FPM TO 35000FPM, ACCUR
Tcha2531060	
Dt-103c	
Fg-M6hk	
Mcs-3109	
80520015	
Fg-M6cl	
Fg-M6comp50u	
Cable-3030	
Fgv-100xy	
Ft-900	
Dop-Cp	

Fgs-220vc	VERTICAL MOTORIZED TEST STAND, 220 LB (100 KG) CAPACITY, WIN 7 SOFTWARE
Fgv-Pt100	PHYSICAL THERAPY TEST KIT, 100 LB (50 KG) CAPACITY, USB DATA OUTPUT
Fgv-200hx	DIGITAL FORCE GAUGE, FORCE CAPACITY:200LBF, FORCE RESOLUTION:0.1LBF, GAUGE DISPLAY:LCD, GAUGE OUTPUT:ANALOG/RS232 ROHS COMPLIANT: NA
8806	
Cag2002-2	THREE COLOR VERTICAL AIR GAUGE DISPLAY WITH 20 MM RANGE, 2 CHANNEL, FOR USE WITH AIR GAUGE SENSOR.
Fg-M4pin1	
Fge-10xcal	DIGITAL FORCE GAUGE NO OUTPUTS 10 LB CAPACITY
Mcs-655m	
Dt-900-Prprofessionalkit	
Fgs-1000h	HAND WHEEL OPERATED TEST STAND, 1000 LB (500 KG) CAPACITY
Mf-30	
Fgs-100pxl	HORIZONTAL MOTORIZED TEST STAND, HEIGHT MIN:10MM, HEIGHT MAX:100MM, ROHS COMPLIANT: NA
Fg-M6comp100u	
Fgv-1000hx	1000 LB / 500 KG / 5000 N
Fge-50xcald	GAUGE, DIGITAL FORCE, 100LBF, 0.2%, FORCE CAPACITY:50LBF, RESOLUTION (G):0.01KG
Tccw1101000	
Mcs-655p	
Dri-Fgs250p	
Fg-M4pin2	
Erkv-29b	
Dt-725	
Fg-M6fl	
Fge-10xy	
Dop-Bcd	
Fg-3006	
Fg-M6tap30u	

Fge-20 X Cal Du	DIGITAL FORCE GAUGE NO OUTPUTS 20 LB CAPACITY,CALIBRATED W/ DATA + UNCERT
Re2b-600f	
Mf-Pt50kg	
Fg-7008	
Fg-M10cl	
Fg-M6rd	
140gj0x3	CASE
80431088	
Fg-Ten7b	
Lab-3a	
Fg-M4flm20	
Fgs-100pvl	VERTICAL MOTORIZED TEST STAND, HEIGHT MIN:61MM, HEIGHT MAX:181MM, ROHS COMPLIANT: NA
Dt-12v120	
Lu-3a	
Dt-725kit-220v	
Dt-205lr-S12	
Fg-M10cn	
Fg-Hk	
Tt-0.5	
Deg2000-A	ELECTRIC GAUGE DISPLAY, 5 LIGHT JUDGMENT, 20-1000 MM RANGE, 2 CHANNEL, FOR USE WITH ELECTRIC GAUGE SENSOR.
F1200404b110	
Dt-900-Pr	STROBOSCOPE, 40FPM TO 12500FPM, 0.01%, FLASH RATE RANGE:40FPM TO 12500FPM, ACCURACY %:0.01%, SUPPLY VOLTAGE VAC:115V, FLASH RATE MAX (FPM):12500, STRO
Fgs-50pvh	VERTICAL MOTORIZED TEST STAND, FOR USE WITH:SHIMPO FORCE GAUGES, OPERATION MODE:MOTORIZED, WEIGHT CAPACITY:110LB ROHS COMPLIANT: NA
Dt-326b	
Fgv-Fgs200pv-Cbl	
Trc-2	TNP DIGITAL TORQUE CHECKER, 2 N-M / 200 N-CM / 20.39 KG-CM / 17.7 LB-IN

Dt-207lr	
Dj2-G	
Fg-M6rd-Al	
St-5000	
Fgv-Pt200(200lbdart2.0gauge)**	PHYSICAL THERAPY / ERGONOMIC KITS
Dt205l	
Cag2000-Op-Cb-1	
Fg-M10fl	
Dt-725kit	
Dt-205l-S12	
88359369	
Esa1520a	
Fg-M4hk	
Dt-5bc	
Dt315apassy	
Fg-M6adp-Al	
Dfs-Ctrlcable	
Dt-900-Trtravelerkit	
Fg-M4cl	
Ft5501	SINGLE COLUMN VERTICAL AIR GAUGE DISPLAY WITH BALL FLOAT, 5000 X MAGNIFICATION SCALE, FOR USE WITH AIR GAUGE SENSOR.
Fg-M6fpg8	
Fge-2xy	
Vrsf-15c-200	GEAR REDUCER RATIO 15:1
Dt207	