



Siebec

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Siebec** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Siebec T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
M35-52594	PP centrifugal pump magnetically coupled Motor 3 Ph 230 / 400V 0.18kW 50Hz. automatically self-priming max output: 3m ³ / h PP / Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector D20mm
M35-52595	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.18kW automatic self-priming Max. Performance: 3m ³ / h PP / PTFE / graphite / ceramic FPM seals Entry / exit with hose connector D20mm
M35-52593	PVDF centrifugal pump Item No. : M35-52593 magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.18kW automatically self-priming max. capacity 3m ³ h max.height 10m Axle / sleeve made of ceramic FPM seals Inlet / outlet with hose connector G1¼ " -DN20 Customs tariff number: 84138100 Country of origin: EU (France)
M140-52574	PVDF centrifugal pump magnetically coupled. Motor 3Ph 230 / 400V 50Hz 1.1kW max output: 14m ³ / h automatically self-priming PVDF / Teflon / graphite / ceramic FPM seals Input / output with hose connector 40mm
M140-52565	PP centrifugal pump magnetically coupled Motor 3Ph. 230 / 400V, 50Hz, 1.1kW automatically self-priming Axle / sleeve PTFE + graphite / ceramic Max. Total head 19m Max. Flow rate 16m ³ / h EPDM seals Inlet / outlet with hose connector G 2¼ "D40mm
M250-52292	PVDF centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50 Hz 1.5kW Max. Output: 25m ³ / h FPM seals Inlet / outlet with hose connector, automatically self-priming
M15-51791	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.045kW Max. Output 2m ³ / h Ceramic axis EPDM seals Input / output

	with hose connector
M100-52555	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.75kW automatically self-priming Max. Output: 10m ³ / h Max. Height 18m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¼ "-DN40
Union nut PP M100 / 140 / A18	Art.-Nr. : 13134 for input / output G 2¼ "- DN40
Union nut PVDF M100 / A18	Art.-Nr. : 13135 DN40 2 1/4 " M100-140, A18-19 input / output
Union nut PVDF M200-290	Art.-Nr. : 13137 DN50 2 3/4 " M200-250 input / output, M290 output
400 micron	
200 micron	
25 micron	
Art.-Nr. : CM250-52311	PP pump body Ceramic axis EPDM seals
Art.-Nr. : M250-52288	PP centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 1.5kW automatically re-self-priming maximum output 26m ³ /h maximum height 19m Ceramic axle/sleeve EPDM seals Inlet/outlet with hose connection G2¼"-DN50
01795	Front flange M100-M290 PP
01708	Magnetic drive M100-M290
14100	PP sealing M100-M290
01719	Support for sealing M100-M290
14098	PP pump housing M100-M140-M250, A18-A19
13136	Union nut PP M200-290 DN50 / G 2.3 / 4 " M200-250 input / output, M290 output
14914	Distributor M250 / M290
14926	Ceramic stop with EPDM ring for distributor M250-M290
14924	Rulon stop with EPDM ring
14984	PP impeller with stop
15829	PTFE / graphite guide shaft M100-M290
12730	Suction strainer PP A18 / A19 / A27 / A30 T100 / 101/140/141/200/201 M100-290
01753	PTFE flat gasket M100-M390
14127	EPDM sealing set M100-M250 / A18 / 19 consisting of: Pump housing, manifold and nozzle seals
Druckwaschpumpe:	dreiphasig 380 V --- 90 m * 3 / h --- 2 bar --- 80% Schwefelsäure, 20% Fluoruracit
Wärmetauscherpumpe:	dreiphasig 380 V --- 10 m * 3 / h --- 0,75 kW ---- 80% Schwefelsäure, 20% Fluoruracit
QPOPP-045-20-O-E	Filter candle 20 "0.45µm
M140-53039	PP centrifugal pump magn. coupled Welded pump housing for assembly with filters Motor 3Ph 230 / 400V 50Hz, 1.1kW automatically self-priming max. output: 11m ³ / h Axle / sleeve PTFE + graphite / ceramic EPDM seals
	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz

M200-52577	1.1kW automatically self-priming max. output 21m ³ / h max.height 20m Axle / sleeve made of ceramic EPDM seals Inlet / outlet with hose connector G2¾ "-DN50
M200-52578	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming Axle / sleeve made of ceramic / ceramic max. output 21m ³ / h max.height 20m FPM seals Inlet / outlet with hose connector G2¾ "-DN50
M200-52580	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m ³ / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¾ "-DN50
M200-52580	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m ³ / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¾ "-DN50
M200-52581 (alternative)	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m ³ / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic FPM seals Inlet / outlet with hose connector G2¾ "-DN50
M200-52585 (alternative)	PVDF centrifugal pump magnetically coupled Motor 3Ph. 230 / 400V 50hz 1.1kW automatically self-priming maximum power. 20m ³ / h PVDF / Teflon / graphite / ceramic FPM seals Input / output with hose connector D50mm
M140-52565	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output: 16m ³ / h max.height 19m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¼ "-DN40
M200-52578	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m ³ / h max.height 20m Axle / sleeve made of ceramic FPM seals Inlet / outlet with hose connector G2¾ "-DN50 Country of manufacture: EU Lot number: 84138100
M250-53045	PP centrifugal pump magnetically coupled, motor 3 Ph 230 / 400V 50Hz, 1.5kW, max. power 25m ³ / h, max. height 19m, all EPDM seals, automatically self-priming, intended for L51-81-52-82 PP filter device, input 2 " 1/4 DN40, outlet 2 "DN32.
M7-50052	PP-centrifugal pump magnet. coupled Motor 1Ph 230V 50Hz 0.01 kW max. output 0.7m ³ / h EPDM seals In- / outlet with hose connector Ø 12mm
M7-50640	PP centrifugal pump magnet. coupled Motor 1Ph 230V 50Hz 0.01 kW max. output 0.7m ³ / h FPM seals In- / outlet with hose connector Ø 12mm
PP sealing M100-M290	Art.-Nr. : 14100
Support for sealing M100-M290	Art.-Nr. : 01719
Stainless steel nut HM04	Art.-Nr. : X042
Ceramic stop with EPDM ring	Item No. : 14926 for distributor M250-M290
Ceramic axis M100-M290	Art.-Nr. : 01798
PTFE flat gasket M100-M390	Art.-Nr. : 01753 Spare parts for the A27 pump:
Sealing A27-A30 PP	Art.-Nr. : 13694
Impeller A27 PP / EPDM	Art.-Nr. : 12659
EPDM sealing set	Item No. : 14638 for M390 / M400 / A27 / A30 consisting of: Pump

	housing, distributor seal as well as seals pumps inlet / outlet
Titanium hub A25-A33	Art.-Nr. : 00844 A25-A33, A31P-A33P
Screw for hub	Art.-Nr. : 00840 A pumps A27 - A33
Sealing ring carbide / EPDM / VA	Art.-Nr. : 13704 A18-A30, A31-A33, A31P-A33P
Intermediate ring carbide / EPDM	Art.-Nr. : 14261 A15-A30, A31-A33, A31P-A33P
Washer PTFE	Art.-Nr. : 00764 for compl. Pump series A
106007MC	
A27-53025	PP centrifugal pump with mechanical seals 13704/14261 Motor 3Ph 230 / 400V 50Hz, 2.2kW Titanium hub max. output: 30m ³ / h EPDM seals
M200-52580	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m ³ / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¼ "-DN50
PP folding candle 20 "10µm	Art.-Nr. : 13990 Typ L-TECH
13694	Waterproofing A27-A30 PP
14615	PP pump housing M390/M400/A27/A30 PP/EPDM seal
12695	Impeller A30 PP/EPDM 50Hz.
14638	Seal set EPDM for M390/M400/A27/A30 consisting of: Pump housing, distributor seal and pump inlet/outlet seals
00837	Protected hub
00840	screw for hub A pumps A27 - A33
13704	Sealing ring carbide/EPDM/VA A18-A30, A31-A33, A31P-A33P
14261	Intermediate ring carbide/EPDM A15-A30, A31-A33, A31P-A33P
00764	Washer PTFE for complete Pump Series A
X260	Screws f. Pump housing
10356	
13748	
17106	
17351	
216X204X8	
216X204X8 FPM	
44770	
60295	
A18-51891	
A19-51255	
A-27	
CM15-50402	
L51-52115	

L51-53776	
L51-53787	
M100-52553	
M100-M250 EPDM	
M15-51789	
M35-52596	
M50-52601	
M50-52606	magnetically coupled Motor 3Ph 230/400V 50Hz 0.18kW automatically self-priming max. output 5m ³ /h max. height 10m axle/sleeve made of Teflon+graphite / ceramic EPDM seals Inlet/outlet with hose connector G1½"-DN25
M50-52607	
MC10- 50552	
MC15- 51149	
MC15-51525	
MC15-51793	
MC4-51515	
MEK.A27-51443	
QB-PP-PP-10-10	
QB-PP-PP-10-4	
QCD-05-10	
QTN-PP-QA-10-10	
SPP90	
M140-52573	
M200-52585	PVDF centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 1.1kW automatically re-self-priming maximum output 21m ³ /h maximum height 20m Axle/sleeve made of Teflon/graphite/ceramic FPM seals Inlet/outlet with hose connection G2¾"-DN50 Net weight approx. 17 kg EU goods number: 84138100 Country of origin: France
M200-52580	PP centrifugal pump Motor 3Ph 230/400V 50Hz 1.1kW automatically re-self-priming maximum output 21m ³ /h maximum height 20m Axle/sleeve made of Teflon/graphite/ceramic EPDM seals Inlet/outlet with hose connection G2¾"-DN50 Net weight approx. 17 kg EU goods number: 84138100 Country of origin: France
H51-52720	PP filter with a container for 700g microfibre spaghetti With pump A18-53653, max. output 9m ³ /h all seals made of NBR three-phase motor
16596	Microfiber container 20" NBR seal
16369	PP microfiber bag for PP microfiber (reusable)
Z442	PP microfiber spaghetti Packaging unit: 10 kg / 197 L in a sack (80 x 60 x 35cm)
QPT-20-PO-100-EFS	Item No. : QPT-20-PO-100 Filter bag PP felt 100µm Ø 180mm, length 820mm Polyloc ring, profile 2 PU 25 pieces
Housing Covers 1713 M – 100-20	

Guiding Shaft PTEF 1753 24.2 x 2 M	
Impeller Housing PP M 100-S114100	
Equiper Impeller Turbine M2001765	
Set of Gaskets M100 FPM-S114128	
L20-52079	PP filter device with pump M15-51789 Motor 1Ph 230V 50Hz 0.045kW maximum output: 1.5m ³ /h EPDM seals without filter insert
L31-52088	PP filter device with magnet. coupled pump M100-53037 Motor 3Ph 230/400V 50Hz 0.75kW max. performance: 9m ³ /h EPDM seals Inlet/outlet with union nuts G2¼"-DN40 without filter insert
Art.-Nr. : 14298	PP folded candle insert PP-EPDM equipped with 1x LTECH 10"/10µm Filter surface 2.5m ² Washable and reusable
44533	Manometer 0-2,5 bar, PP/EPDM made of PP with EPDM seal for filters L20-30-40-50, MC15
44770.	Manometer 0-4 bar, PP/EPD made of PP with EPDM seal for filters L31-L51-L52-L58-L59-L81-L82-L88-L89
10543	Front flange M100-M200 PP for engines before 09/2009)
01795	Front flange M100-M200 PP for engines after 09/2009)
14100	Front flange M100-M200 PP for engines after 09/2009)
14098	PP pump housing M100-M140-M250, A18-A19
14092	EPDM flat gasket 170x162x4mm
01732	mounting screw Stainless steel screw CL M05-95 for M100-140-200-250-290
14094	EPDM manifold gasket M100-M250 / A18/19 manifold gasket
01730	Ceramic stop with EPDM ring for distributors M70-M200
01766	Impeller with stop M200 PP / EPDM / 50Hz
01798	Ceramic axle M100-M290
01753	PTFE flat gasket M100-M390
SIZ442 MICROFİBERS OİL-TECH - USED FOR SİEBEC H51	
PRODUCT CODE: GM02015774	Ø180MM H460MM - PP 50 MICRON FILTER BAG, PROPER WITH SİEBEC H51
GM02017152 SİEBEC L51-59/H51	
GM02018707 SİEBECL51-59AIR MSLUK PP/FPM	
PVDF centrifugal pump	Item No. : M140-52573 magnetic.coupled. Motor 3Ph 230/400V 50Hz 1.1kW max output: 14m ³ /h automatically re-self-priming PVDF/ceramic/ceramic FPM seals In/out with hose connector 40mm
PES folded candle 20" 5µm	Art.-Nr. : 15668 L-TECH
Sealing ring carbide/EPDM/VA	Art.-Nr. : 13704 A18-A30, A31-A33, A31P-A33P
PTFE+graphite/K. guide axis	15829 für M100-M290 POS 23
PTFE flat gasket M100-M390	01753 POS 24

PP sealing M100-M290	14100 POS 8
Impeller with stop EPDM M250	14984 POS 20
Ceramic stop EPDM M250/290	14926 POS 18
EPDM sealing set M290	14997 consisting of pump housing, Manifold and nozzle seals POS 12
Support for sealing M100-M290	Art.-Nr. : 01719 POS 9
PP centrifugal pump	Art.-Nr. : M250-53045 magnetically coupled, motor 3 Ph 230/400V 50Hz, 1.5kW , max. performance 25m ³ /h, max. height 19m, all seals made of EPDM, automatically self-priming, intended for L51-81-52-82 PP filter unit, inlet 2"1/4 DN40, outlet 2" DN32.
PP-Faltkerze 20" 10µm	Art.-Nr. : 13990 L-TECH
L51-52295	with pump M250-53045 Motor 3Ph 230/400V 50Hz 1.5kW maximum output 18m ³ /h Inlet/outlet with union nuts EPDM seals without filter insert
P51-52273	Filter bowl as a monoblock Pump A30-53027 (titanium hub) Motor 3Ph 230/400V 50Hz 4kW max temp 70°C maximum output: 36m ³ /h EPDM seals manometer without filter insert
14898	P50-P51-P52-P50E-P52E made of PP / length 20" / 500 mm with 4 LTECH PP folded candles 13990 Filter surface: 20 m ² EPDM seals
Pump	I would like a price quote for 4 Siebec pumps resistant to coating chemicals. Features of coating chemicals: Alkaline Zinc Nickel plating bath pH: 14 Content mainly NaOH, Zn, Ni
14099	M100-200 / T100-200 / T101-201 (old item no. 01736)
Carrier for sealing M100-M290	01719
A19-51418	PP centrifugal pump Item No. : A19-51418 mechanical seals Motor 3Ph. 230/400V, 50Hz, 1.1kW automatically self-priming again max. output 17m ³ /h max. height 16.5m EPDM seals Inlet/outlet with hose connector G 2¼" DN40
Item No. : M100-52555	PP centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming again max. output: 10m ³ /h max. height 18m Axle/sleeve made of PTFE+graphite/ceramic EPDM seals Inlet/outlet with hose connector G2¼"-DN40
PP centrifugal pump	Item No. : M100-52556 magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming again max. output 10m ³ /h max. height 18m Axle/sleeve Teflon+graphite/ceramic FPM seals Inlet/outlet with hose connector G2¼"-DN40
PP-Faltkerze 20" 10µm	13990 L-TECH
PP folding candle 20" 10µm	13990 L-TECH
PES folding candle 20" 20µm	13989 L-TECH
Extruded PES candle 20" 5µm	Item No. : QTNT-PES-05-20 Hard version: Good resistance to pressure and temperature (max. 120°C), smaller capacity
L51 PVDF/FPM M100-53053	ELEMENT WITH 7 PES 20"/5 MICRON POLYESTER SPECIAL HIGH TEMPERATURE
L51-52115	PP filter device Item No. : L51-52115 with pump M100-53037 Motor 3Ph 230/400V 50Hz 0.75kW max. output 9m ³ /h Input/output with union nuts EPDM seals without filter insert
A27 SIEBEC PUMP REPAIR KIT	Nr. 2,3,4,5,6,7,8,9,12,13,14,15,16,17,19
A30 SIEBEC PUMP REPAIR KIT	Nr. 2,3,4,5,6,7,8,9,12,13,14,15,16,17,19

L51-52119	PP filter device Item No. : L51-52119 with pump M100-53038 Motor 3Ph 230/400V 50Hz 0.75kW max. output 9m ³ /h FPM seals Input/output with union nuts without filter insert
Carrier for sealing M100-M290	01719
PP pump housing	14098 M100-M140-M250, A18-A19
A19-51418	PP centrifugal pump Mechanical seals Motor 3Ph. 230/400V, 50Hz, 1.1kW Automatic self-priming Max. output 17m ³ /h Max. height 16.5m EPDM seals Inlet/outlet with hose connector G 2¼" DN40
Impeller A30 PP/FPM 50Hz	12913
A27-51444	with mechanical seals 13704/14261 Motor 3Ph 230/400V, 50Hz, 2.2kW automatic self-priming Titanium hub max. output 31.5m ³ /h Inlet/outlet with hose connector EPDM seals
A27-51446	with mechanical seals 13703/13702 Motor 3Ph 230/400V, 50Hz, 2.2kW automatic self-priming Titanium hub max. output 31.5m ³ /h Inlet/outlet with hose connector FPM seals
M100-52555	magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming max. output: 10m ³ /h max. height 18m shaft/sleeve made of PTFE+graphite/ceramic EPDM seals inlet/outlet with hose connector G2¼"-DN40
A30-51452	with mechanical seals 13704/14261 Titanium hub Motor 3Ph 230/400V 50Hz 4kW Automatic self-priming Max. output: 43m ³ /h EPDM seals Inlet/outlet with hose connector
M100-52556	magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming max. output 10m ³ /h max. height 18m axis/sleeve Teflon+graphite/ceramic FPM seals inlet/outlet with hose connector G2¼"-DN40
14504 FX (2 Mikron)	
14268 PP (10 Mikron)	
258-E black	
Pump 1	
IE2 Pomp	
rotating ring carbide/stainless steel A15-18-19-27-30 No:15	
stationary ring carbide A15-18-19-27-30 No:16	
PTFE washer PTFE A15-18-19-27-30 No:17	
impeller housing A27-A30 No:3	
volute case A27-A30 No:4	
impeller A30 50 Hz No:6	
housing cover A27-A30 No:19	
internal strainer A18-A19-A27-A30 No:7	
A27/A30 : set of 4 EPDM gaskets (volute case, diffuser, connections) No:8-9 (SET)	
13671	Carrier for sealing A15-30
13749 Teflon Dichtungs-Set M35 - M50 - A15	
13738	

76565 230v 9,3w 50hz	
14898	
Art.-Nr. : 13138	Swivel flange made of PP for pumps M100-M140-A18-A19
13694	
15801 / Motor M100 Pp 0,75kw	
Seal Kit For 50 C7005advdf/Pp	
M140-52565	
10354 Zwischenring Verteiler	
4kw 2800dd Motor	Auslassdurchmesser 2 "
Pump Body Mek.A27-51443	
M390-52787	
14914	Distributor M250 / M290
Art.-Nr. : 13905	EPDM folding candle insert with 1 PP-Faltkerze 20 "10µm, filter area: 5m² for filters L50 / L51 / L52 / L58 / L59
L51 - M100 Filtrationseinheit	FÜR DAS OBEN GENANNTÉ MODEL; ENTLÜFTUNGSVENTIL SET
A31-50742	
L51-52295	
Art.-Nr. : M250-52289	magnetically coupled Motor 3Ph 230 / 400V 50Hz 1,5kW Max. Power: 25m³ / h Max. Height: 19m Seals made of FPM In / outlet with hose connection automatically re-priming
M390-52729	
T202-52047	
Mc15	
Art.-Nr. : L51-52115	PP filter device with pump M100-53037 Motor 3Ph 230 / 400V 50Hz 0.75kW Max. Power: 9m³ / h, EPDM gaskets Input and output with union nut without filter insert
M200-50241	
M140- 52574	
14984	PP impeller w. attack
09086	
Siebec-14871-Zwischenring-F3;R-Verteiler-Mit-Ptfe-Istanbul-Turkiye	
14820	
Mc10-50552	
P52e	
Art.-Nr. : 13134	Screw fitting made of PP for pumps M100-M140-A18-A19 An exit
01655 Flache Bez. Dichtung M20-M50	
13990	

H2s04	
Art.-Nr. : 44770	kpl.Mano. 0-4 bar for filters L31-51-52-58-59-81-82-88 and new P filters; with EPDM gasket
Art.-Nr. : M250-52288	magnetically coupled Motor 3 Ph 230 / 400V 50Hz, 1,5kW Max. Power: 25m ³ / h Max. Height: 19m Seals made of EPDM In / outlet with hose connection automatically re-priming
A19-51418	with mechanical seals 13704/14261 Motor 3Ph. 230 / 400V, 50Hz, 1.1kW automatically self-priming built-in suction strainer Max. Total head 17m Max. Flow rate 16.5m ³ / h EPDM seals Inlet / outlet with hose connector G 2¼ "DN40mm
M35-52619	
M140 E M100	
M250-52288	PP centrifugal pump Item No. : M250-52288 magnetically coupled Motor 3 Ph 230 / 400V 50Hz, 1.5kW automatischwiederselbstansaugend Max. Performance: 25m ³ / h EPDM seals Inlet / outlet with hose connector
P50-52256	
Siebec-11862-FI3;Gelradanschlag-Mit-Vitonring-Istanbul-Turkiye	
13748 Viton Dichtungsset M35 - M50 - A15 Bestehend Aus Pumpengeh¼;Use - Verteiler - U. Stutzendichtungen	
10352 PvdF Verteiler M 35/ M50	
Siebec-14870-FI3;Gelradanschlag-Mit-Ptfe-Istanbul-Turkiye	
Item No. : 13738	cover complete L / H Item No. : 13738 PP, without cover gasket
Siebec-15024-Motor-F3;R-M70-Istanbul-Turkiye	
13761	
P51e	