

Sierra Instruments

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Sierra Instruments Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Sierra Instruments Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
780s-Fm-Fd7-E2-P2-V4-Dd-11	
241-Vtp-Ls-E4-Ps-V6-St-Mp3-Pmr	FLOW METER 600PSI 100-240VAC
SI 800-10	
241 Vtp	
SI 800-44	
241-V-Lc-E4-Dd-Ps-V4h-St-Mp0-Cg	
822s-H-4-Ov1-Pv2-V4-Mp	FLOWER METER TOP TRAK FOR AIR 500 PSIG
830I-2-Ov1-E-V1	SENSOR MASS FLOW CONTROLLER 500PSIG 0-5VDC OUT
822s-L-2-Ov1-Pv2-V4-A1-Lf	GAS MASS FLOW METER W/DIGITAL DISPLAY RAN.0-10SCCM
730rfq16821	SENSOR
730-Rfq-1682-3	MASS FLOW METER 3/4INH ALUM 15VDC 4-20MA 6PIN
(Dn50) 240i-Vt-1-Fd6-E4()-Dd-P2-V6-	

St-Mp0	
Vtp-3-Ls-E2-Dd-P2-V6-St-Mp4-Cm-O2c-241-Ma	
C100l-Dd-2-Ovi-Sv1-Pv2-V3-S0-C10-Cc-100-T8	
SI 800-24	
810cdr13v4s0	FLOW CONTROL
(Dn150)240i-Vt-1-Fd8-E4()-Dd-P2-V6-St-Mp0	
(Dn80) 240i-Vt-1-Fd7-E4()-Dd-P2-V6-St-Mp0	
Series 100 Smart-Trak?	
826nxov1pv1v1	MODULE
Model: 241-V-Ls-E2-Dd-Pv1l-V4lh-St-Mp0-Pf	
780snaan2en4p2v4	FLOW METER
620s-L06-M1-M2()-En2-V4-Dd-0	
Vortex Flow Meter 241-V-Ls-E2-Dd-Pv1l-V4lh-St-Mp0-Cf	
Cal-Trak ,Modell 350 ,Standard Primã196;Rnormal	
240i - Vtp-3-Gd4-E2-Dd-P2-V6-St-Mp3	
C100m-Dd-3-Ovi-Sv1-Pv2-V3-S0-C10-Cc-100-T8	
101	
241s-Vtp-Ls-E2-Pv1l-V4lh-St-Mp1-Cm	
SI 800-75	
(Dn100) 240i-Vt-1-Fd8-E4()-Dd-P2-V6-St-Mp0	
C100l-Rd-2-Ov1-Sv1-Pv2-V1-S1-Co	FLOW CONTROLLER MASS 24VDC SUPPLY 0-100SCCM
82326	FLOW CONTROLLER MASS 24VDC SUPPLY
620s-L06-M1-En2-V4-Dd-0	
C100-H1-Dd-16-Ov1-Sv1-Pv2-V2-S4-C10	
620s-L06-M1-En2-V4-Dd-10-Cc	
826nxov1pv2v4	FLOW METER

810c-Nr-13	MASS FLOW METER
915063	FLOW CONTROLLER AIR 1/4NPT 4-20MA
Modell 241, Typecode: 241-V-Ls-E2-Dd-Pv1l-V4lh-St-Mp0-Cf	
780s-Fm-D6-E2-P2-V4-Pulse-Dd-8	
919972	FLOW CONTROLLER AIR 0-25 SLMP 4-20MA
840d-M-3-V4-54-Mp	MASS FLOW CONTROLLER AIR3 3/8COMP 4-20MA
Side-Trak 830/840	
780-Naa-N6-En4-P2-V4-Dd-11	MASS FLOW METER 230PSI MAX 4-20MAMP OUTPUT
Dn65 Innovamassã174; 240i Inline Series Next Generation Flow Meters 241i-Vt-1-Ls-E4()-Dd-P2-V6-St-Mp0-Cm	
Top-Trak 822/824	
640s-Naa-L06-M1-En2-P2-V4-Dd-8	
640s	
C100l-Cmdd 13 Oni Ski Pv2 V1 S1 C- Gs	
822-Nx-Ov1-Pv2-V4-Mp	MASS FLOW METER 150PSIG 0-120
241i-Vt-1-Ls-E4()-Dd-P2-V6-St-Mp0-Cm	
Sierra Modell 822 ?Top-Trak? Typcode 822 - 13-Ov1-Pv1-V1-Mp	
640snaal06m1en2p	GAUGE
Innova Mass 240	
826ce13ov1-Pv1/V1/Mp	
730-N1-1-E0-Pv2-V4-0	
830l-2-Ov1-D-V4-Mp	SENSOR MASS FLOW CONTROLLER 1/4IN VITON 15P 4-20MA
730-N1-1-E0-Pv1-V4-0	MASS FLOW METER 1/4FEM. NPT ALUM. 15VDC 4-20MA AIR
640s-Fm-L06-M1-M2(4quot;)-E2-P2-V4-Dd-0-Pulse	
Vtp-3-Lc-E2-Dd-P2-V6-St-Mp4-Cm-O2c-241-Ma	
	C100M Medium flow controller: 1.6 - 80 NLPM Argon 15 1/2 - FNPT. For high flow bodies up to 500 slpm. OV1 Viton® (Standard) SV1 Viton® PV2 24 VDC for all instruments (standard) V1 0-5 VDC and 0/4-20 mA linear output signals S0 Pilot Module/RS-232 (standard for Pilot Module/digital operation) C0 15 pin mating connector with no cable DP

C100m-15-Ov1-Sv1-Pv2-V1-S0-C0-Dp	Profibus DP (NR only) Source code for RS-232 communication provided Small footprint makes drop-in replacement easy Single-sided 24 Vdc power supply CE approval Multi-drop RS-485 Digital communications solutions include: Foundation Fieldbus, Modbus RTU, and Profibus DP.
780s-O2c1	
840-H-4-Ov1-Sv1-D-V4-S4-Mp	MASS FLOW CONTROLLER 50PSIG
810cdr13v4s4mpsc	CONTROLLER
100628476	FLOW CONTROLLER AIR 0-50 SLPM 4-20MA
C100I-Dd 13 Oni Ski Pv2 V1 S1 C- Gs	
822s-L-2-Ov1-Pv1-V1-T-Mp-A1	MASS FLOW METER 0-5VDC 1/4IN 0-1500SCCM
730-N3-1-E0-Pv1-V4-0	MASS FLOW METER 3/4IN ALUM. 15VDC 4-20MA
Cal-Trak ,Modell SI-800-B , Basiseinheit	