



Silent Knight

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Silent Knight Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Silent Knight T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
129434-L3	SULFUR DIOXIDE (SO2) EXPLOSION PROOF SENSOR
V2000nu	ALERT MONITOR UHF NARROW-BAND (WHELEN)
Fc230nv	10 DIGIT DTMF VHF HIGH-NARROW BAND
Ips800	IN-PLANT PERSONNEL WARNING SYSTEM, 800 WATT, VOICE CAPABLE
5860	
Oa1	108DBC OMNI-ALERT SIREN, TONE ONLY (NOT VOICE CAPABLE).INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO
Svip3729	COMBUSTIBLE EXPLOSION PROOF TRANSMITTER (CAT BEAD*), 4-20MA, 3 RELAYS, MODBUS, 0-100% ALUMINUM ENCLLO
Wsxpl6t	EXPLOSION-PROOF, WIDE ANGLE 60 WATT SPEAKER (WHELEN)
Pt2010u	UHF (WHELEN)

Silent Knight

YURSAT yedek par¼a tedariki yapan bir Őirkettir. Sitemizde bulunan markaların yetkili distrib¼t¼r¼ yada temsilcisi deĐildir.

V2000h	ALERT MONITOR WITH RADIO RECEIVER VHF HIGH BAND (WHELEN)
D2030wv	10 DIGIT DTMF VHF HIGH-BAND WIDE BAND (ONE-WAY CONTROL)
C2030wu	10 DIGIT DTMF UHF WIDE-BAND
Valertg	VISUALERT™, 6 LED LIGHTS FOR THE BASE OF WPS SERIES PRODUCTS, GREEN. (WHELEN)
Hc230nv	10 DIGIT DTMF VHF HIGH-NARROW BAND
Oc230wu	10 DIGIT DTMF UHF (WHELEN)
Hd230wv	10 DIGIT DTMF VHF HIGH-WIDE BAND
Hd230wu	10 DIGIT DTMF UHF WIDE-BAND
Vc230wu	10 DIGIT DTMF UHF (WHELEN)
Wps2904a	VOICE CAPABLE OMNI-DIRECTIONAL SPEAKER, 4 CELLS, 121DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO
M-501767	CLASS I DIVISION 1
Ha-Ss2-B	REPLACEMENT HOUSING -COPPER-FREE ALUMINUM BASE (WHITE) (FIRE SENTRY)
C2030nv	10 DIGIT DTMF VHF HIGH-BAND NARROW-BAND (TWO-WAY CONTROL)
Svip3730	COMBUSTIBLE EXPLOSION PROOF TRANSMITTER (CAT BEAD*), 4-20MA, 3 RELAYS, MODBUS, 0-100% ALUMINUM ENCL
Wps2902a	VOICE CAPABLE OMNI-DIRECTIONAL SPEAKER, 2 CELLS, 115DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO
Valertr	VISUALERT™, 6 LED LIGHTS FOR THE BASE OF WPS SERIES PRODUCTS, RED. (WHELEN)
D2030nu	10 DIGIT DTMF UHF NARROW-BAND (ONE-WAY CONTROL)
Fc230wv	10 DIGIT DTMF VHF HIGH BAND
M-511072	EC-F9-NH3-0/250-N1-EM-NH3 MONITOR, 4-20MA, 0-250 PPM, NEMA 1 ENCL.
Wps2903a	VOICE CAPABLE OMNI-DIRECTIONAL SPEAKER, 3 CELLS, 119DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO
M-700081	IR-F9-R410A-0/1000-COM, R410A 0/1,000 PPM, COMMERCIAL ENCLOSURE
Oa2	114DBC OMNI-ALERT SIREN, TONE ONLY (NOT VOICE CAPABLE).INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO

Wps2901a	VOICE CAPABLE OMNI-DIRECTIONAL SPEAKER, 1 CELL, 109DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WITH POW
Vd230wv	10 DIGIT DTMF VHF HIGH-WIDE BAND (WHELEN)
V2000u	ALERT MONITOR WITH RADIO RECEIVER UHF (WHELEN)
Rtm	WPS AND OA SERIES (WHELEN)
Hd230nv	10 DIGIT DTMF VHF HIGH-NARROW BAND
Vsb280	80 WATT SOLAR POWER OPTION** (WHELEN)
C2030wv	10 DIGIT DTMF VHF HIGH-WIDE BAND
V2000nh	ALERT MONITOR VHF HIGH-NARROW BAND (WHELEN)
Pt2010l	VHF LOW BAND (WHELEN)
M-508371	UPSAPCBP-UPSAPCBP,BATTERY UNIT FOR APC SMART-UPS
129435-L3	CHLORINE (CL2) EXPLOSION PROOF SENSOR
M-502022	DIVISION 2 HAZARDOUS LOC
Sd500-Arm	
Od230wu	10 DIGIT DTMF UHF WIDE-BAND(WHELEN)
Od230nv	10 DIGIT DTMF VHF HIGH-NARROW BAND (WHELEN)
Wps2908a	VOICE CAPABLE OMNI-DIRECTIONAL SPEAKER, 8 CELLS, 127DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO
Osb280	80 WATT SOLAR POWER OPTION (WHELEN)
Pt2010h	VHF HIGH BAND (WHELEN)
Vd230nv	10 DIGIT DTMF VHF HIGH-NARROW BAND (WHELEN)
M-700137	IR-F9-R22-0/1000-COM, R22 0/1,000 PPM, COMMERCIAL ENCLOSURE
5860r	
D2030wu	10 DIGIT DTMF UHF WIDE BAND (ONE-WAY CONTROL)
Wps2907a	VOICE CAPABLE OMNI-DIRECTIONAL SPEAKER, 7 CELLS, 126DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WITH PO
Valertc	VISUALERT™, 6 LED LIGHTS FOR THE BASE OF WPS SERIES PRODUCTS, CLEAR. (WHELEN)
M-511010	AMMONIA (NH3) MONITOR, 4-20MA, VULBUS 0-500 PPM, NEMA 1 ENCL.