

Sitema



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sitema** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Sitema Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Krg 070 10	SITEMA rod locking KRG 70 Hydraulic keeping open permissible load 150 kN Holding force 300 kN Operating pressure min. 100 bar, max. 160 bar Net weight: 35.5 kg / each Goods tariff no .: 84799070 Country of origin: CE (European Community)
Krg 090 10	SITEMA rod locking KRG 90 Hydraulic keeping open permissible load 250 kN Holding force 500 kN Operating pressure min. 100 bar, max. 160 bar 60.4 kg / each
KR 025 31	SITEMA fall protection KRP 25 Pneumatic hold open permissible load 10 kN Holding force 20 kN Operating pressure min. 4 bar, max. 10 bar Initiator holder with depth stop M8x1, preset Net weight: 4.2kg / piece Tariff number: 84799070 Country of origin: CE (European Community)
KX 056 10	SITEMA locking unit KFH / X 56-100 Clamping by spring force, releasing hydraulically Holding force 80 kN Operating pressure min. 100 bar, max. 160 bar Net weight: 49.0kg / piece Tariff number: 84799070 Country of origin: CE (European Community)
KR 080 30	SITEMA fall protection system KR 80 Hydraulic hold open permissible load 133 kN Holding force 266 kN Operating pressure min. 40 bar, max. 250 bar Initiator holder with depth stop, preset Net weight: 57.0kg / piece Tariff number: 84799070 Country of origin: CE (European Community)
FL 056 03	
K 140 10 - DSO.K	
KFH 050 50	
KFH 050 70	
KR 040 31	
KR 056 35	

KR.056.15	
KSP 022-01	
KSP 025 01	
KSP-028-02	
KX 018 10	
SK 056 051	
SK 070 036	
KFH 056 50	SITEMA Locking Unit KFH 56 Clamping by spring force, hydraulic release Holding force 100 kN Operating pressure min. 100 bar, max. 160 bar Net Weight: 35.0kg/pcs
KR 080 30	SITEMA Fall Protection KR 80 Hydraulic hold open permissible load 133 kN Holding force 266 kN Operating pressure min. 40 bar, max. 250 bar Initiator holder with depth stop, preset Net Weight: 57.0kg/pc Goods tariff no.: 84799070 Country of origin: CE (European Community)
KR 063 30	SITEMA fall protection KR 63 Hydraulic hold open permissible load 100 kN Holding force 200 kN Operating pressure min. 40 bar, max. 250 bar Net Weight: 35.0kg/pcs Goods tariff no.: 84799070 Country of origin: CE (European Community)
KFH 050 50	SITEMA Locking Unit KFH 50 Clamping by spring force, hydraulic release Holding force 75 kN Operating pressure min. 100 bar, max. 160 bar Net Weight: 24.6kg/pcs
K 100 30	SITEMA Fall Protection K 100 Hydraulic hold open with integrated venting device permissible load 220 kN Holding force 440 kN Operating pressure min. 40 bar, max. 250 bar
KSP 016 01	SITEMA safety brake KSP 16 Pneumatic hold open permissible load 2.5 kN Holding force 5 kN Operating pressure min. 3.5 bar, max. 8 bar
KR 056 10	SITEMA fall protection KR 56 Hydraulic keeping open permissible load 67 kN Holding force 134 kN Operating pressure min. 40 bar, max. 250 bar
KR 050 030	SITEMA fall protection KR 50 Hydraulic keeping open permissible load 52 kN Holding force 104 kN Operating pressure min. 40 bar, max. 250 bar Initiator holder with depth stop, preset
KFHR 100 70	SITEMA locking unit "R" KFHR 100 Clamping by spring force, hydraulic release with encapsulated, ready-to-use proximity switches, unit prepared for oil filling Holding force 250 kN Operating pressure min. 130 bar, max. 160 bar
KR 080 30	SITEMA fall protection KR 80 Hydraulic hold open Permissible load 133 kN Holding force 266 kN Operating pressure min. 40 bar, max. 250 bar Initiator holder with depth stop, preset Net weight: 57.0 kg/piece

KSP01601
Ksp 016 01
Kfhw32
Ksp Ba-B10 Safety Brakes
Ksp16
Kfpa080-025
Kfpa 050 020-2
Krgp 028 20
Krgp028
Krp40
Kfp 080 25-20
Kr40p
Sk 200 018
K140 35
Kit-Kfh30sk
Krgp02220
Kr025 31
Kr40-P
Kfh/X36
002316
1012131660100016
10162058 Kb 200
Krgp28
Kb125
Sk050063
Sk 018 010
Kfp0401611
Krgp 016 20
Kfh1807
Krg22 Sk 022 027

Kr04011	
Sk040044	
Fs5011	
Kfh01870	
1012131311100020	
Krp02511	
Kfp/Z160-40-2-Ini-Sk040072	
KFH 056 50 DV	SITEMA Locking Unit KFH 56 Clamping by spring force, releasing hydraulically Operating pressure min. 100 bar, max. 160 bar Viton / PTFE compound seals Net weight: 36.0kg / piece Tariff number: 84799070 Country of origin: CE (European Community) ...
Kfh 05650 Dv	
Krgp02820	
Kfp/Z80-25	
Sk 032 032	
K 100 35	
Kfpa 063 020-2	
KR 056 30	SITEMA fall protection KR 56 Hydraulic hold open permissible load 67 kN Holding force 134 kN Operating pressure min. 40 bar, max. 250 bar Initiator holder with depth stop, preset Net Weight: 24.0kg/pcs Goods tariff no.: 84799070 Country of origin: CE (European Community)
Kfha 050 022 - Zr-B	
Kfh30-Dis-Sk030.003	
Kr 056 30	
Krp100 21	
Kfh56	
Kfha 050 022 050-1	
Sk022034	
Ds St03 B 8 Nutr K	