

Spirax Sarco

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Spirax Sarco Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Spirax Sarco Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
915005099 Single Parts / Spare Parts	Diaphragm kit for PN7650 actuator (It3576189)
Astm-A479-316l Krper	PN9000 Class IV DIN 32676 3
Mechanischer Stellungsregler + Filterregler	Angle Valve DN80-pneumatic air to open spring to Close NC-PTFE bellows DN80-100 Control Tops 8694 4-20mA
Pa20	PA20 head amplifier (volt) for capacitive level probe LP 20 total weight: 0.50 kg Country of origin: GB Commodity tariff no .: 9032.90.00
Lp30	Level electrode R1 / 2, PN40 for self-leveling Water level limit Total weight: 0.52 kg
Extension Tip For Level Electrode Lp30	EL = 1000mm total weight: 0.55 kg
Lp10-4	R1PN40 Level electrode (4 times), max. 239 C, 32 bar Total weight: 0.80 kg
Extension Tips F. Lp10-4 Level Electrode	(4th piece) per 1m total weight: 0.50 kg
5200001000	Blowdown valve ABV21i DN50 Automatic rotary bottom blowdown valve ABV21i DN50 PN40 (uk4057693) total weight: 17.00 kg
7360000031	LSB31 housing mounting kit f. BVA 2 mechanical switch, IP67 total weight: 0.40 kg
Valve Pa,Pn40,Dn40, Steel	

LP20	R1 / 2, PN40, max.32bar / 239C level probe EL = 900mm total weight: 1.41 kg
#4700180	8000001099 FILTER ELEMENT FOR PILOT VALVE PACK CONTAINS 3 X FILTERS & 3 X CAP GASKETS FOR DP27 #4700180 Einzelgewicht: 0,05kg Gesamtgewicht: 0,10 kg
BPC32YCV	Thermal capsule steam trap Flange connection DN25, pressure rating PN40 Made of cast steel C22.8, subcooling approx. 12K Total weight: 13.20 kg
FT43H-4,5C	Ball float steam trap FT43H-4,5C with separate vent and adjustable bypass Flange connection DN40, pressure rating PN16 Made of gray cast iron GG25, inner parts stainless steel Installation position horizontal, differential pressure 4.5bar Total weight: 66.60 kg
LC1350	5030135000 Level controller 230V AC Eing: LP10-4, output: 3 relays Total weight: 0.50 kg
LP20	LP20, R1 / 2, PN40, max.32bar / 239C level probe EL = 650mm LP20 cannot be shortened! / Please check the probe length before ordering!
PA420 (5030250300)	PA420 loop-powered level preamplifier In combination with the LP20 or LP21 electrode, this preamplifier is used to convert the measured level into a proportional output signal. Voltage: 24 VDC Maximum load: 500 ohms Ambient temperature: 0 - 70 °C Protection class: IP 54 Mounting: DIN rail TH35 Housing material: stainless steel Output: 4 - 20 mA Linearity: 2 % Resolution: 1 mm Minimum conductivity: 0.003 mS/cm Total weight: 0.25kg
LC1350	Level controller 230V AC Input: LP10-4, output: 3 relays Total weight: 0.50 kg
4313050000	S13, DN50, PN25, EN-JS1030 dryer Total weight: 25.00 kg
4313100000	Steam dryer S13 Flange connection DN100, pressure rating PN16 made of nodular cast iron GGG40 Total weight: 60.00 kg
1814025200	Ball float condensate drain FT14HRL-10TV with separate vent and self-centering ball valve socket connection R1 ", pressure level PN16, GGG40 horizontal installation, differential pressure 10bar
1814025200	Ball float condensate drain FT14HRL-10TV with separate vent and self-centering ball valve socket connection R1 ", pressure level PN16, GGG40 horizontal installation, differential pressure 10bar total weight: 8.00 kg
PA20 Preamplifier	
LP20 Level Capacitance Level Probe	
LP30 High Integrity, Self-monitoring Low Level	Alarm Probe
CP30 Conductivity Probe	
Type:DP27 ,Flanged DN50	PRV, Cast Steel Bodies , Red springs ,Kvs :143 , fig DN 50
EL5621	
23006377	SP7 Set
3440500	SP7-10 Smart SP7 10 1010150001
3440594	AKL10 Montage SP7 Travel 0-35mm
3440552	Manometer SP7 1/4" NPT 0-6bar
AE30, R1/2" 8 bar	4856015000 liquid deaerator Total weight: 4.20 kg
1475080	VALVE SYSTEM WITH FLOAT DN25

Steam Trap	FT14 (R-L) FLANGED DN25
KONDENSTOP 1" (SPIRAX SARCO FT14)	min. order?
CONDENS STOP 1 1/2" (SPIRAX SARCO FA450 - 67383)	
FOR SPIRAX SARCO	LCR2250 + LP21 PROP 4- 20 MA CURRENT AMPLIFIER STEAM BOILER PROPORTIONAL WATER LEVEL CONTROL DEVICE
Level Probe LP11-4	
Level Switch LCS1350	
LP11-4 CONDUCTIVITY	WATER LEVEL PROBE SS TIP ASSEMBLY 1000MM
LP11-4	**THE LP10 IS OBSOLETE & HAS BEEN REPLACED BY THE LP11** SPIRAX SARCO, LEVEL PROBE, BSP, STAINLESS STEEL PROBE BODY, TIPS NOT INCLUDED,
LC2650	
LC1350 4 PROBE	
BD3250 SURFACE AND BOTTOM BLOWdown CONTROLLER	(WITH PROBES)
LP10-4	LP11-4 CONDUCTIVITY WATER LEVEL GAUGE, SCREWED BSP, COMPLETE WITH WATER LEVEL PROBE
9779100104	Diaphragms for PN9100 / BBV Complete sentence
ITD32H CONDENSETOP	
1361293 CONDENSE PUMP	
DN20 TDC46M THERMODYNAMIC STEAM TRAP	WITH MAINTAINABLE SEAT, CARBON STEEL BODY, FLANGED PN40
DN25 FT47-14TV BALL FLOAT STEAM TRAP WITH AIR VENT	MAX DIFFERENTIAL PRESSURE 14 BAR STAINLESS STEEL BODY, FLANGED PN40
DN40 DP27 PILOT OPERATED	PRESSURE REDUCING VALVE RANGE 0.2 TO 17 BAR, SG IRON BODY FLANGED PN25 *PN16 AVAILABLE ON REQUEST*
DN80 SV607AS SAFETY VALVE	SET PRESSURE 4 BARG, CLOSED BONNET EASING LEVER & METAL SEAT, SPRING RANGE 4.0 TO 5 BAR SG IRON BODY, FLANGED PN25 INLET, PN16 (DN125) OUTLET
KE73PTSUSS2 POS NO:4	DIAPHRAGM POS N0:4
M750 DISPLAY	
3/4" CAS14 BALL FLOAT AIR AND GAS TRAP	STAINLESS STEEL BODY, SCREWED BSP
LC 1350 4028195	
BC 3250 4033492	
LC 2650 4028092	
LP 10-4	
PA 20	
DCV2-DN32-PN40	DN32 IN SIZE WS 1.4313 BODY TEMP. LIMIT 15-250 C VITON SEAT WITH STANDART SPRING PN40
Wafer DN50 Steam Meter TVA	
DN40 PN 16 Float trap	

9673025000	Control valve Spira-trol Type: KE 73 PTSUSS.2 DN 25, PN 25, kvs 10 --- metallic sealing --- - Can be used up to 250°C media temperature. - Flow-optimized valve body for reduced noise and erosion, specially designed for Use in steam and condensate networks. - Particularly long valve spindle for high stability. - Modular valve with self centering, floating valve seat - Easy to maintain due to simple Replacement of the interior fittings without Special tool. - An adjustment of the kvs values and/or the characteristic curves of the valve changed operating conditions anytime possible. Flow direction: against the cone Characteristic curve: equal percentage Housing material: EN-GJS-400-18U-LT Process connection: flange PN 25 Spindle seal: PTFE Seat: AISI 431 stainless steel Set: standard Cone type: not relieved Cone design: metallic sealing kvs value: 10 m ³ /h Leakage class: IV (EN 60534-4) Media temperature: max. 250°C Flange connection: DN 25 Pressure rating: PN 25 Total weight: 14.00 kg
Butterfly valve	Size: 2", 2 1/2", 3" and 4", Actuator: Electric and Pneumatic actuation. Alternative, Material: Cast body, SS 316 valve.
LP20	IM-P402-37 R1 / 2, PN40, max.32bar / 239C level probe EL = 600mm
PN9220E	½ inç DN15 PN16
5044165	Body material: Aluminum Filter Microfiber Mode of connection: Threaded, BSP Pressure range: 0.7-9.0 bar Max. pressure/temperature: 17bar @ 80 oC 1/4" Type: MPC2AM
SP-7 SET	
3221267	
Bsa3t	
57156	
60314	
62541	
64331f	
64259	
440391	
55625	
70009	
50931	
Bc3150	
Nitr1le-Rpp -	
405405 + 405513	
686651	
61042	
6190500	
80243	
52152df	
54738	
Ftgs14-4.5	

80085	
Sa121	SELF-ACTING TEMPERATURE CONTROL 105-225DEG F
58172	REPAIR KIT FOR 2 25S MAIN VAL
441490	
Ft14/R-L	
Ft46	
Srv66	VALVE
3326	
437-St-A U-Form	Siphon tube Fig. 437-ST-A U-shape, 1/2 "Total weight: 0.84 kg
47891	STEAM TRAP 1-1/4INCH INVERTED BUCKET CAST IRON
54734	
Fts14-4 5 RI	
65573	
Td42l-3/4	
Mst21	R1 / 2 ", PN25, 1.4305 standard filling, approx. 10k lower total weight: 0.96 kg
728663	PUMP
78375100	PP-5 PNEUMATIC POSITIONER
4017025000 (Sf37)	
Tva Type Pn40	
59228	2 FTB-30 F T TRAP
57166	
60083	
66616	
62094	
4025295	LC2200 LEVEL CONTROL 110/220V
65915	RPLCMNTTHERM,T2,8BLB,120-180F
Ft450-4.5	
668180	
3850191	SAR 121 CONTROL SYS 105-225F
1800080	
74328	
628085	
68593	
61007	
P1000323	

3397310	
666690	1 1/2STEAMTRAP, FT14-10
3222092	
Art.No. 9083005000, Ep5	
6100448 (Code 59607)	
Bsa1t Dn40	Bellows shut-off valve BSA1T with non-rising handwheel and throttle cone Flange connection DN40, pressure stage PN16 made of cast iron GG25 Total weight: 9,00 kg
54737	
3579182	
1465600	
6120488	TRAP OUTLET CHECK VALVE MECH
Bsa2t-Pn25-Dn65	
Sv73-II	2 1/2X4 FLGXNPT SAFETY VALVE
Ag1-Ag1	
Scaricatore 1 1/2	
54731	
Rh-90es000602	
66160	
Sg1601	
M800	
58164	
211/12	
401406	
3439996	
T65-1/2	
Adv50363	
6120287	HEAD ASSEMBLY FOR APT14 TRAP
65575	
3/4-B-1x	
Ft15	
4062-T5	
Sbp30lc	
74324	
72402f	
Pn9330e	
582-300	

58127	
62652	
65251	PILOT VALVE CAST IRON
51451	
61685	
62815	2 30# B5 SERIES STEAM TRAP
Td-52l-1/2	
5112025000	
59196	
211 Ng 100 Max (0-40 Bar) (925211040)	
Td3-3 Lc	
66671	
S13	
54740	
66666	
69845	
35825825025	
58138	FT125-2 VALVE MECHANISM KIT
Hv3, R1/2", Pn25	HV3, R1 / 2 ", PN25, red brass shut-off valve with stuffing box Total weight: 0.80 kg
55439	
Up25/6-150-4-214	
63629	T2 TEMPPILLOT 100-160F 8CAP
39504059096	
St17	
56967	
57345	
60313	
3841090	
831493	
4021050000 Sf33 Dn50 Pn16 Gg20	
66105	
P1013319	
1101390	
Diapragm For Typ: Pn 3229	
Si-T1-5-A	

Dp143	
3840193	
200 Strainer Maille	
64159	
65572	
68530	
57062	
72529	
B-1h-S-125-3/4	
1814015200	
683790	
Bs-1449-304-S16	
7-7-Mb-144-73185	
Lshh 238	
70564	
458490	
401.4581	
Bt6	
59482	
Ft14-10tv Dn15	
Utd52h	
1000088	
1600-Rrr010-1221-R03	9092005100 Geräte v. SPIRAX SARCO s.r.l. controller controller for valve oode 1600-RRR010-1221-R03 (3244591/79001600010) Gesamtgewicht: 0,50 kg
50933	
65270	4 125#FLNG 25 MAINVLV 15#
291190	
75194700369	
0686765	
66445	
67225	
69850	
52077	
66665	
Ael6421js	

74215f	NPT PTC/PTF DIGITAL CYCLE COUNTER KIT
3265753	
501111	
60081	
64156	
66444	
68199	
Sx77	
60084	
1202150	#25 6 MAIN VALVE 250#FLG
3844091	SA128 0-230F TEMP CONTROLLER
1871151	DN25 TDS46M SS STEAM TRAP PN40
70590	
48698	FTS-150H 1/2 150# F T TRAP
47959	B5S-180 2 180# BUCKET TRAP
190192	
53915f	
59489	
3265691	
6120190	
80245	
M21si2iso	
47975	2 B2S-15# BUCKET TRAP
55226	#25 1 1/2 MAIN VALVE
Ft44h-21tv,2quot;	
Ke 49	
8670080400	
1834015200	
54819	
3213195	EL3502SE 24VAC ACTUATOR
668082	
407425	
65700340	SRV461-1 NPT PRESSURE REG
408713	
Hm342/6	
Pp5	PNEUMATIC 6INCH FLANGE STEAM VALVE

66447	
9700002099	
67908	
441391	
Opmt-8070ih/Ss	
Uib-30/6	
64199	
3265689	
Bt1000	
2104090	BRV71 2NPT 20-60# PRES REGLTR
0686671	TD62M 3/4 THREADED STEAM TRAP
Dn20 Sts17.2	
57063	
Brv2s	
58010	
57304	
66215	FT450-14 3/4 F T TRAP 150#
55475-Ea	
Uib30/8	
55547	
3841190	
73361513600	
686661	
788290	
Ppec	PUMP PRESSURE POWERED 1IN 125PSIG 8.6BAR
Bpt13ua	
67850	DIGITALCYCLECOUNTER
666081	
81850	
48654f	
404306	
Bt6bh12	STEAM TRAP
Td-52-1	
Ael52211jxs	
Dp17s	REGULATOR

54530c	
Ft10-45 Obsolete Replaced By Ft14hrl	
67771	
405405+405512	
Bc3100	
1320020000	
Sx75	
Rc16	
83587	
58177	VALVE MECHANISM KIT FTB TRAP
Ng100 0-200c	Bim.Thermometer NG100 0-200C G1 / 2, EL = 100mm, NIRO, Kl.1.0, PN25 Total weight: 0.28 kg
57563	
Pf61g-2nc	
Td 42 La	
Tmp-600-2npt	TURBINE TURBO-BAR INSERTION LIQUID/GAS 400DEG F
65599	PILOT VALVE ASSEMBLY PPF-P
EI3512se	
3k000957225	
58128	
65243	
57066	FT125-2, 2FLOAT THERMO, 125#
1326100	
62770	
Sg1611	
Dn80 M21si2 Pn40 Rb + Bva340 S/14 + Quot;Bvl513-X Linkage	
70504	
55479	
Sa121-Range2-2m	TEMPERATURE CONTROL 40-105C 105-225F SELF-ACTING
Repair Kit For 623-P2y	
80087	
Sv73ej726l	SAFTEY VALVE 55 PSIG 2593 LBHR
63658	T-1 TEMP PILOT 15FT 160-220F
54725	
58114	
70873	25 SERIES 2 MAIN VLV REBLD KT

Eic-1-11	
6120485	
66180	
66450	
78375201000	
P1000370	
33069	
1802951	CLEANER
59453	B5S-125 2 125# BUCKET TRAP
9083005100	
6120282	
Ft141412	
It-3/4	
1101090	
1834025200	
0668690	FT-14-4.5-2 65PSIG CI 4.5#
54529	
57137	
3840090	SA121 5-125F 2MCAP KNBTMPCNTRL
59314	
3840299	TEMPERATURE CONTROL SA121 205-325F 20M CAP KNOB AD
616e	
0014400	PRESSURE REDUCING VALVE 1/2IN BSP 1.4-4BAR 203PSI
67768	
292cbx	
4021015000 Sf33 Dn15 Pn16 Gg20	
1843152	BSA3T 2 BELLOWS VALVE
65964	25 TEMPERATURE PILOT 100/160F
5040166+5042164+5041096+0543209	
59607	
68592	
70505	
66674	
68597	
3850299	TEMPERATURE CONTROL SA121 205-325F 20M CAP DIAL AD
686671	

54751	
58495	FT-200 1 1/2NPT 200# STEAMTRP
70565	
60902	
1970025200 (Ft44h-10tv)	
62802	
Ft14x-10tv	BALL FLOAT STEAM TRAP 2INCH 10BAR 250C
67982	
67339	
Lp10-4, R1pn40	Level electrode (4 times), max. 239 C, 32 bar Total weight: 1.60 kg
57159	
Lp10-4, R1pn40 Level Electrode	(4-fold), max. 239 C, 32 bar Total weight: 0.80 kg
60295	
62800	
60260	
52589	
64161	
50928	
3	
Sa121-Range3/20m	TEMPERATURE CONTROL SA121 205-325F 20M CAP KNOB AD
914004099	
Sv73vaj200	SAFETY VALVE
1251890	
24v, Ip54, 0-10v/4-20ma	
58453	
3579180	
Tm-50	
62757	
1844015200	
Utd30-H	
T2-Cs-Plt-W/8ft	
54771c	
170390	
1320025000	
Lp10-4 Spirax Sarco	

62999	
3/4quot; 13ws	
6120390	
672791	
Ke43ptsuss2	
680762	
664091	
55475	
M21si2iso (7122080000)	
72962.3	COVER MECHANISM ASSLY PTC
52153	
3036082	
68527	2 CSF26 CLEANSTEAMFILTERBODY
54749	
55448	
6150066	
55545	
55223	
64158	
57129	
62794	
Ep5	POSITIONER 2WIRE 4-20MA/INPUT ELECTRO-PNEUMATIC
69956	
4705388	
71948	
Dcv2	
68594	
59314c	
Pn9123e	
71726	TEMP PILOT, 120-180, T2 PILOT
58040	2.5 FTB-125 F T TRAP
A Sv 604	
6120483	
0015561	LRV2S 3/4 50-125# PRV
Bsa1t, Art. N 7603025000	
Hm34/6	

Sp400	
Up-100	
8736050300	
51989	
666080	
66216	FT450-21-3/4 F T TRAP
Kbv21	
65864	
293290	
184711	
1147191	
3579183	
Bt1050	
4037197	
71096	T-2 PILOT 8CAP 160-220F
24v, 0-10v/4-20ma	
57138	
657080	
59199	FT-200 1 1/4NPT 200# STEAMTRP
9300002000	
57168	
1371193	
664491	
R16c/96/240v	
54663	4FLGD #25 MAIN VALVE 125#
EI5962	POSTIONER CARD 115V
69394	PPEC LO#POWEREDPUMP 1 1/2 CI
Typ 211 Ng	Bourdon tube pressure gauge 0-16 bar Type 211 NG 100 max. 200 C total weight: 0.56 kg
683890	
666180	
6120487	
52151f	
66669	
60587	2 FTB-175 F T TRAP
Sts17.2 Dn15	

64160	
405405+ 405511	
Tss-300-3/8	
60560	
M10s2rb R1/2quot;	
63353	
Ds1000	
Rh-90es000723	BLENDING VALVE
54735	
9081000200	
63631	TEMPERATURE PILOT T2 160/220DEG-F 8FT CAP
70872	1 1/2 25 SERIES MAINVLV REBKT
Ft14-10tv Dn25	
0660085	
64080	
66670	
Vlm20-Vt-48s150-L-D-Dh-1m-H-P0-S-2, Art N: 914004099	
74375	
6120285	FLOAT KIT FOR APT14
66448	
57061	
61707	
Sg1921	
Sa121-3	TEMPERATURE CONTROL SA121 20M CAP KNOB AD 95/160C
57143	
71545f	
55436	
Sv615as	Safety valve SV615AS, BSP 1 1/2 "x 2 1/2" set pressure 11.5 bar (code 2506390) Total weight: 8.80 kg
54530	
Ft14hrl (1814015100)	
612048	
Bva315d	
54681	3FLG 125# #25MAINVALVE CI
Sar66173c82775	

68609	
70939	
957180	
62781	
70611	PPEC 1 # PWRD PUMP W/S.S. CHK
55440	
Ke73 Htsuss.2	40MM KE73 HTSUSS.2 CONTROL VALVE
Tdc46m	
55546	
Pn9226e	
681083	
70917	
50929	
Lp31	
3510050000	
Cbp41	WATER FEEDER MAKE-UP VALVE
El-2270	
Mss Sp-97	
Ggg40 Pn16 Code: 147511	
440490	
9779220000 , Pn9220e	
Lea31/9122e	
457390	
62755	
170490	
65241	TEMPERATURE CONTROL T-11 8IN TUBE 60-120F/15-50C
1251680	
69844	
Pn623	
54894	2 1/2FLNG 250# 25 MAIN VALVE
S5 Dn50	
Bvl302x	
Ssc20	(4037290) SAMPLE COOLER 1/2NPT
1452151	1/2NPT STEAMTRAP,FTS14
3730561	2NPT PISTON ACTUATED VALVE
1441200	

Ael6321js	
72862.3	
Spring For Valve Drv7	
3213294	24V 0-10VDC ACTUATOR
63951	
Cbp60	
Sg4230	Sight glass SG4230 Sleeve connection R1 "made of brass MS / gunmetal grade 5 3.5 bar, 150 ° C Total weight: 0.90 kg
56584	
54531	
Sh1469	
0666080	VALVE MECH ASSY/FA150 1.5
660085	
Ft43h-14tv	
Es000703	
0016361	LRV2S 1 5-25# PRV
66675	
142-54052	
Bva 235 S; Lsb3	
832093	
1/2-It-Y	
59198	
74828	
442490	
62776	2 INV BUCKET TRAP 250# B5-250
0666690	FT-14-4.5-1.5,65PSIG,C.I.4.5#
65267	3FLG 125# 25MAINVLV LO#15#
3510100000	
70589	
67296	THERMOMETER 30-90DEG F T1 8FT
70875	REBUILD KIT FOR 3 25 MAIN VLV
62787	
62769	2INVBUCKETTRAP 15# B5 SERIES
3439991	LINEAR SMART POSITIONER
68526	1 1/2NPT CSF26 BODY ONLY
6120461	

47802f	
3436	
33069f	
63660	120/180F T2 TEMP PILOT 15CAP
62783	
57130	
Le33	
Mst21-1/4	
65971	THERMOMETER 160-220DEG F T1 15FT
73336206025	
55234	
40ggg40	
1970025400 (Ft44h-21tv)	
6150293	
59452	B5S-30# 2INVBUCKETTRAP
71475	
Bsa1t	Bellows shut-off valve BSA1T with non-rising handwheel and throttle cone Flange connection DN80, pressure stage PN16 made of cast iron GG25 Total weight: 96,00 kg
Lc1350	5030135000 LC1350 level controller 230V AC Input: LP10-4, Output: 3 relays weight: 0.50 kg
Sxs 4059392	
3570484	
58480	
668690	
58135	
4365040000	
Gasket Kit Dn100 3k003520881 Spirax	
Ft14hc-10tv L-R	Steam traps FT14HC-10TV L-R (code 0664100) Total weight: 6.80 kg
67393	
63628	T1 160-220F CI PILOT W/ 8FTCAP
142-54058	
Lp20 El = 750mm	LP20, R1 / 2, PN40, max.32bar / 239C Level probe EL = 750mm Total weight: 1.23 kg
Ft14	
66664	
50927	

Ft14hrl-14ty (1834025300)	
78207394	PNEUCONTROLLER 150-250F 663-T5
62087	
G01	
1475261	
66173c	
64162	
58158	VALVE MECHANISM KIT FTB 2 1/2
1462294	
54739	
70008	
60971	
401/70/St Din 16270	Manual shut-off valve G1 / 2 "401/70 / ST DIN 16270 Total weight: 0.53 kg
Ft47h-4,5c	
Avc32 (Flange Connection Dn15), Art N: 136001500	
6a	
63630	T2 TEMP PILOT 120/180F 8FTCAP
68461	
1840500	
200 Spirax Sarco	
273099	
Pn 9123 E	
Sp500p	
58129	
T-A25	
4014197	IN40M 1.5 STEAM INJECTOR SS
73427	
3500610100 (M610)	
Bc3250	Desalination controller, measuring range 1-9990 uS / cm I / O 485 / Modbus total weight: 0.55 kg Country of origin: GB Commodity tariff no .: 9032.89.00
Fig 12 Sq	
65269	
0679294	1923/12 600#FLG W/CV BUCKTRAP
64209	
680890	

6120283	
680690	
59450	
Cp 30 L = 300mm	CP30 conductivity electrode R 3/8 "PN40, L = 300mm Total weight: 0.47 kg
Hm3416	
1225680	
3579188	
66178	
0666790	FT14-10,1 1/2 145# F T
6150193	
3582192	EL7213SE 24V ACTUATOR 2-10VDC
67769	
Dcv3	
1970025500 (Ft44h-32tv)	
62801	
Bsa2t	
3579186	
68600	
56617	
71922	STRAINER FOR 733-125 6
57917	TM600 3/4 THERMOSTATIC VENT
57148	
66952	
230391	
80204	
57161	
3500050000 (F50c)	
Ft14-10 Hc Tv 1quot;	
67194	
57131	
871195	
50932	
680790	
Ansi 300 M-40s12	
Ke73 Dtsuss-2	

80201	
457490	
6120286	SPRING/ACTUATOR KIT FOR APT14
3840191	SA121 105-225F TEMP CONTROLLER
57064	
Cp30 L = 500mm	CP30 conductivity electrode R 3/8 "PN40, L = 500mm Total weight: 0.49 kg
Ft14hrl-14tv	
55564	
Ft44h-4,5c (Ft47 Replaced By Ft44)	Ball float steam trap FT44H-4.5C with separate vent and adjustable bypass flange connection DN25, pressure level PN40 made of cast steel GS-C25, inner parts stainless steel installation position horizontal, differential pressure 4.5bar total weight: 60.00 kg FT47 replaced by FT44
6120486	SPRING ACTUATOR ARM W/GASK
59444	
Abv21i	
Ft-75	STEAM TRAP 75PSI 2INCH NPT FLOAT AND THERMOSTATIC
457380	
67049	
457590	
54752	
0672791	216-32 2 INVERTEDBUCKETTRAP
Membrane For Valve Drv Type: B4	
57160	
66676	
58494	FT-150 1 1/2 150# F T TRAP
66446	
1452051	
65390	
1133000	
6100448 (Code 55227)	
232691	
Sbra-Dn20	
Type Bpt13? 1/2quot;	
Avc32 (Socket Connection R 1/2quot;), Art N: 1361015000	
789490	

3500800100 / M800 Dmm	
Eps 4-20ma	
3/4b1h-250	
9791020000 , QI33m	
Typ: Sk55	
Lp20 El = 1500mm	LP20, R1 / 2, PN40, max.32bar / 239C Level probe EL = 1500mm Total weight: 1.83 kg
QI33d	
Art. Nr. 407436 , Type Dp27, Pn16/25 Dn25	
Pc10-1/2-Bsp	
68525	CLEAN STEAM FILTER ELEMENT 1INCH
Cb27	
60887f	
55222	
1802860	
7.333.7606.025	
80010	
55224	
Sx27	
58133	
64168	
Ca10s R3/4quot;	
25t 3/4quot; 70-105c (160- 220 Fahrenheit)	
53834f	
64163	
9082022900	
58136	
Drv7	
68531	3/4 FILTER ELEMENT CSF26
52152f	
80090	
57065	FT-75-2 75# F T TRAP
56622	
Bt6-B-1/2	
Tss300-1/2	
Dn40 Pn16 Le43	
23002521	

71899	
Cp10	
57144	
74114	
3500850100 (M850-W-1)	
405406+405512	
70503	
Ke43 Ptsuss-2	
2104097	BRV73 2FLNG 20-60# PRES REGLT
55225	1.25NPT PRESS REG 25 MAIN VLV
Mst-18-1/2	
Ipc4a	ELECTRONIC PNEUMATIC SIGNAL CONVERTER
65910	RPLCMNTTHERM,8BULB,120-180F
39504059095	
Cbp61	
Gs2s101	
Lt2010	
57302	
3840190	
25p-3/4	
Cp30 L = 1500mm	CP30 conductivity electrode R 3/8 "PN40, L = 1500mm Total weight: 0.68 kg
80011	
58132	
211 Ng 100 Max. 200 C (0-25 Bar) 925211025	
55563	
Sx25-Vmd	
71092	
54771	
Vb21	
3579093	PN92123E 30-60# ACTUATOR
70868	
Cp30 L = 1000mm	CP30 conductivity electrode R 3/8 "PN40, L = 1000mm Total weight: 0.59 kg
EI3401	
Uf360130	

404308	
Srv2s	
68599	
67909	
Bm68596	
3265690	
Ft46h-21tv, 2quot;	
64439	
66449	
Td-52	
70871	REBUILD KIT FOR 25P-1 1/4
53828f	
Cbp63	
61965	
El3502se	ACTUATOR
72861.3	
1440081-Each	
Le43	
62789	
Sv73jm553l	3 ANSI 250 X 4 NPT @ 125PSI
1836015300	
M21si2 Iso F4	
54743	
80084	
64148	
65388	
Ti-P157-05	
81621	
0686691	TD62M 3/4 THREADED STEAM TRAP
15461	
C-R-S-W	
Ft 257/2-100 Dn 1ã39;Ã39;	
62762	
55571	
3851090	
Av13	Automatic steam vent AV13 socket connection R1 / 2 "made of brass

	Total weight: 0,40 kg
1696061	
67986	
53852	
Ke43 Dn32 Pn40	
Art. Nr. 407509 , Type Dp143 Dn50	
0668080	VALVE MECH ASSY/FA150 2
Lp20 El = 470mm	LP20, R1 / 2, PN40, max.32bar / 239C Level probe EL = 470mm Total weight: 1.00 kg
52076	
73492	
1150200	
Ke73 Dtsus.2	
60312	
Lc2650	5030265000 LC2650 level controller 230 VAC 3-P.-S. od. 4-20mA, 485 / Modbus total weight: 0.55 kg ****LC2610 not available / LC2650 successor to LC2610****
56634	
3570084	
55481	
54844	
74323	
S13 Dn65	
9081000300	
54697	25 MAINVLV C.I.
Apt14	
679294	
1232090	
7604150200	
58476	2NPT FTB-20 C.I. PARLLPIPETRP
3l	
58152	
876201	UPGRADED HEADSET
64260	
68528	
Pn262-T5m2	
9600002000	

A743-Ca40f	
4021025000 Sf33 Dn25 Pn16 Gg20	
69846	
70910	
4-Kea73-Htsuss.2	
Sx25ma	
Type Dp	
81347	
70876	REBUILD KIT FOR 4 SARP 25 MV
62775	B5-125,2125# BUCKET TRAP
59197	FT-150 1 1/4 150# F T TRAP
68532	
T-B25	
664191	
57142	
620085	
58160	
0681083	
70874	
Fti-200	
Ca14-1/2	
64147	
67978	
Bva 340s/12 (7383340500)	
Bpc32y	
Td-52l	
0686661	TD62LM 3/4THREADED STEAM TRAP
Es000723	RH-90/RH-120 BLENDING VALVE
47739	
66405	25E ELE.PILOT CI 24VAC 200PSIG
71809	8CAP 100/160F TEMP PILOT
53858	
54747	
A-351-Cf8	
3730596	
190190	

Ansi150rf	
368390	
Extension Tips F. Lp10-4	Extension tips f. LP10-4 level electrode, (4th piece) per 1m total weight: 1.00 kg
Ift-14-10	
57157	
459361	
62795	
1970025300 (Ft44h-14tv)	
62756	
Lv14162030+4162050	
61044	FTB-175 2 MECHANISM ASSEMBLY
900913974	
Es000100	SIMPLEX PUMP PACKAGE 1 12GAL
55543	
Hv3, R2", Pn25	HV3, R2 ", PN25, red brass shut-off valve with stuffing box Total weight: 11,00 kg
59446	
54744	
224380	
Ft14hrl	
66190	
54532	
Bva 225s	
47899	
56623	
664280	
Dn80 S7	
62788	
66672	
61706	
Dcv3-Dn15	
64299	
Sf12.1	Y-Strainer SF12.1 Sleeve connection R1 ", pressure rating PN25 made of nodular cast iron GGG40 Total weight: 1.14 kg
170300	
679501	

T250	
75024	
1-Td-52	
M21 S2 Iso Dn80	
52151	
Ft 14-14 R-L	
4011200300 (Sf34)	
It-1	
60975	FA-150-2 150# 2 TRAP
60892	
2387260	
4059492	
Typ: Tdk-45	
2057493	
EI2600/0-25	
58137	
50930	
67974	
66673	
Rv7830	RV7830, R1 ", PN16, RG 5 Check Valve Total weight: 0.80 kg
Ame816 02003	
59454	B5S-250 2 250# BUCKET TRAP
55227	2NPT PRESSREG25SERIESMAINVLVE
Es000709	
0015461	LRV2S 3/4 20-58# PRV
50926	
312084	
Lrv2b	
Dcv9	
66956	PPEC MECHANISM KIT
230291	
0832093	FT43-14 1.5 FLANGE STEAM TRAP
69843	
68534	
59608	
3503200000 (Gilflo Ilva, Dn200, Pn40)	

1250080	
293890	
64149	
73511636700	
Magnetic Level Switch Type Tor	
Ft14-10	
Ft 257/2-12 Dn 1/2 39; 39;	
60291	
870394	
1320015000	
686691	
25s-Vlv	
52081	
68782	
404126	
Ke43 Dn40 Pn40	
58180	
Scs20	
64165	
66277	FT450-4.5 1 1/2 CASTSTL TRAP
Gasket Kit Dn 65 3k003520681 Spirax	
61708	
1462093	
668080	
Fts14-14	
190195	
Fi-C402-06 - Is Ti-P157-05	
Sh1675f	FILTER ELEMENT 2
Mst21-1/2	
66667	
67902	STEAMER
1250990	
1a	
4059095	
1.1/4quot; Fig16 S/Steel Ytype Bsp+ 0.8 Ss	

64164	
67225f	
5112025100.	
Ael6631js	
63626	T1 TEMPPILLOT 100-160F 8CAP
56624	
9779320000	
Td-52-1/2	
58131	
64152	
Ft20034	
Cp30	CP30 conductivity electrode R 3/8 "PN40, L = 500mm total weight: 0.49 kg
66413	
1251690	
Sx90	SX90 CONTROLLER
Bt6bh34	STEAM TRAP
52078	
Pf61g-3nc	
G/Gb14	
405211 (Bsa3, Dn100)	
56635	
Td42s2	
65916	T2 TEMP SENSOR 160/220F
Td120m	
72942	
401316 Ft14-4,5 Tv 1quot;	
3a	
66580	
63661	160/220F T2 TEMP PILOT 15CAP
52153f	
Bvl513-X (7384513000)	
1003081	
Ef-Pkl-Steam-Valve-1	
80003	
Av13 R1/2	
4021020000 Sf33 Dn20 Pn16 Gg20	

9084500300	
M10 S2rb 1	
870595	
Dn 125 Pn 40 Ke 43	
Lc3050	5030305000 LC3050 level switch 230V50Hz component tested limiter total weight: 0,43 kg
142-54049	
5234020000	
P11-3-Fs-E - Not Available	