



## Starrett

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Starrett** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Starrett Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">125 Range</a>	
<a href="#">Sd167gz</a>	Radius Gage Set Decimal-Inch
<a href="#">Starrett Sd167ghz</a>	Radius Gage Set Decimal-Inch
<a href="#">8-23</a>	
<a href="#">207mz</a>	Starrett Stainless Steel Can Seam Micrometer
<a href="#">SA 25. MA Gage Block Accessory</a>	Starrett SA 25. MA Gage Block Accessory Set 25 Piece Square Metric System Gage Block Accessories Set"
<a href="#">3821</a>	Starrett Hardness Tester 3821 72978
<a href="#">EDP Number: 50343</a>	Catalog Number: 73B-12 73B-12 Yankee Spring-Type Calipers, Inside, 12" Size and Capacity, Quick-Spring Nut, Flat Leg <a href="https://www.starrett.com/metrology/product-detail/73B-12#:~:text=Caliper%20size%20and%20capacity%20is,size%20and%20capacity%20is%2012%22.">https://www.starrett.com/metrology/product-detail/73B-12#:~:text=Caliper%20size%20and%20capacity%20is,size%20and%20capacity%20is%2012%22.</a>
<a href="#">901908</a>	Starrett special Dial Indicator # 901908 used on 21C3113P010 gauge (901829)
<a href="#">Inside Micrometer</a>	25 mm-600 mm
<a href="#">Outside Micrometer</a>	25 mm-600 mm
<a href="#">Vernier Caliper 300 mm</a>	
<a href="#">Vernier Caliper 400</a>	

<a href="#">mm</a>	
<a href="#">Vernier Caliper 600 mm</a>	
<a href="#">Outside Caliper 0 mm-300 mm</a>	
<a href="#">Outside Caliper 300-600 mm</a>	
<a href="#">Dial Gauge Indicator with magnetic base</a>	
<a href="#">Starrett D0218</a>	54mm diamond hole saw Customs tariff number: 82079010 EAN 049659567298 Starrett's diamond-tipped hole saws for ceramics and abrasive materials offer a diamond-tipped cutting edge permanently connected to a body made of hardened steel, the necessary for the cutting gap at high cutting speeds. Thanks to their ability to quickly cut through glass, ceramic, brick and stone, ours are diamond-tipped hole saws are the ideal solution for the toughest cutting tasks. Dimensions (L/W/H): 0.01/0.01/0.01 Position Net Weight (kg) 0.17 Country of origin People's Republic of China
<a href="#">25-241J</a>	Starrett Dial Indicator
<a href="#">Contact point accessories No:2 EDP:70790 Part No:</a>	PT06632-2 (25R Contact point)
<a href="#">06836M</a>	Starrett 06836M ADJ Bracket Back
<a href="#">196A6Z UNIVERSAL DIAL INDICATOR SET</a>	
<a href="#">S154SZ Paralel Set</a>	
<a href="#">717</a>	
<a href="#">715-1Z - PROP</a>	dovetail type and length 6"
<a href="#">MODEL C PELL 1/010-C-1750</a>	Hydraulic Wire Rope Cutter (MODEL C PELL 1 HYDRASHEAR CABLE CUTTER)
<a href="#">(010-C-4)</a>	Blade&pin- compatible with 1.item (MORSE STARRETT BLADE F/MODEL C)
<a href="#">683M-2Z</a>	
<a href="#">7760D</a>	
<a href="#">776-1Z</a>	
<a href="#">72442</a>	
<a href="#">53234</a>	
<a href="#">52308</a>	Vernier Depth Gages, 0-12"
<a href="#">65879</a>	Remote Display
<a href="#">51439</a>	
<a href="#">55947</a>	Magnetic Base Indicator
<a href="#">Fch0078-G</a>	
<a href="#">15330</a>	
<a href="#">50053</a>	
<a href="#">Qa 800</a>	
<a href="#">50491</a>	

<a href="#">51872</a>	Outside Micrometer, 13-14" Range .001" Grads
<a href="#">56386</a>	
<a href="#">50334</a>	
<a href="#">928</a>	
<a href="#">52224</a>	
<a href="#">51876</a>	Micrometer, 17-18" Range .001" Grads
<a href="#">69906</a>	Dial Height Gage- 24 In
<a href="#">64309</a>	Micrometers, 300-600mm (Metric)
<a href="#">55278</a>	
<a href="#">64219</a>	
<a href="#">66925</a>	Master Vernier Calipers
<a href="#">272a</a>	
<a href="#">50216</a>	
<a href="#">52878</a>	
<a href="#">Sm16</a>	
<a href="#">63274</a>	
<a href="#">52861</a>	
<a href="#">63633</a>	12" Digital Micrometer
<a href="#">51394</a>	7" Bevel Protractor
<a href="#">66090</a>	Electronic Digital Micrometer 325-350mm Range
<a href="#">49502</a>	Electronic Indicator, 2"/50mm Range
<a href="#">12726</a>	Electronic Micrometer Set, 0-4"
<a href="#">50534</a>	Master Vernier Calipers
<a href="#">70885</a>	
<a href="#">50429</a>	
<a href="#">50697</a>	
<a href="#">50392</a>	
<a href="#">67127</a>	Micrometer Heads, 0-25mm Range
<a href="#">50783</a>	400-500mm Micrometer, Ratchet Stop, Interchangeable Anvils
<a href="#">64422</a>	19-20"/482-508mm Electronic Digital Micrometers
<a href="#">S264wb</a>	
<a href="#">Pt99237</a>	
<a href="#">63696</a>	External Chamfer Gage
<a href="#">643jzcald</a>	
<a href="#">40337</a>	

<a href="#">51469</a>	
<a href="#">52212-2</a>	
<a href="#">56143</a>	Solid-Rod Inside Micrometer Set
<a href="#">12229</a>	Complete Set All Four Squares In Case
<a href="#">50270</a>	
<a href="#">25 881</a>	
<a href="#">154e 154e Adjustable Parallels / Justierbare</a>	
<a href="#">99234-15-09</a>	
<a href="#">Pt99002</a>	
<a href="#">81608</a>	2"x4"x24" MASTER PINK GraniteStraight Edge
<a href="#">123mz 600</a>	
<a href="#">52012</a>	(PRICE/SET) S436EXRLZ 0-12RANGE OUT
<a href="#">51309</a>	
<a href="#">50625</a>	
<a href="#">56688</a>	
<a href="#">53406</a>	
<a href="#">61018</a>	
<a href="#">66084</a>	Electronic Digital Micrometer 175-200mm Range
<a href="#">25-441jn/S</a>	
<a href="#">06312-0</a>	
<a href="#">16980</a>	
<a href="#">65504</a>	
<a href="#">50579</a>	
<a href="#">51205</a>	
<a href="#">S78mxtcz</a>	MICROMETER
<a href="#">52310</a>	Vernier Depth Gage 0-12"
<a href="#">Sigma Vf600</a>	1 glass (Ø64cm) offer is requested. Please see attached Photo
<a href="#">12825</a>	Movable Bridge Attachemnt 16"
<a href="#">52705</a>	
<a href="#">66900</a>	12" Precision Square
<a href="#">51521</a>	48" Steel Rule
<a href="#">434-24-16r</a>	
<a href="#">51919</a>	(PRICE/SET) S436DRLZ 6-12 OUTSIDE M
<a href="#">50527</a>	Master Vernier Calipers
<a href="#">56228</a>	2 1/4" Dial Indicators Jeweled, 125mm Range

<a href="#">63708</a>	
<a href="#">65910</a>	
<a href="#">50981</a>	
<a href="#">93251</a>	
<a href="#">53102</a>	AUTOMOTIVE TOOL SET WITH CASE
<a href="#">Pt06759</a>	
<a href="#">10946</a>	
<a href="#">68820</a>	Check Gages and Accessories and Accessories, +/- .040" (1.00
<a href="#">67097</a>	Blade Type Micrometer, 9-10" Non Rotating Spindle
<a href="#">50065</a>	
<a href="#">65357</a>	
<a href="#">52483</a>	
<a href="#">52887</a>	
<a href="#">52744</a>	
<a href="#">50932</a>	
<a href="#">51211</a>	
<a href="#">799az-40/1000caldu</a>	NO. 799 SERIES, ELECTRONIC CALIPERS, ELECTRONIC CALIPER, 0-40 (0-1000MM), W/O OUTPUT, W/PLASTIC CASE
<a href="#">53297</a>	
<a href="#">52564</a>	
<a href="#">Point Pt06632 / Lever Control</a>	
<a href="#">50632</a>	
<a href="#">52908</a>	Inside Dial Gages, 61-458mm
<a href="#">50904</a>	
<a href="#">1251mea 40 1000</a>	
<a href="#">55893</a>	
<a href="#">40181</a>	
<a href="#">279</a>	
<a href="#">50594</a>	
<a href="#">56669</a>	
<a href="#">50581</a>	
<a href="#">52901</a>	Crankshaft Strain Gage
<a href="#">72029</a>	
<a href="#">40328</a>	
<a href="#">52764</a>	

<a href="#">68002</a>	
<a href="#">50537</a>	Master Vernier Calipers
<a href="#">64048</a>	Digital Multi-Anvil Micrometer 0-1"
<a href="#">68133</a>	Inside Micrometer 5/8-3/4"
<a href="#">13e</a>	
<a href="#">63651</a>	
<a href="#">56695</a>	
<a href="#">65886</a>	
<a href="#">32</a>	Bore Gage Dial 5"-8 1/8" Range .0005"
<a href="#">12827</a>	Movable Bridge Attachemnt 24"
<a href="#">1500-3a-18n</a>	DataSure End Node for 798 Series
<a href="#">65891</a>	
<a href="#">63470</a>	5" Digital Micrometer
<a href="#">64272-Old</a>	
<a href="#">64188</a>	Electronic Gage Amplifier
<a href="#">51398</a>	7"/12" Bevel Protractor
<a href="#">65800</a>	
<a href="#">50731</a>	
<a href="#">52865</a>	
<a href="#">53296</a>	
<a href="#">64440</a>	
<a href="#">51875</a>	Micrometer, 16-17" Range .001" Grads
<a href="#">68071</a>	0-100mm Micrometer Set
<a href="#">51325</a>	
<a href="#">66446</a>	Digital Sheet Metal Micrometer 0-1"/0-25mm Range
<a href="#">50702</a>	
<a href="#">254mz450</a>	MODULE
<a href="#">Pt066322</a>	
<a href="#">3732xfl-1</a>	
<a href="#">56679</a>	
<a href="#">S167mc-Gibt Es</a> <a href="#">Nicht!! Ersetzt Durch</a> <a href="#">Quot;S167mczquot;</a>	
<a href="#">63632</a>	11" Digital Micrometer
<a href="#">363l</a>	
<a href="#">56157</a>	
<a href="#">63701</a>	Countersink Gage

<a href="#">Sr200</a>	
<a href="#">56763</a>	
<a href="#">435-24-4r</a>	
<a href="#">3811</a>	HARDNESS TESTER, MINOR LOAD:5KG, DISPLAY MODE:DIGITAL, ROHS COMPLIANT: NA
<a href="#">64311</a>	Micrometers, 300-600mm (Metric)
<a href="#">80649</a>	GRANITE SURFACE PLATE, PRODUCT TYPE:CRYSTAL PINK GRANITE SURFACE PLATE, FOR USE WITH:METROLOGY, HEIGHT:600MM, WIDTH:600MM, DEPTH:150MM, ROHS COMPLIANT
<a href="#">57080</a>	
<a href="#">10343</a>	
<a href="#">52683</a>	
<a href="#">64961</a>	Precision Angle Plate 3"x 3"x 3" (75x75x75mm)
<a href="#">64186</a>	Electronic Gage Amplifier
<a href="#">120am 150</a>	
<a href="#">13961</a>	
<a href="#">72212</a>	
<a href="#">799a6150</a>	
<a href="#">14601</a>	
<a href="#">66081</a>	Electronic Digital Micrometer 100-125mm Range
<a href="#">83023</a>	
<a href="#">90146</a>	Square Steel Gage Block, 6.000 Grade A1, Comm. Cal, SN Etch
<a href="#">55342</a>	
<a href="#">30653</a>	
<a href="#">66928</a>	Master Vernier Calipers
<a href="#">51511</a>	48" Steel Rule
<a href="#">66929</a>	7"/12" Bevel Protractor
<a href="#">50264</a>	
<a href="#">52464</a>	
<a href="#">11978</a>	Digital Caliper, 0-24"/600mm No Output
<a href="#">56144</a>	Solid-Rod Inside Micrometer Set
<a href="#">65855</a>	Data Multiplexer Gage
<a href="#">50324</a>	
<a href="#">63694</a>	External Chamfer Gage
<a href="#">57121</a>	
<a href="#">51231</a>	255Z-18 0-18RANGE .001
<a href="#">S78mxtez</a>	MICROMETER
<a href="#">64245</a>	5-6" / 127-152mm Electronic Digital Micrometers

<a href="#">63172</a>	
<a href="#">Sc.1008a1</a>	
<a href="#">65060</a>	Micrometer Head Digital, English 0-1"/0-25mm
<a href="#">52532</a>	
<a href="#">55419</a>	Heavy Duty Dial Indicator Diameter Gage
<a href="#">67131</a>	Micrometer Heads, 0-25mm Range
<a href="#">53169</a>	1150Z-4 2-4 RANGE DIAL
<a href="#">55968</a>	
<a href="#">50599</a>	
<a href="#">64949-Cert</a>	
<a href="#">51467</a>	48"/1800mm Steel Straight Edge
<a href="#">54068</a>	
<a href="#">71982</a>	
<a href="#">Sm 19</a>	
<a href="#">65269</a>	
<a href="#">52491</a>	V-Anvil Micrometer .093-1" Range
<a href="#">52509</a>	Blade Type Micrometer, 5-6" Non Rotating Spindle
<a href="#">67119</a>	Micrometer Depth Gages, 0-12"
<a href="#">64356</a>	250mm Digital Micrometer
<a href="#">51315</a>	
<a href="#">56153</a>	
<a href="#">56372</a>	
<a href="#">41346</a>	
<a href="#">64352</a>	150mm Digital Micrometer
<a href="#">52123</a>	
<a href="#">51178</a>	
<a href="#">65978</a>	
<a href="#">20949</a>	Leeb G Test Block for 3811A
<a href="#">270 51292:270</a>	
<a href="#">52951</a>	
<a href="#">51220</a>	254Z-18 18 MASTER VERNI
<a href="#">52915</a>	Internal Micrometer 1.500-2.500
<a href="#">65106</a>	Back-Plunger Depth Gage
<a href="#">52904</a>	Crankshaft Distortion
<a href="#">20-24</a>	(PRICE/EA) SQUARE, ENGINEER PRECISION, 24IN, SQUARE TYPE:ENGINEER, BLADE LENGTH:609.6MM, PRODUCT RANGE:-, TOOL BODY MATERIAL:STEEL, ROHS COMPLIANT: NA



<a href="#">51378</a>	
<a href="#">50596</a>	
<a href="#">51873</a>	Micrometer, 14-15" Range .001" Grads
<a href="#">90150</a>	Square Steel Gage Block, 12.000" Grade A1
<a href="#">67969</a>	Master Calibration Kit, HRC 3-Block
<a href="#">67147</a>	Remote Display
<a href="#">64247</a>	7-8"/178-203mm Electronic Digital Micrometers
<a href="#">60135</a>	
<a href="#">67960</a>	Heavy Load, Vickers 5kg Load
<a href="#">56676</a>	8-10" Micrometer, .001 Grad.
<a href="#">25 441j</a>	
<a href="#">15443</a>	
<a href="#">65632</a>	
<a href="#">64262</a>	Blade Type Micrometer, 125-150mm Non Rotating Spindle
<a href="#">56405</a>	
<a href="#">66 B 57097 Edp</a>	
<a href="#">Ø67mm Hole Saw</a>	
<a href="#">715-1z</a>	NO. 715 SERIES , ELECTRONIC GAGE AMPLIFIER AND ACCESSORIES, LEVER TYPE GAGING HEAD, ROHS COMPLIANT: NA
<a href="#">263m</a>	
<a href="#">50111</a>	
<a href="#">50589</a>	
<a href="#">53791</a>	
<a href="#">52847</a>	
<a href="#">50545</a>	
<a href="#">Pt06608m</a>	Adj. Brackett Back
<a href="#">674-2</a>	Dial Indicator
<a href="#">66082</a>	Electronic Digital Micrometer 125-150mm Range
<a href="#">51311</a>	
<a href="#">55896</a>	
<a href="#">67153</a>	Shaft Alignment Clamp
<a href="#">Pt11541</a>	
<a href="#">51290</a>	
<a href="#">667m-6</a>	
<a href="#">Pt22658</a>	
<a href="#">70184</a>	

<a href="#">52737</a>	Dial Comparator Stand
<a href="#">64299</a>	1800mm Steel Rule, 1800x38x2.5mm MM & 1/2MM Graduations
<a href="#">11112-2</a>	
<a href="#">50096</a>	
<a href="#">51295</a>	
<a href="#">56129</a>	Dial Comparator Stand
<a href="#">71408</a>	
<a href="#">63690</a>	
<a href="#">11717</a>	
<a href="#">53711</a>	
<a href="#">65619</a>	
<a href="#">50038</a>	Large Combination Squares, 24"
<a href="#">52853</a>	
<a href="#">64179</a>	Outside Dial Caliper
<a href="#">50486</a>	
<a href="#">Pt09806</a>	
<a href="#">12227</a>	
<a href="#">1500-1-Un</a>	WIRELESS DATA COLLECTION GATEWAY 916MHZ
<a href="#">56666</a>	
<a href="#">56675</a>	6-8" Micrometer, .001 Grad.
<a href="#">1251mea-40/1000</a>	
<a href="#">52653</a>	
<a href="#">64353</a>	175mm Digital Micrometer
<a href="#">65946</a>	
<a href="#">25sc8m</a>	
<a href="#">25-441j</a>	
<a href="#">50532</a>	
<a href="#">S78mxtdz</a>	MICROMETER
<a href="#">38</a>	Dial Bore Gage, 38-76.2mm Range
<a href="#">65925</a>	
<a href="#">667m-35</a>	
<a href="#">64436</a>	
<a href="#">56687</a>	Magnetic Base Indicator
<a href="#">Rs650-6</a>	
<a href="#">52422</a>	456A 20-2 DIAMETRAL PITC
<a href="#">50107</a>	

<a href="#">93b</a>	
<a href="#">25msb</a>	
<a href="#">1017m 100</a>	
<a href="#">51292</a>	
<a href="#">50546</a>	
<a href="#">S2s 112.Ma1 Square Steel Metric System/Set</a>	
<a href="#">52709</a>	
<a href="#">50316</a>	
<a href="#">52110</a>	Combination Tool, 18"
<a href="#">69339</a>	
<a href="#">C305r-12</a>	
<a href="#">63186</a>	
<a href="#">70945</a>	
<a href="#">51253</a>	
<a href="#">51243</a>	
<a href="#">50226</a>	
<a href="#">68855</a>	Digital Micrometer Depth Gage 0-300mm Range
<a href="#">53213</a>	
<a href="#">25-431jcaId</a>	
<a href="#">56206</a>	
<a href="#">66108</a>	0-100mm Digital Micrometer
<a href="#">68004</a>	
<a href="#">40331</a>	
<a href="#">66682</a>	
<a href="#">1251mea 20 500</a>	
<a href="#">50825</a>	
<a href="#">52253</a>	
<a href="#">66430</a>	
<a href="#">154f 154f Adjustable Parallels / Justierbare</a>	
<a href="#">52857</a>	
<a href="#">50650</a>	
<a href="#">52868</a>	
<a href="#">51447</a>	

<a href="#">67675</a>	2"
<a href="#">56232</a>	2 3/4" Dial Indicator 100mm Range
<a href="#">65854</a>	Data Multiplexer Gage
<a href="#">50042</a>	
<a href="#">50528</a>	Master Vernier Calipers
<a href="#">64248</a>	8-9"/203-228mm Electronic Digital Micrometers
<a href="#">55791</a>	Dial Bore Gage .107"-.266" Range
<a href="#">51007</a>	
<a href="#">20114</a>	
<a href="#">66408</a>	
<a href="#">55890</a>	252Z-14 0-14 RANGE HEIG
<a href="#">64997</a>	External Chamfer Gage
<a href="#">50238</a>	
<a href="#">57079</a>	1 11/16" Dial Indicator
<a href="#">68132</a>	Inside Micrometer 1/2-5/8"
<a href="#">Bc886</a>	
<a href="#">51498</a>	72" Steel Rule
<a href="#">120z 12</a>	
<a href="#">53056</a>	4-40"Tubular Inside Micrometer
<a href="#">93680</a>	Square Steel Gage Block, 10.000" w/Comm.Cal.& Etch
<a href="#">Pt17184</a>	
<a href="#">56367</a>	
<a href="#">64305</a>	Outside Micrometer, 400-425mm
<a href="#">64415</a>	12-13"/305-330mm Electronic Digital Micrometers
<a href="#">15803</a>	
<a href="#">56660</a>	
<a href="#">40132</a>	
<a href="#">67668</a>	Ultrasonic Thickness Gage
<a href="#">66889</a>	48" Steel Rule
<a href="#">50207</a>	
<a href="#">65058</a>	
<a href="#">F2750-1</a>	NO. 2700 SERIES , WISDOM PLUS SERIES ELECTRONIC DIGITAL INDICATORS, .0001 (0.002MM) RESOLUTION, 4 (100MM) RANGE, ROHS COMPLIANT: NA
<a href="#">66447</a>	0-1" Digital Tube Outside Micrometer
<a href="#">65740</a>	
<a href="#">51478</a>	

<a href="#">57122</a> <a href="#">19643</a>	Inspection Block Set 1-2-3 Blocks
<a href="#">68039</a>	0-4"Outside Micrometer Set
<a href="#">52751</a>	
<a href="#">68130</a>	Inside Micrometer 5/16-3/8"
<a href="#">50536</a>	Master Vernier Calipers
<a href="#">55298</a>	
<a href="#">68036</a>	0-3" Outside Micrometer Set
<a href="#">52883</a>	
<a href="#">55463</a>	
<a href="#">52997</a>	724LZ-36 TUBULAR BOW TYPE MICROMETER 30-36 RNG
<a href="#">15835</a>	
<a href="#">Ø35mm Hole Saw</a>	
<a href="#">61912-1</a>	
<a href="#">68131</a>	Inside Micrometer 3/8-1/2"
<a href="#">26</a>	Bore Gage, Dial 1.5"-3"Range, .0001"
<a href="#">63263</a>	Dial Test Indicator .060" Range
<a href="#">272b</a>	
<a href="#">51039</a>	
<a href="#">Ci913:Starrett 270</a>	taper gauge
<a href="#">50059</a>	
<a href="#">52111</a>	Combination Tool, 24"
<a href="#">34</a>	Dial Bore Gage, 38-76.2mm Range
<a href="#">66071</a>	Digital Multi-Anvil Micrometer 0-1"
<a href="#">52368</a>	
<a href="#">1251mea-20/500</a>	
<a href="#">50661</a>	
<a href="#">66514</a>	Remote Display
<a href="#">61015</a>	
<a href="#">64304</a>	Micrometers, 300-600mm (Metric)
<a href="#">69919</a>	25 Piece Bi-Metal/Diamond Plumber's Hole Saw Kit
<a href="#">3754-12/300</a>	Height Gage, 12"/300mm
<a href="#">51453</a>	Parallels and SETS, 6" (150mm)
<a href="#">667m-25</a>	
<a href="#">53074</a>	
<a href="#">50119</a>	

<a href="#">64426</a>	
<a href="#">52752</a>	
<a href="#">70826</a>	
<a href="#">64943</a>	
<a href="#">70b</a>	
<a href="#">66443</a>	
<a href="#">52851</a>	
<a href="#">671:Starrett</a>	Universal Attachment for Dial Indicators,
<a href="#">51213</a>	
<a href="#">Rs.123a1</a>	
<a href="#">65006</a>	Countersink Gage
<a href="#">120a-6cald</a>	
<a href="#">Ø22mm Hole Saw</a>	
<a href="#">Vh0118</a>	
<a href="#">Rs1806-7</a>	
<a href="#">55974</a>	
<a href="#">50296</a>	
<a href="#">67152</a>	Shaft Alignment Clamp
<a href="#">52639</a>	
<a href="#">40179</a>	
<a href="#">55536</a>	
<a href="#">666-20</a>	
<a href="#">71270</a>	
<a href="#">63702</a>	Countersink Gage
<a href="#">63267</a>	Dial Test Indicator .060" Range
<a href="#">53062</a>	
<a href="#">S234mg</a>	
<a href="#">71753</a>	
<a href="#">93221</a>	
<a href="#">12484</a>	
<a href="#">53168</a>	1150Z-2 0-2 RANGE DIAL
<a href="#">36</a>	Dial Bore Gage, 127-206.37mm Range
<a href="#">50056</a>	
<a href="#">56394</a>	
<a href="#">50777</a>	150-300mm Micrometer, Ratchet Stop, Interchangeable Anvils
<a href="#">67492</a>	Pin Gage Set

<a href="#">52660</a>	
<a href="#">65494</a>	Gage R&R Software
<a href="#">Bu310t-20</a>	
<a href="#">67001</a>	GAGING AMPLIFIER W/POWER SUPPLY
<a href="#">51472</a>	48" Steel Straight Edge, Bevel
<a href="#">40115</a>	
<a href="#">436.1xrlz-17</a>	16-17" Micrometer
<a href="#">154b 154b Adjustable Parallels / Justierbare</a>	
<a href="#">52828</a>	
<a href="#">52913</a>	Internal Micrometer .500-1.500"
<a href="#">52511</a>	
<a href="#">63323</a>	Dual-Vee Magnetic V-Block & Clamp, 1.75" capacity
<a href="#">65821</a>	
<a href="#">52838</a>	
<a href="#">S78xtez</a>	MICROMETER
<a href="#">56295</a>	Digital Micrometer Depth Gage 0-150mm Range
<a href="#">52996</a>	724LZ-30 24-30 RANGE T
<a href="#">53067</a>	
<a href="#">16950</a>	
<a href="#">7612</a>	
<a href="#">99434-15</a>	
<a href="#">S154lz</a>	
<a href="#">51558</a>	
<a href="#">53128</a>	1100-18 12-18 H.D. DIAL
<a href="#">64996</a>	Internal Chamfer Gage
<a href="#">3808a</a>	
<a href="#">53292</a>	
<a href="#">56092</a>	
<a href="#">36131</a>	
<a href="#">56299</a>	
<a href="#">254z-18</a>	MASTER VERNIER HEIGHT GAGE 0-18INCH RANGE
<a href="#">799az-40/1000cald</a>	799AZ-40/1000 CALIBRATED BY NEWARK SERVICES
<a href="#">53804</a>	Dial Indicator, 7.000" Meas. Range
<a href="#">64420</a>	17-18"/432-457mm Electronic Digital Micrometers
<a href="#">67536</a>	1-2" Brake Micrometer w/Carbide Face

<a href="#">50068</a>	
<a href="#">66087</a>	Electronic Digital Micrometer 250-275mm Range
<a href="#">55539</a>	
<a href="#">67122</a>	Micrometer Heads, 0-2" Range
<a href="#">51461</a>	72" Steel Straight Edges
<a href="#">196a1z</a>	
<a href="#">50250</a>	
<a href="#">67102</a>	Blades for Combination Squares, Sets/Bevel Protractors
<a href="#">60250</a>	
<a href="#">63695</a>	External Chamfer Gage
<a href="#">25sc38</a>	
<a href="#">61912-2</a>	
<a href="#">53285</a>	
<a href="#">50361</a>	
<a href="#">52553</a>	
<a href="#">92913</a>	RS81.A1 81PC GR0 W/CRT STARRETT GAGE BLOCK SETS
<a href="#">55461</a>	
<a href="#">71534</a>	
<a href="#">67136</a>	Digital Bench Micrometer 0-1"
<a href="#">Sa6</a>	
<a href="#">57064</a>	
<a href="#">52351</a>	
<a href="#">64919</a>	
<a href="#">50384</a>	
<a href="#">52719</a>	
<a href="#">50615</a>	
<a href="#">36056</a>	
<a href="#">68819</a>	Check Gages and Accessories and Accessories, +/- .020" (0.50)
<a href="#">52320</a>	
<a href="#">70988</a>	
<a href="#">61036</a>	
<a href="#">36121</a>	
<a href="#">63494</a>	Digital Micrometers 6" Micrometers, 6", .0001" Grad, C
<a href="#">67151</a>	Shaft Alignment Clamp
<a href="#">63693</a>	External Chamfer Gage



<a href="#">65253</a>	
<a href="#">Rs2406-8</a>	
<a href="#">120mz-300</a>	
<a href="#">25-441jw/Slc</a>	
<a href="#">63634</a>	
<a href="#">68040</a>	0-4" Outside Micrometer Set
<a href="#">64261</a>	Blade Type Micrometer, 100-125mm Non Rotating Spindle
<a href="#">64189</a>	Electronic Gage Amplifier
<a href="#">57098</a>	
<a href="#">68854</a>	Digital Micrometer Depth Gage 0-12"/0-300mm Range
<a href="#">67095</a>	Blade Type Micrometer, 7-8" Non Rotating Spindle
<a href="#">224brlz</a>	
<a href="#">54044</a>	
<a href="#">31</a>	Bore Gage, Dial 3"-5 3/16"Range, .0005"
<a href="#">56275</a>	Inspection Holder
<a href="#">39</a>	Dial Bore Gage, 76.2-131.75mm Range
<a href="#">254z-24</a>	MASTER VERNIER HEIGHT GAUGE, 24IN, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE MAX:24, RESOLUTION:0.001, BASE SIZE:7-1/2 X 4-1/2, GRADUATIONS:0.00
<a href="#">51503</a>	
<a href="#">51312</a>	
<a href="#">667-29</a>	
<a href="#">53271</a>	
<a href="#">55120</a>	
<a href="#">55948</a>	Magnetic Base Indicator
<a href="#">60134</a>	
<a href="#">66079</a>	Electronic Digital Micrometer 50-75mm Range
<a href="#">56707</a>	
<a href="#">20112</a>	
<a href="#">64310</a>	Micrometers, 300-600mm (Metric)
<a href="#">263</a>	
<a href="#">52552</a>	
<a href="#">51187</a>	
<a href="#">51551</a>	
<a href="#">Edp81965</a>	GRANITE SURFACE PLATES
<a href="#">50054</a>	
<a href="#">55966</a>	Dial Comparator Stand
<a href="#">56768</a>	Depth Gages, 0-12" Range

<a href="#">Å5612 Edp No: 81822</a>	
<a href="#">797b-8/200</a>	
<a href="#">50697-Loc</a>	
<a href="#">64969</a>	Inspection Block
<a href="#">30</a>	Bore Gage, Dial 1.5"-3"Range, .0005"
<a href="#">68129</a>	Inside Micrometer 1/4-5/16"
<a href="#">93681</a>	Square Steel Gage Block, .024" w/Comm.Cal.& Etch
<a href="#">68930</a>	Contact & Non-Contact Digital Tachometer
<a href="#">56403</a>	
<a href="#">63687</a>	Internal Chamfer Gage
<a href="#">52860</a>	
<a href="#">52837</a>	
<a href="#">68015</a>	
<a href="#">375224600</a>	ELECTRONIC HEIGHT GAUGE, 24IN, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE MAX:24, RESOLUTION:0.0005, ACCURACY:0.051MM, GRADUATIONS:0.1, MEASURIN
<a href="#">65816</a>	
<a href="#">67970</a>	Master Calibration Kit, HR30N 3-Block
<a href="#">51392</a>	
<a href="#">68172032</a>	
<a href="#">67537</a>	1-2"Brake Micrometer w/Carbide Face & 26852-0 Standard
<a href="#">12226</a>	
<a href="#">799a-12/300caldu</a>	
<a href="#">50572</a>	
<a href="#">68042</a>	0-4" Outside Micrometer Set
<a href="#">53428</a>	
<a href="#">94160</a>	88pc.Economy Gage Block Set Rectangular, Steel, Metric
<a href="#">799a12300</a>	
<a href="#">67656</a>	Portable Dial Thickness Gage
<a href="#">50432</a>	
<a href="#">64475</a>	
<a href="#">120z-12</a>	
<a href="#">49659140835</a>	
<a href="#">122111-5</a>	
<a href="#">51425</a>	
<a href="#">64351</a>	125mm Digital Micrometer
<a href="#">68815</a>	Electronic Height Gage 3752-12/300

<a href="#">49511</a>	Electronic Indicator (IQ) 4"/100mm Range
<a href="#">12" Depth Digimatic Caliper Double Hook</a>	
<a href="#">68005</a>	
<a href="#">67971</a>	Master Calibration Kit, HRB 3-Block
<a href="#">Sr100</a>	SURFACE ROUGHNESS TESTER
<a href="#">49509</a>	Electronic Indicator, 1" Range .00005 Resolution
<a href="#">56448</a>	(3) 0-3" Outside Micrometer
<a href="#">50553</a>	Solid-Rod Inside Micrometer Set
<a href="#">67096</a>	Blade Type Micrometer, 8-9" Non Rotating Spindle
<a href="#">65528</a>	
<a href="#">50227</a>	
<a href="#">788xflcaldu</a>	
<a href="#">71261</a>	
<a href="#">52543</a>	
<a href="#">67653</a>	Portable Dial Thickness Gage
<a href="#">Pt01895a</a>	
<a href="#">16989</a>	
<a href="#">20945</a>	Replacement D Impact Device for 3811A
<a href="#">C604re-6</a>	
<a href="#">65882</a>	
<a href="#">67130</a>	Micrometer Heads, 0-1" Range
<a href="#">51881</a>	436XRLZ-23 22-23 OUTSIDE MICROMETER- .001 GRAD
<a href="#">50525</a>	Master Vernier Calipers
<a href="#">3732xfl-2</a>	
<a href="#">Pt06622</a>	
<a href="#">15302</a>	
<a href="#">66088</a>	Electronic Digital Micrometer 275-300mm Range
<a href="#">49513</a>	Digital Electronic Indicator Inch 0-1", Metric 0-25mm
<a href="#">67149</a>	Remote Display
<a href="#">71908</a>	
<a href="#">65352</a>	
<a href="#">69883</a>	Coating Thickness Gage
<a href="#">50041</a>	
<a href="#">51556</a>	
<a href="#">50971</a>	

<a href="#">65606</a>	
<a href="#">25-431j</a>	Dial Indicator .500" Range, Dial Reading 0-50-0, .0005" Grad.
<a href="#">259-24</a>	DIGITAL/DIAL HEIGHT GAUGE, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE MAX:24, ACCURACY:0.001, RESOLUTION:0.001, GRADUATIONS:.001, BASE SIZE:9 X
<a href="#">50070</a>	
<a href="#">63709</a>	Countersink Gage
<a href="#">50924</a>	
<a href="#">52852</a>	
<a href="#">56646</a>	Dial Comparator Stand w/Calibration Certificate
<a href="#">S154sz</a>	
<a href="#">85034</a>	
<a href="#">66092</a>	Electronic Digital Micrometer 375-400mm Range
<a href="#">25-881</a>	
<a href="#">51878</a>	Micrometer, 19-20" Range .001" Grads
<a href="#">51319</a>	
<a href="#">25-181j</a>	
<a href="#">65007</a>	Countersink Gage
<a href="#">66083</a>	Electronic Digital Micrometer 150-175mm Range
<a href="#">52759</a>	
<a href="#">12526</a>	ElectronicCalipers, 0-12"(300mm) w/Output & Std.Letter of Cert.
<a href="#">67094</a>	Blade Type Micrometer, 6-7" Non rotating Spindle
<a href="#">Ø25mm Hole Saw</a>	
<a href="#">65846</a>	
<a href="#">65866</a>	Dial Caliper
<a href="#">65827</a>	
<a href="#">68112281</a>	
<a href="#">53058</a>	Tubular Inside Micrometer Set 1 1/2-32" Range
<a href="#">51444</a>	72" Steel Straight Edge
<a href="#">67132</a>	Micrometer Heads, 0-25mm Range
<a href="#">64306</a>	Outside Micrometer, 425-450mm
<a href="#">66093</a>	Electronic Digital Micrometer 400-425mm Range
<a href="#">50663</a>	
<a href="#">50541</a>	
<a href="#">50367</a>	
<a href="#">52583</a>	
<a href="#">50977</a>	

<a href="#">66450</a>	Electronic Micrometer 0-1"
<a href="#">40075</a>	
<a href="#">51871</a>	Outside Micrometer, 12-13" Range .001" Grads
<a href="#">66124</a>	Digital Depth Micrometer, 0-150mm Range
<a href="#">53065</a>	
<a href="#">52814</a>	
<a href="#">52667</a>	
<a href="#">52586</a>	
<a href="#">269mb</a>	
<a href="#">56047</a>	V-Anvil Micrometer
<a href="#">254z-24caldu</a>	MASTER VERNIER HEIGHT GAUGE, 24IN, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE
<a href="#">463l</a>	
<a href="#">25 341j</a>	
<a href="#">67117</a>	0-12" Micrometer Depth Gage
<a href="#">50983</a>	
<a href="#">51351</a>	
<a href="#">270 (0.3-4.0 Mm)</a>	
<a href="#">55080</a>	
<a href="#">68069</a>	Outside Micrometer Set 0-75mm
<a href="#">65884</a>	
<a href="#">53505</a>	
<a href="#">56701</a>	
<a href="#">67495</a>	Pin Gage Set
<a href="#">53238</a>	
<a href="#">51499</a>	
<a href="#">52700</a>	
<a href="#">50269</a>	
<a href="#">25sc38b</a>	
<a href="#">52679</a>	
<a href="#">269b:Starrett</a>	Taper Gage
<a href="#">50090</a>	
<a href="#">Pt13263</a>	
<a href="#">52841</a>	
<a href="#">65226</a>	25.4-51mm, Digital Micrometer
<a href="#">99092-07-08-1/4</a>	

<a href="#">52823</a>	
<a href="#">50524</a>	Master Vernier Calipers
<a href="#">66137</a>	Micrometer Head Digital Metric 0-50mm/0-1"
<a href="#">51298</a>	
<a href="#">1202-6</a>	
<a href="#">72441</a>	
<a href="#">40334</a>	
<a href="#">65435</a>	
<a href="#">91401-07-08-1/2</a>	
<a href="#">51513</a>	
<a href="#">63705</a>	Countersink Gage
<a href="#">12215</a>	Band Knife, 100'Coil, 3/4"x.022", Scallop, Double Bevel
<a href="#">52958</a>	
<a href="#">25 - 511j Indicator / Dial Indicator</a>	
<a href="#">S78xtfz</a>	MICROMETER
<a href="#">52507</a>	Blade Type Micrometer, 4-5" Non Rotating Spindle
<a href="#">40343</a>	
<a href="#">667-19</a>	
<a href="#">64339</a>	Wood Case Only for S436F Sets
<a href="#">51879</a>	Outside Micrometer, 20-21" Range .001" Grads
<a href="#">208mz</a>	
<a href="#">66932</a>	Master Precision Level
<a href="#">63195</a>	
<a href="#">717</a>	NO. 717 , GAGING AMPLIFIER, GAGING AMPLIFIER WITH POWER SUPPLY
<a href="#">52994</a>	724LZ-18 12-18 RANGE T
<a href="#">667-23</a>	
<a href="#">66095</a>	Electronic Digital Micrometer 450-475mm Range
<a href="#">51476</a>	
<a href="#">414-4caldu</a>	
<a href="#">56473</a>	Can Curl Micrometer
<a href="#">66008</a>	
<a href="#">64409</a>	
<a href="#">50295</a>	
<a href="#">S167mchz</a>	
<a href="#">51486</a>	48" Steel Rule
<a href="#">64244</a>	4-5" / 101-127mm Electronic Digital Micrometers

<a href="#">51824</a>	
<a href="#">65545</a>	
<a href="#">666-4</a>	
<a href="#">52840</a>	
<a href="#">30663</a>	
<a href="#">63692</a>	External Chamfer Gage
<a href="#">64354</a>	200mm Digital Micrometer
<a href="#">254z-48</a>	MASTER VERNIER HEIGHT GAUGE, 48IN, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE MAX:48, RESOLUTION:0.001, BASE SIZE:10 X 6-1/2, GRADUATIONS:0.001
<a href="#">53801</a>	Dial Indicator, 4.000"Meas.Range
<a href="#">50335</a>	
<a href="#">65831</a>	
<a href="#">50678</a>	
<a href="#">53173</a>	1175Z DIAL INDICATOR GRO
<a href="#">51301</a>	
<a href="#">61014</a>	
<a href="#">51880</a>	Outside Micrometer, 21-22"Range .001" Grads
<a href="#">Y14-10I</a>	
<a href="#">68037</a>	0-3"Outside Micrometer Set
<a href="#">53803</a>	Dial Indicator, 6.000"Meas.Range
<a href="#">82712-1</a>	
<a href="#">50719</a>	Master Precision Level
<a href="#">Be-1</a>	
<a href="#">Pt11475</a>	
<a href="#">28</a>	Bore Gage, Dial 5"-8 1/8"Range, .0001"
<a href="#">25-5081 J (2 - 12 Mm + 12-25 Mm)</a>	
<a href="#">25-2041j</a>	
<a href="#">66109</a>	50-150mm Digital Micrometer
<a href="#">52953</a>	
<a href="#">65001</a>	External Chamfer Gage
<a href="#">25-341p</a>	Dial Indicator 1.000" Range, Dial Reading 0-50-0, .001" Grad, Plain Bearings.
<a href="#">51740</a>	
<a href="#">36113</a>	
<a href="#">50342</a>	
<a href="#">68023</a>	

<a href="#">62812</a>	Video Borescope, 10mm Probe, USB Cable, 2GB Micro SD Card, Cse
<a href="#">94161</a>	Metric Grade B Steel Set w/o Cal.& Etch
<a href="#">67827</a>	
<a href="#">65011</a>	Countersink Gage
<a href="#">71986</a>	
<a href="#">64180</a>	Outside Dial Caliper
<a href="#">65258</a>	Test Indicators and Holder
<a href="#">56017</a>	
<a href="#">120a-6</a>	
<a href="#">52505</a>	
<a href="#">12quot; Depth Digimatic Caliper Double Hook</a>	
<a href="#">52862</a>	
<a href="#">52826</a>	
<a href="#">70366</a>	
<a href="#">50711</a>	
<a href="#">53312</a>	2 1/4" Dial Indicators Jeweled, 5.000" Range
<a href="#">Pt11276</a>	
<a href="#">66559</a>	Internal Dial Caliper Gauge
<a href="#">64417</a>	14-15"/355-381mm Electronic Digital Micrometers
<a href="#">67098</a>	Blade Type Micrometer, 10-11" Non Rotating Spindle
<a href="#">50943</a>	
<a href="#">53978</a>	
<a href="#">Qa254 Box For Vf 600- , By Qa 722+qa 800</a>	
<a href="#">51348</a>	
<a href="#">434-24-4r</a>	
<a href="#">56102</a>	Master Vernier Calipers
<a href="#">53805</a>	Dial Indicator, 8.000"Meas.Range
<a href="#">52637</a>	
<a href="#">64267</a>	
<a href="#">56250</a>	
<a href="#">3805</a>	NO. 3805
<a href="#">50714</a>	
<a href="#">146-0121-S</a>	
<a href="#">Part Nr. 6f004</a>	Screen Glass with Clips VF600



<a href="#">52905</a>	Crankshaft Distortion
<a href="#">50104</a>	
<a href="#">40</a>	Dial Bore Gage, 127-206.37mm Range
<a href="#">55917</a>	Dial Comparator Stand
<a href="#">53228</a>	
<a href="#">50095</a>	
<a href="#">52724</a>	
<a href="#">16952</a>	
<a href="#">65911</a>	
<a href="#">Kgf1224-10</a>	
<a href="#">56298</a>	
<a href="#">50905</a>	
<a href="#">55921</a>	
<a href="#">15333</a>	
<a href="#">65259</a>	Test Indicators and Holder
<a href="#">1017m-100</a>	
<a href="#">25-131j</a>	
<a href="#">67118</a>	Micrometer Depth Gages, 0-12"
<a href="#">52661</a>	
<a href="#">65091</a>	Outside Dial Caliper
<a href="#">61001</a>	
<a href="#">20104</a>	
<a href="#">53000</a>	724LZ-54 TUBULAR BOW TYPE MICROMETER 48-54RANGE
<a href="#">68067</a>	0-75mm Micrometer Set
<a href="#">64239</a>	
<a href="#">50404</a>	
<a href="#">61020</a>	
<a href="#">70363</a>	
<a href="#">445m</a>	
<a href="#">68072</a>	Outside Micrometer Set 0-100mm
<a href="#">67124</a>	Micrometer Heads, 0-50mm Range
<a href="#">Ø27mm Hole Saw</a>	
<a href="#">68172279</a>	
<a href="#">40333</a>	
<a href="#">63631</a>	

<a href="#">53068</a>	
<a href="#">C12-4me9cald</a>	
<a href="#">64220</a>	
<a href="#">50969</a>	
<a href="#">154a 154a Adjustable Parallels / Justierbare</a>	
<a href="#">Ts21.R</a>	
<a href="#">64416</a>	13-14"/330-355mm Electronic Digital Micrometers
<a href="#">51874</a>	Micrometer, 15-16" Range .001" Grads
<a href="#">53054</a>	
<a href="#">3809ma</a>	
<a href="#">52681</a>	
<a href="#">27</a>	Bore Gage, Dial 3"-5 3/16"Range, .0001"
<a href="#">60133</a>	
<a href="#">36134</a>	
<a href="#">65063</a>	Digital Micrometer Depth Gage, 0-6"/0-150mm Range
<a href="#">67126</a>	Micrometer Heads, 0-2" Range
<a href="#">64490</a>	
<a href="#">172a Edp 50649 0015"-015" Mastar Block</a>	
<a href="#">667m-20</a>	
<a href="#">52946</a>	
<a href="#">63875</a>	Check Gage Stand
<a href="#">25-631jcal</a>	
<a href="#">50380</a>	
<a href="#">65546</a>	
<a href="#">50854</a>	(3) 0-3", .001" Grad with Standards in Case
<a href="#">53178</a>	
<a href="#">A2</a>	
<a href="#">63496</a>	Digital Micrometers 8" Micrometers, 8", .0001" Grad, C
<a href="#">25sc14</a>	
<a href="#">53802</a>	Dial Indicator, 5.000"Meas.Range
<a href="#">65808</a>	
<a href="#">50548</a>	
<a href="#">Fch2532-G</a>	
<a href="#">Sh0258</a>	

<a href="#">S565pc</a>	
<a href="#">56101</a>	Master Vernier Calipers
<a href="#">56142</a>	
<a href="#">11606</a>	
<a href="#">57082</a>	
<a href="#">61019</a>	
<a href="#">67655</a>	Portable Dial Thickness Gage
<a href="#">55224</a>	
<a href="#">50570</a>	
<a href="#">56048</a>	
<a href="#">90151</a>	Square Steel Gage Block, 16.000" w/Comm.Cal.& Etch
<a href="#">64479</a>	ELECTRONIC GAGE AMPLIFIER
<a href="#">51877</a>	Micrometer, 18-19" Range .001" Grads
<a href="#">51219</a>	254Z-12 12 MASTER VERNI
<a href="#">63326</a>	
<a href="#">51177</a>	
<a href="#">56407</a>	
<a href="#">56276</a>	Inspection Holder
<a href="#">66397</a>	
<a href="#">64243</a>	3-4" / 76-101mm Electronic Digital Micrometers
<a href="#">50675</a>	
<a href="#">50973</a>	
<a href="#">10979</a>	
<a href="#">449az-6r</a>	
<a href="#">Pt19176</a>	
<a href="#">65104</a>	Back-Plunger Depth Gage 0-8.6" Range, 4" Base
<a href="#">66448</a>	0-1" Digital Tube Outside Micrometer
<a href="#">25111jn/S</a>	
<a href="#">65868</a>	
<a href="#">63678</a>	Parallels and SETS, 6" (150mm)
<a href="#">1610-4</a>	
<a href="#">92090</a>	Square Steel MM Gage Block 150mm w/Comm.Cal.& Etch
<a href="#">52669</a>	
<a href="#">S229gz</a>	
<a href="#">65864</a>	
<a href="#">696mz</a>	

<a href="#">269mbtaper Gage 12-25mm Range, 70mm Length, 13 Leaves</a>	
<a href="#">64357</a>	275mm Digital Micrometer
<a href="#">25241j</a>	
<a href="#">40332</a>	
<a href="#">55846</a>	
<a href="#">3814</a>	NOS. 3814, 3816, 3817 , HARDNESS TESTERS, BENCH, ANALOG, ROHS COMPLIANT: NA
<a href="#">55956</a>	
<a href="#">66526</a>	Digital Micrometers, Set 0-3"
<a href="#">51488</a>	72" Steel Rule
<a href="#">11709</a>	
<a href="#">71556</a>	
<a href="#">93679</a>	Square Steel Gage Block, 8.000" w/Comm.Cal.& Etch
<a href="#">63676</a>	Parallels and SETS, 6" (150mm)
<a href="#">52611</a>	
<a href="#">55954</a>	
<a href="#">63261</a>	Dial Test Indicator .030" Range
<a href="#">64303</a>	Micrometers, 300-600mm (Metric)
<a href="#">Sm25</a>	
<a href="#">56227</a>	2 1/4" Dial Indicators Jeweled, 100mm Range
<a href="#">51931</a>	(PRICE/SET) S436ERLZ 0-12 OUTSIDE M
<a href="#">66126</a>	25-50mm Digital Micrometer
<a href="#">S668dz</a>	
<a href="#">56678</a>	2-6" Micrometer Set
<a href="#">65889</a>	
<a href="#">52501</a>	
<a href="#">51225</a>	
<a href="#">51559</a>	
<a href="#">52587</a>	
<a href="#">50550</a>	Solid-Rod Inside Micrometer Set 8-32" Range
<a href="#">99334-150</a>	150Ft Coil Saw Blade
<a href="#">66964</a>	
<a href="#">Tm701</a>	
<a href="#">Sv226mbxrlzcald</a>	
<a href="#">50618</a>	
<a href="#">16978</a>	

<a href="#">53404</a>	
<a href="#">50372</a>	
<a href="#">63265</a>	Dial Test Indicator .030" Range
<a href="#">Rs1410-5</a>	
<a href="#">50544</a>	
<a href="#">S117pc</a>	
<a href="#">63706</a>	Countersink Gage
<a href="#">23417</a>	
<a href="#">65838</a>	
<a href="#">64246</a>	6-7"/152-178mm Electronic Digital Micrometers
<a href="#">735-01000000</a>	
<a href="#">67968</a>	Anvil 8" Testing Table
<a href="#">50092</a>	
<a href="#">55397</a>	
<a href="#">99198-10-10-1/2</a>	
<a href="#">63266</a>	
<a href="#">25 481</a>	
<a href="#">55279</a>	
<a href="#">12695</a>	
<a href="#">78xtz2</a>	TOOL
<a href="#">50603</a>	
<a href="#">67129</a>	Micrometer Heads, 0-1" Range
<a href="#">56364</a>	
<a href="#">50903</a>	
<a href="#">61021</a>	
<a href="#">40176</a>	
<a href="#">57081</a>	Dial Test Indicator .060 Range
<a href="#">67410</a>	
<a href="#">823cz</a>	
<a href="#">Sv226mbxrlzcal</a>	
<a href="#">65618</a>	
<a href="#">Deb17so.24n</a>	
<a href="#">56358</a>	Test Indicators and Holder
<a href="#">52816</a>	
<a href="#">40336</a>	

<a href="#">64959</a>	Outside Dial Caliper
<a href="#">50079</a>	
<a href="#">25-481</a>	
<a href="#">64251</a>	11-12"/279-305mm Electronic Digital Micrometers
<a href="#">11454</a>	
<a href="#">50554</a>	Solid-Rod Inside Micrometer Set 2-32" Range
<a href="#">56657</a>	
<a href="#">154c 154c Adjustable Parallels / Justierbare</a>	
<a href="#">124dz</a>	INTERNAL MICROMETER, 2IN TO 32IN, MEASURING RANGE MAX:32, GRADUATIONS:0.001, ACCURACY:0.0025MM, NO. OF ANVILS:2, MICROMETER RANGE:2-32, NO. OF RODS
<a href="#">Pt07358-9</a>	
<a href="#">50268</a>	
<a href="#">53059</a>	
<a href="#">11677</a>	
<a href="#">50066</a>	
<a href="#">66445</a>	Digital Sheet Metal Micrometer 0-1"/0-25mm Range
<a href="#">52341</a>	Cylinder Gage 9"
<a href="#">64196</a>	50-150mm Micrometer Set
<a href="#">64424</a>	
<a href="#">52807</a>	
<a href="#">51523</a>	72" Steel Rule
<a href="#">12258</a>	
<a href="#">123z-48 Vern Caliper + Case</a>	
<a href="#">65835</a>	
<a href="#">52874</a>	
<a href="#">15653</a>	
<a href="#">63698</a>	Countersink Gage
<a href="#">64942</a>	
<a href="#">66525</a>	Digital Sheet Metal Micrometer 0-1"/0-25mm Range
<a href="#">50646</a>	
<a href="#">15900</a>	
<a href="#">52030</a>	(PRICE/SET) ST436EXRLZ 0-12 MIC SET
<a href="#">40204</a>	
<a href="#">64242</a>	2-3" / 50.8-76mm Electronic Digital Micrometers
<a href="#">53214</a>	

<a href="#">53583</a>	
<a href="#">64308</a>	Micrometers, 300-600mm (Metric)
<a href="#">17018</a>	
<a href="#">93678</a>	Square Steel Gage Block, 7.000" w/Comm.Cal.& Etch
<a href="#">135a</a>	
<a href="#">50598</a>	
<a href="#">65507</a>	
<a href="#">53226</a>	
<a href="#">Pt01079</a>	
<a href="#">68038</a>	0-3" Outside Micrometer Set
<a href="#">51230</a>	Master Vernier Height Gage 0-12" Range
<a href="#">3732xfl 1</a>	
<a href="#">52995</a>	724LZ-24 18-24 RANGE T
<a href="#">64418</a>	15-16"/381-406mm Electronic Digital Micrometers
<a href="#">51331</a>	
<a href="#">52484</a>	
<a href="#">25 181j</a>	
<a href="#">52943</a>	
<a href="#">61841</a>	
<a href="#">55964</a>	Dial Comparator Stand
<a href="#">63135</a>	
<a href="#">68726</a>	
<a href="#">53420</a>	
<a href="#">56007</a>	
<a href="#">63498</a>	Digital Micrometers 10" Micrometers, 10", .0001" Grad,
<a href="#">50754</a>	Hi-Precision Micrometer, 0-1"
<a href="#">52927</a>	
<a href="#">65062</a>	Micrometer Head Digital English 0-2"/0-50mm
<a href="#">50944</a>	
<a href="#">49503</a>	Electronic Indicator, 4"/100mm Range
<a href="#">254z-24cal</a>	MASTER VERNIER HEIGHT GAUGE, 24IN, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE
<a href="#">16951</a>	
<a href="#">2900-2</a>	
<a href="#">63493</a>	Digital Micrometers 5" Micrometers, 5", .0001" Grad, C
<a href="#">63497</a>	Digital Micrometers 9" Micrometers, 9", .0001" Grad, C

<a href="#">256b</a>	
<a href="#">64358</a>	300mm Digital Micrometer
<a href="#">120mz_300</a>	
<a href="#">50246</a>	
<a href="#">70380</a>	
<a href="#">Pt06312</a>	
<a href="#">25_131j</a>	
<a href="#">20-6</a>	
<a href="#">52522</a>	
<a href="#">66923</a>	Dial Caliper
<a href="#">52497</a>	V-Anvil Micrometer 0.78-1" Range
<a href="#">50669</a>	
<a href="#">64222</a>	
<a href="#">486p-8caldu</a>	NO. 486,486M SERIES , BLADE TYPE MICROMETERS WITH NON-ROTATING SPINDLE AND SPEEDERS, 7-8 RANGE, .001 GRAD
<a href="#">10941</a>	
<a href="#">63260</a>	
<a href="#">53242</a>	
<a href="#">72279</a>	
<a href="#">14589</a>	Digital Caliper(for Internal Grooves)1.654-15"Rnge, Inch/Metr
<a href="#">63471</a>	6" Digital Micrometer
<a href="#">50526</a>	12" Master Vernier Caliper
<a href="#">51025</a>	
<a href="#">52173</a>	
<a href="#">52902</a>	Crankshaft Distortion
<a href="#">11453</a>	
<a href="#">70833</a>	
<a href="#">123mz-600</a>	
<a href="#">13962</a>	
<a href="#">68025</a>	
<a href="#">56415</a>	
<a href="#">71839</a>	
<a href="#">25-881j</a>	
<a href="#">1500-3a-5n</a>	End Node/Cat.#s 2000, 2001 & 3752
<a href="#">64892</a>	Magnetic Base Indicator
<a href="#">56694</a>	



<a href="#">10029</a>	
<a href="#">St4361cxrlz</a>	OUTSIDE MICROMETER, MEASURING RANGE MAX:6, GRADUATIONS:0.0001, MICROMETER RANGE:0-6, RESOLUTION:0.0001, ROHS COMPLIANT: NA
<a href="#">65892</a>	Power Source, Cables, Printer, Serial Impact
<a href="#">40081</a>	
<a href="#">13962-Ft</a>	
<a href="#">64312</a>	Outside Micrometer 575-600mm
<a href="#">64042</a>	Disc Type Micrometer, 0-1"
<a href="#">Sm 22</a>	
<a href="#">670b:Starrett</a>	Indicator Hole Attachment
<a href="#">667-9</a>	
<a href="#">57083</a>	1 11/16" Dial Indicator
<a href="#">64249</a>	9-10"/228-254mm Electronic Digital Micrometers
<a href="#">52312</a>	Vernier Depth Gages, 0-6"/150mm
<a href="#">64419</a>	16-17"/406-432mm Electronic Digital Micrometers
<a href="#">64998</a>	External Chamfer Gage
<a href="#">52465</a>	
<a href="#">65010</a>	Countersink Gage
<a href="#">Ss81a1</a>	GAGE BLOCKS
<a href="#">65874</a>	
<a href="#">Pt42030</a>	
<a href="#">15700</a>	
<a href="#">65878</a>	Remote Display
<a href="#">67143</a>	50mm Display Probe
<a href="#">64602</a>	
<a href="#">Pt13345</a>	
<a href="#">50102</a>	
<a href="#">53609</a>	
<a href="#">64355</a>	225mm Digital Micrometer
<a href="#">36092</a>	
<a href="#">50134</a>	
<a href="#">70929</a>	
<a href="#">269ma Taper Gage 2-12mm Range, 64mm Length, 10 Leaves</a>	
<a href="#">50549</a>	
<a href="#">51471</a>	36" Steel Straight Edge, Bevel

<a href="#">50035</a>	
<a href="#">66080</a>	Electronic Digital Micrometer 75-100mm Range
<a href="#">64960</a>	V-Blocks and Clamps
<a href="#">53607</a>	
<a href="#">66048</a>	
<a href="#">64992</a>	Internal Chamfer Gage
<a href="#">51076</a>	
<a href="#">55213</a>	
<a href="#">64187</a>	Electronic Gage Amplifier
<a href="#">55416</a>	Heavy Duty Dial Indicator Diameter Gage
<a href="#">269a:Starrett</a>	Taper Gage
<a href="#">64301</a>	Micrometers, 300-600mm (Metric)
<a href="#">797b-12/300cal</a>	
<a href="#">56422</a>	
<a href="#">55277</a>	
<a href="#">C635-1000cald</a>	
<a href="#">64499</a>	
<a href="#">63629</a>	
<a href="#">120am-150</a>	
<a href="#">51218</a>	3 Indicators 25-111J, 25-131J, 25-441J, Case
<a href="#">63499</a>	Digital Micrometers 11" Micrometers, 11", .0001" Grad,
<a href="#">50228</a>	
<a href="#">53001</a>	724LZ-60 54-60 RANGE TU
<a href="#">71755</a>	
<a href="#">6819918516</a>	
<a href="#">11112-4</a>	
<a href="#">51329</a>	
<a href="#">56417</a>	
<a href="#">13828</a>	
<a href="#">54042</a>	
<a href="#">36289</a>	
<a href="#">Rms2704</a>	EMS4 Readout/Data Collection System w/Tablet, Software
<a href="#">14864</a>	
<a href="#">799a-6/150cald</a>	
<a href="#">52316</a>	Vernier Depth Gages, 0-12"/300m
<a href="#">50627</a>	

<a href="#">65758</a>	
<a href="#">66009</a>	
<a href="#">53069</a>	
<a href="#">52421</a>	456MAZ 1-1/4-12MM MODULE
<a href="#">64427</a>	Micrometer 0-4"
<a href="#">52999</a>	724LZ-48 TUBULAR BOW TYPE MICROMETER 42-48RNGE
<a href="#">Sm 38</a>	
<a href="#">#5612 Edp No: 81822</a>	
<a href="#">36078</a>	
<a href="#">53115</a>	
<a href="#">1500-2-N</a>	
<a href="#">52494</a>	V-Anvil Micrometer .093-2" Range
<a href="#">50136</a>	Master Precision Square, 12" Blade, 7"Beam
<a href="#">52843</a>	
<a href="#">50666</a>	
<a href="#">56127</a>	Dial Comparator Stand
<a href="#">65002</a>	External Chamfer Gage
<a href="#">65909</a>	
<a href="#">64999</a>	External Chamfer Gage
<a href="#">56661</a>	
<a href="#">414-4cal</a>	
<a href="#">S78xtdz</a>	MICROMETER
<a href="#">65724</a>	
<a href="#">55971</a>	
<a href="#">57087</a>	
<a href="#">99307-12-10</a>	
<a href="#">56684</a>	
<a href="#">63691</a>	Internal Chamfer Gage
<a href="#">S829ez</a>	
<a href="#">50291</a>	
<a href="#">65888</a>	
<a href="#">52616</a>	
<a href="#">643j</a>	Dial Indicator
<a href="#">53236</a>	
<a href="#">51171</a>	
<a href="#">52907</a>	Inside Dial Gages, 2 3/8-18"

<a href="#">63200</a>	
<a href="#">56146</a>	Dial Comparator Stand
<a href="#">69885</a>	GageMux, 4 Ports
<a href="#">751z-6/150</a>	
<a href="#">50426</a>	
<a href="#">64051</a>	0-1" Digital Screw Thread Comparator
<a href="#">56616</a>	
<a href="#">154d 154d Adjustable Parallels / Justierbare</a>	
<a href="#">67099</a>	Blade Type Micrometer, 11-12" Non Rotating Spindle
<a href="#">51015</a>	
<a href="#">63071</a>	
<a href="#">25-11j - Please Give More Details</a>	
<a href="#">53806</a>	Dial Indicator, 9.000"Meas.Range
<a href="#">18c</a>	
<a href="#">50186</a>	
<a href="#">30672</a>	
<a href="#">52516</a>	
<a href="#">65237</a>	Outside Micrometer (3) 0-75mm Range
<a href="#">67650</a>	Portable Dial Thickness Gage
<a href="#">52745</a>	
<a href="#">61012</a>	
<a href="#">52314</a>	Vernier Depth Gages, 0-12"/300m
<a href="#">55460</a>	
<a href="#">52424</a>	456BZ 10-1 DIAMETRAL PIT
<a href="#">61010</a>	
<a href="#">67455</a>	
<a href="#">50676</a>	
<a href="#">56466</a>	
<a href="#">63495</a>	Digital Micrometers 7" Micrometers, 7", .0001" Grad, C
<a href="#">663l</a>	
<a href="#">51284</a>	
<a href="#">64428</a>	2-6" Digital Micrometer
<a href="#">51377</a>	
<a href="#">S78mxtfz</a>	

<a href="#">51037</a>	
<a href="#">667m-3</a>	
<a href="#">67494</a>	Pin Gage Set
<a href="#">12306</a>	Band Knife, 100'Coil, 3/4"x.022", Wavy, Double Bevel
<a href="#">53123</a>	
<a href="#">50535</a>	Master Vernier Calipers
<a href="#">50046</a>	
<a href="#">52926</a>	
<a href="#">56737</a>	
<a href="#">50087</a>	
<a href="#">51496</a>	48" Steel Rule
<a href="#">16171</a>	
<a href="#">65893</a>	
<a href="#">92845</a>	(PRICE/SET) SS81.A1X SQUARE STEELGAGE BLOCK SET W/ACC
<a href="#">60137</a>	
<a href="#">66089</a>	Electronic Digital Micrometer 300-325mm Range
<a href="#">50566</a>	24" Precision Bench Level
<a href="#">50616</a>	
<a href="#">55959</a>	
<a href="#">C635-1000cal</a>	
<a href="#">70538</a>	
<a href="#">68068</a>	0-75mm Micrometer Set
<a href="#">52632</a>	
<a href="#">50591</a>	
<a href="#">51561</a>	
<a href="#">21156601-29</a>	
<a href="#">50947</a>	
<a href="#">50297</a>	
<a href="#">83028</a>	
<a href="#">65118</a>	
<a href="#">124bz</a>	
<a href="#">56192</a>	C404R-120 120 STEEL RULE 4R GRAD
<a href="#">51547</a>	
<a href="#">Pt07358-8</a>	
<a href="#">36059</a>	
<a href="#">67674</a>	1-3/8"

<a href="#">25-341j</a>	
<a href="#">50057</a>	
<a href="#">12225</a>	
<a href="#">81-241j</a>	
<a href="#">62811</a>	Video Borescope 5.5mm Probe
<a href="#">70539</a>	
<a href="#">56411</a>	
<a href="#">Sa10</a>	
<a href="#">56368</a>	
<a href="#">64307</a>	Micrometers, 300-600mm (Metric)
<a href="#">53055</a>	Tubular Inside Micrometer 4-32" Range
<a href="#">12874</a>	
<a href="#">122111-6</a>	
<a href="#">66134</a>	Disc Type Micrometer, 0-1"
<a href="#">65225</a>	0-25.4mm Digital Micrometer
<a href="#">50027</a>	
<a href="#">51545</a>	
<a href="#">67111</a>	
<a href="#">66094</a>	Electronic Digital Micrometer 425-450mm Range
<a href="#">Pt11543</a>	
<a href="#">66091</a>	Electronic Digital Micrometer 350-375mm Range
<a href="#">51291</a>	
<a href="#">53057</a>	Tubular Inside Micrometer 100-1000mm Range
<a href="#">64250</a>	10-11"/254-279mm Electronic Digital Micrometers
<a href="#">66449</a>	Electronic Micrometer 0-1"
<a href="#">51463</a>	
<a href="#">67128</a>	Micrometer Heads, 0-50mm Range
<a href="#">64364</a>	Can Curl Micrometer
<a href="#">50906</a>	
<a href="#">C15811</a>	
<a href="#">65285</a>	
<a href="#">375212300</a>	ELECTRONIC HEIGHT GAUGE, 12IN, INSTRUMENT TYPE:HEIGHT GAUGE, MEASURING RANGE MAX:12, RESOLUTION:0.0005, ACCURACY:0.038MM, GRADUATIONS:0.1, MEASURIN
<a href="#">C331-300</a>	
<a href="#">65003</a>	Countersink Gage
<a href="#">72049</a>	

<a href="#">51324</a>	
<a href="#">70365</a>	
<a href="#">172a Edp 50649</a> <a href="#">0015'-015' Mastar</a> <a href="#">Block</a>	
<a href="#">65830</a>	
<a href="#">68035</a>	0-3" Outside Micrometer Set
<a href="#">54027</a>	
<a href="#">67961</a>	Heavy Load Indentor
<a href="#">54248</a>	
<a href="#">26364-0</a>	
<a href="#">50923</a>	
<a href="#">66896</a>	
<a href="#">51396</a>	12" Bevel Protractor
<a href="#">65876</a>	Remote Display
<a href="#">64486</a>	
<a href="#">63697</a>	External Chamfer Gage
<a href="#">40182</a>	
<a href="#">196b1</a>	
<a href="#">64217</a>	
<a href="#">66096</a>	Electronic Digital Micrometer 475-500mm Range
<a href="#">63444</a>	
<a href="#">63677</a>	Parallels and SETS, 6" (150mm)
<a href="#">53267</a>	
<a href="#">65832</a>	
<a href="#">25-161j</a>	
<a href="#">64276</a>	Depth Gages, 0-300mm Range
<a href="#">51080</a>	
<a href="#">T225f</a>	
<a href="#">71555</a>	
<a href="#">56244</a>	
<a href="#">99186-05-04-1/2</a>	
<a href="#">65877</a>	Remote Display
<a href="#">Saw Blades</a> <a href="#">For(St1101)</a>	
<a href="#">Pt61120</a>	
<a href="#">67125</a>	Micrometer Heads, 0-1" Range

<a href="#">71973</a>	
<a href="#">50706</a>	
<a href="#">56046</a>	V-Anvil Micrometer
<a href="#">S3732cxflz</a>	
<a href="#">64492</a>	
<a href="#">1202_6</a>	
<a href="#">67135</a>	Digital Bench Micrometer 0-1"
<a href="#">56283</a>	3 Indicators 25-161J, 25-181J, 25-881J, Case
<a href="#">Sm27</a>	
<a href="#">196f</a>	
<a href="#">C334-150</a>	
<a href="#">S167mcz</a>	
<a href="#">66926</a>	Master Vernier Calipers
<a href="#">S167cz</a>	
<a href="#">51307</a>	
<a href="#">Pt 99356 / Lever Control</a>	
<a href="#">56099</a>	Master Vernier Calipers
<a href="#">Please See Attached Photo</a>	0,004 inch = 1 pice 0,002 inch = 1 pice
<a href="#">65873</a>	
<a href="#">50558</a>	
<a href="#">2900_2</a>	
<a href="#">Fch1116</a>	
<a href="#">51137</a>	
<a href="#">Pt07771-0</a>	
<a href="#">51550</a>	
<a href="#">216mxrl-50cal</a>	
<a href="#">199z</a>	MACHINISTS MASTER PRECISION LEVEL, 15IN, TOOL BODY MATERIAL:CAST IRON, OVERALL LENGTH:15, ACCURACY:0.04MM, BODY MATERIAL:CAST IRON, LEVEL SIZE:15, R
<a href="#">66118</a>	0-25mm Digital Micrometer
<a href="#">68821</a>	Check Gages and Accessories +/-0.001" (0.0254mm)
<a href="#">36136</a>	
<a href="#">70823</a>	
<a href="#">52339</a>	Cylinder Gage 6"
<a href="#">64421</a>	18-19"/457-482mm Electronic Digital Micrometers
<a href="#">40119</a>	



<a href="#">51882</a>	Micrometers, 13-24" Range
<a href="#">S78xtcz</a>	MICROMETER
<a href="#">64302</a>	Micrometers, 300-600mm (Metric)
<a href="#">66568</a>	
<a href="#">2900-3-1</a>	
<a href="#">53537</a>	
<a href="#">20943</a>	C Impact Device for 3811A
<a href="#">68041</a>	0-4" Outside Micrometer Set
<a href="#">55151</a>	