

Stenflex



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Stenflex Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Stenflex T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

| ¼r¼n | A¼ıklama |
|---|--|
| Dn2100 Pn10 300mm 300mm | STENFLEX" RUBBER EXPANSION JOINT RUBBER COMPENSATOR WITH ROTATING FLANGES TYPE:C-1 RUBBER BELLOWS :EPDM PS-86279 |
| Dn1350 Pn10 300mm 300mm | STENFLEX" RUBBER EXPANSION JOINT RUBBER COMPENSATOR WITH ROTATING FLANGES TYPE:C-1 RUBBER BELLOWS :EPDM PS-86279 |
| length 200 | Input-Output Connection=200 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent |
| length 1750 | Input-Output Connection=100 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent |
| Length 1850 | Input-Output Connection = 100 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent. |
| length 1750 | Input-Output Connection=200 Rubber expansion joint consisting of rubber bellows with swivel flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex B-1 or equivalent. |
| KOMFL 100 | Kompensator, DN100/PN 16, EPDM |
| 11161600 | Customs tariff number: 40169997 STENFLEX rubber expansion joint according to Dimension sheet: GR-SAE / 1-D15, GR-SAE / 2-D15 Type: GR-SAE Nominal size: DN 80 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: aluminum Hole pattern of the flanges: SAE 3000psi Corrosion protection flange: untreated Overall length (BL): 130 mm |

| | |
|--|---|
| AS-1/1-D15, AS-1/2-D15 | STENFLEX rubber expansion joint according to Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 150 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm Customs tariff number: 40169997 |
| BELLOW RUBBER DN200 L:205MM EPDM | |
| BELLOW RUBBER DN200 L:168MM EPDM | |
| BELLOW RUBBER DN125 L:175MM EPDM | |
| A-1/1-H21 | STENFLEX rubber expansion joint according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal size: DN 40 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm |
| A-1/1-H21, A-1/2-H21 | STENFLEX rubber expansion joint according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal size: DN 50 Material bellow: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm Customs tariff number: 40169997 |
| Bild | |
| Type A PN16 DN200-BL175 EPDM | |
| Type A PN16 DN600-BL250 EPDM | |
| Type A PN10 DN700-BL275 EPDM | |
| Type A PN16 DN800-BL275 EPDM | |
| Type A PN10 DN900-BL285 EPDM | |
| A-1/1-H21, A-1/2-H21 PN10 | STENFLEX rubber compensator Type: A-1 Nominal width: DN 700 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: hot-dip galvanized Length (BL): 275 mm |
| A-1/1-H21, A-1/2-H21 PN16 | STENFLEX rubber compensator Type: A-1 Nominal width: DN 700 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: hot-dip galvanized Length (BL): 275 mm |
| 11373700 | Customs tariff number: 40169997 STENFLEX rubber compensator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal diameter: DN 125 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm |
| 11161700 | STENFLEX Gummikompensator GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal diameter: DN 100 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm |
| SF-10/1/2/3/4-H21 | 15700500 STENFLEX steel compensator Type: SF-10 Nominal width: DN 50 Material bellows: 1.4541 Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 155 mm Movement (+/-): ± 18mm axial at design pressure |
| AS-1/1-H21, AS-1/2-H21 (150 mm) | 11373600 STENFLEX rubber compensator Type: AS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm |

| | |
|---|---|
| RS-1/1-H21, RS-1/2-H21 (130 mm) | 00016316 according to dimension sheet: RS-1/1-H21, RS-1/2-H21 Type: RS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 130 mm |
| 11161500 | Rubber compensator GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal width: DN 65 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm |
| 11374800 | Rubber compensator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal diameter: DN 50 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 125 mm |
| 11375300 | Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 150 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm |
| 11373800 | Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 150 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm |
| 11369500 | Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 200 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: galvanized Length (BL): 175 mm |
| 11368000 | Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 200 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: galvanized Length (BL): 175 mm |
| COMPENSATOR RUBBER DN200 PN16 L:175mm | 3 nbr, 3 epdm |
| AS-1/1-H21, AS-1/2-H21 | STENFLEX rubber compensator Type: AS-1 11375500 Nominal width: DN 200 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 175 mm |
| 11161800 | according to dimension sheet: GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal diameter: DN 125 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm |
| COMPENSATOR RUBBER DN150 PN16 | NBR |
| COMPENSATOR RUBBER DN150 PN16 | EPDM |
| COMPENSATOR RUBBER DN200 PN16 L:175mm | NBR |
| COMPENSATOR RUBBER DN200 PN16 L:175mm | EPDM |
| Type AS-1 DN125 PN16 Medium – Water | Flange outer diameter – 250 mm |
| Type AS-1 DN40 PN 16 Medium – Water | Flange outer diameter – 150 mm BL(overall length) – 125mm |
| Ruber Below | NBR/DN200DN200 PN16, BL175, Type AS-1 , red/blue, Steel wire cord reinforcement Stenflex TÜV/DIN 4809 |
| Ruber Below | EPDM/DN200DN200 PN16, BL175, Type AS-1 , orange/blue, Steel wire cord reinforcement Stenflex TÜV/DIN 4809 |

| | |
|---|---|
| Ruber Below | NBR /DN150DN200 PN16, BL150, Type AS-1 , red/blue, Steel wire cord reinforcement, with vacuum supporting ring Stenflex TÜV/DIN 4809 |
| DN 200 PN 16 EPDM L LENGTH: 175 MM | |
| DN 200 PN 16 NBR L LENGTH: 175 MM | |
| DN 200 PN 16 VACUUM RING NBR L LENGTH: 175 MM | |
| DN 50 PN 16 VACUUM RIN NBR L LENGTH:125 MM | |
| DN 50 PN 16 NBR L LENGTH: 125 MM | |
| GR-SAE DN125 PN 16 | |
| DN 32 mm. | |
| DN 40 mm. | |
| DN 50 mm. | |
| Liste am anhang | |
| TYPE A | FLANGES=St37-2 SERIAL NO=20654 Size DN 200, rubber type NBR. |
| A245614 | M/E COOLING WATER COMPENSATOR PHONEIX / A245614 / TYP(AS) / DN 125 PN 16 |
| c1 | |
| EXPANSION JOINT DN125,PN16,L:120MM,RUBBER | |
| am anhang | |
| A DN100 PN16 BL150 | |
| DN350 PN16 BL200 A1 | |
| Rubber compensator type A DN700 PN16 – EPDM | |
| 11373500-00, As-1, Dn 100, Pn 16 | |
| Type Rs – 1 / Universal-Expansion Joint , Without Resistant | |
| 00003209 | |
| 00003211-00 | |
| Dm A1-Dn40pn16 | |
| As-1 Dn 125 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 125 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm |
| 11373500 | STENFLEX rubber compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 80 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm |
| 11162800-00 | |
| 11162900-00 | |

| | |
|--|--|
| 11163400 Type A-1 | |
| Art. Nr. 11161700-00 | |
| 11375200-00 | |
| As-1 Dn200 Pn16 Hot Verzinkt | |
| As2n125 | |
| 11161400-00 | |
| 11163100-00 Gummi- Kompensator | |
| 10pga31aa701 Compensator | |
| 11373700-00, Dn 125, Pn 15 | |
| 00016319 | |
| 11162400-00 Rubber Expansion Joint | |
| 11161800-00 | |
| 11152900-00 | |
| 11153300-00 A-1 | |
| 11375600-00 | |
| 11153300-00 Gurnmi - Kompensator | |
| Sa10-Dn150 | |
| 11161700-00 Gummi - Kompensator | |
| Kompensatoren | Mass: DN80 PN16 |
| 11162200, Type A-1 | |
| 11153300-00 | |
| Art.No. 00007994-00 Type : Ar-1 | |
| As-1 Dn 32 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 32 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm |
| Sa10-Dn100 | |
| 11373800 , Type: As-1 Dn150 | |
| As-1 Dn 50 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 50 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm |
| 11373600 , Type: As-1 Dn100 | |
| 11162600-00 A-1 | |
| 11373400 | STENFLEX rubber compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 65 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm |
| 11369500-00 | |

| | |
|---|---|
| Adn 100 Dn Pn 16 Epdm Orange/Blue | |
| 11153300 Type A-1 (Dn 100) | |
| Type P-1 | |
| 00013592-00 | |
| As2n100 | |
| 00001323-00 | |
| 11152100-00 Gummi - Kompensator | |
| 11525400 | |
| 51898100-00 | |
| 11164100-00 | |
| 00004863-00 (Typ A-1) Gummi-Compensator | |
| ArtikeInr. 11152300-00 | |
| 11162300 | STENFLEX rubber compensator gem. Dimension sheet: A-1/1-D15, A-1/2-D15 Type: A-1 Nominal size: DN 40 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm |
| 11189300-00 | |
| 11373700-00 | |
| 11162600-00 A-1 / Dn 80 Epdm Pn16 Bl 150 Pn16 | |
| 00015368 Type Ar-1 | |
| A-2 Dn800 L=275mm | |
| 11375100-00 | |
| Sa10-Dn125 | |
| As-1 Dn200 Pn16 Zink Galvanized | |
| As-1 Dn100 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm |
| As-1 Dn40 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 40 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm |
| 11161700 - 00 | |
| 11373400-00, Dn 55, Pn 16 | |
| 11373600-00 | |
| 1,003876030810md Dn65 Pn25 Dn100 Pn16 | |
| 11162600 , Type A-1 | |

| | |
|---|---|
| Art.No. 11161400-00 | |
| Art.No. 11375200-00 Type: As-1 | |
| As-1 Dn 25 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 25 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Special design flange: with threaded holes Overall length (BL): 125 mm |
| Art.No. 11161800-00 Type Gr-Sae | |
| 11162800 , Type A-1 | |
| Sa10-Dn200 | |
| 11164200-00 | |
| 00022583-00 Stahl-Kompensator | |
| Product Code : Eps53/58-080-E,P | |
| 11373200-00 | |
| As Dn125 Pn 16 | |
| 10pgb51aa701 Compensator | |
| 11164300-00 Gummi- Kompensator Typ A-1 | |
| 11153300-00 A-1 / Dn100 Epdm Pn 16 Bl150 Pn16 | |
| 11375500-00 | |
| 11375300-00 | |
| Art.No. 11363200-00 Type: As-1 | |
| As-1 Dn65 | STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 65 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm |
| 11373500-00 | |
| R1 Dn65 Pn16 | |