

Stransky A Petrzik

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Stransky A Petrzik Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Stransky A Petrzik Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
10 1010160010400130	
1010150003200650	
1010150003209999	
1010160000630460	
1010160010400130	
1100100000500170	
1110110000200210	
1110150000250400	
1250101140250016	
1250111010200005	
1250501001000030	
125050100100030	

1251701140250016
2000018261009999
2000026150320100
2000067690400018
2000158593200245
2000158593209999
2000158674000185
2000160084000040
2000189340409999
2100900000500100
2100900000630120
2101320003200000
2202501101102000
3020000604000010
681500 NSEV75C
Di
DNCS-125-220-PPV-M-SA-SGS-1
DNCS-400-400-PPV-M-SA-1
DSC32B025-Stransky
Dt
Fn
KT-21P
Ln
Lo
N05HBDZ2ML00061
N135C-008-002
NSE25K
NSEV37C
NSEV75C
nt

P100-008-006
P100-010-008
P100-012-010
P108-006-000
P108-006-001
P108-010-003
P108-012-003
PMVFA240
PMVSC2204E1A220
Po
PRCE-1
P108-006-002
2000067690400018 Zylinderpneumatic Cylinder,Special Piston Rod Dia.40, Stroke 18 Mm
?108-006-001 Fitting D-6mm Gewinde G1/4"
1010160010400130 Pneumatic Cylinder
1010160010400130 Pneumatic Cylinder Vdmadia: 40 Mm; Stroke: 130 Mm Option 01
2100900000630120 Pneumatic Klocker Durchmesser: 63mm; Stroke 120mm Standard
Nsev37c Quick Exhaust Valvequick Exhaust Valve "g3/8""
1010160000630460 Pneumatic Cylinder Iso 6431dia: 63mm; Stroke 460mmcushioning. Magnet
2000067690400018 Pneumatic Cylinder,Special Piston Roddia.40, Stroke 18 Mm
3020 0008 0600 0010
Pmacp300-8a-Bsp Frl Air Preparation Unit,Series Macp300 "g1/4", Gauge"
2000 1600 8400 0040 Pneumatic Equipment

Rce
2000158593200245 Special Pneumatic Cylinder Tandem
1010160010400130 Pneumatikzylinder
1100100000500170 Pneumatic Cylinder Iso Dia: 50mm; Stroke 170mm Standard, Without Magnet
Nse25k Silencer, Sintered Plastic Peg1/4 (673200)
2000158674000185 Pneumatikzylinder
Pmvfa240 Foot Actuated Valve 4/2 "g1/4"; Without Detent" Mvfa-240-8a-Bsp
Pmacp-300-8a-Bsp
2000018261009999 Repair Kit For Cylinder
1250101140250016 Double Acting Pneumatic Cylindershort Strokedia: 25mmstroke: 16mmoption: 14
3020 0006 0400 0010
2100900000500100 Pneumatic Knocker Durchmesser: 50mm; Stroke 100mm Standard
?100-008-006 Kupplung D8*6mm
681500 Nsev75c Quick Exhaust Valve "g3/4"" Nickel Plated Brass
2000067690400018 Pneumatic Cylinder
Dngs-400-400-Ppv-M-Sa-1 Special Pneumatic Cylinder Type Cz
1010160010400130 Pneumatic Cylinder Vdma Dia: 40 Mm; Stroke: 130 Mm Option 01
2101320003200000 Swivel Flange With Spherical Bearingsdia: 320mm Vdma Standard
2000026150320100 Special Pneumatic Cylinder Dia: 32mm; Stroke 100mm A-2615 (702615)
?108-012-003 Fitting D-12mm Gewinde G1/2"
Dngs-125-220-Ppv-M-Sa-Sgs-1 Zylinder

125050100100030 Pneu. Cylinderdia: 100mm, Stroke 30mm
2000067690400018 Pneumatic Cylinder,Special Piston Rod Dia.40, Stroke 18 Mm
10 1010160010400130 Pneumatikzylinder Dia: 40 Mm; Stroke: 130 Mm
3020000604000010 Schlauch Pu- Polyurethane Tubes 6/4 Blue
1010160010400130 Pneumatic Cylinder Vdma
N135c-008-002 Unidirectional Push-In Flowcontrolvalves "g3/8"; 8/6"
Dsc32b025-Stransky Cylinderd: 32mm, Stroke: 25mm
?108-010-003 Fitting D-10mm, Gewinde G1/2"
?100-010-008 Kupplung D10*8mm
?108-006-000 Fitting D-6mm Gewinde G1/8"
N05hbbdz2ml00061 Valve With Sub Base Double Z-Board
2000067690400018 Pneumatikzylinder
Nse10s
Kt-21p Position Sensorvoltage Ub [b] 5 - 30 Dc
1010160010400130 Pneumatic Cylinder Vdma Dia: 40 Mm; Stroke: 130 Mm
1110150000250400 Pneumatic Cylinder Vdma Dia: 25 Mm; Stroke: 400 Mm
?108-006-002 Fitting D-6mm Gewinde G3/8"
1110110000200210 Druckluftzylinder
Nsev75c Quick Exhaust Valve "g3/4""nickel Plated Brass
2202501101102000 Position Sensor
?100-012-010 Kupplung , D12*10mm