



Stucchi

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Stucchi Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Stucchi Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
3423-B-E-IRBO	SVK socket IRBO 3/4 "BSP size 4 pieces 1,014.60 ISO 7241-1 B - Brass EPDM seal Data sheet attached. Presumably IRBO series with EPDM seal, please check
1222-B-BIR	SVK-Muffe BIRG 1/2" BSP Bgr. 3 ISO 7241-1 A Weight: 0.2460kg / 7.3800kg
3423-B-IRBX	SVK-Muffe IRBX 3/4" BSP Bgr. 4 ISO 7241-1 B Stainless steel - O-ring Viton Housing in AISI 316 / 1.4401 Stainless steel spring and ball Brass guide Weight: 0.5760 kg / 17.2800 kg
Multi Fix Gr10 8A V03- SN: 870004125	
Multi Mobile Gr10 8A V03-SN: 870004225	
Fix Multicoupling Gr 175x117xV03-	: 815606286
Multicoupling Gr 180x120xV01	815606259
VU12-BSP-5-PSI	Check Valve 1/2 inch: Maximum operating pressure: 300 bar Burst pressure: 1200 bar Maximum suggested flow: 90 L/min BSP thread
VU38-BSP-5-PSI	Check Valve 3/8 inch
VU200-BSP-5-PSI	Check Valve 1 inch: Up to 350 bar, up to 600 L/min Sizes from 1/8 up to 2 Standard opening pressure of 5 PSI (0.35 bar) and 65 PSI (4.5 bar)
VU100-BSP-5-PSI	Check Valve 1 inch: Up to 350 bar, up to 600 L/min Sizes from 1/8 up to 2 Standard opening pressure of 5 PSI (0.35 bar) and 65 PSI (4.5 bar)
12 VU-0,35	Check valve G 1/2 "BSP galv. PN 0.35; 5 PSI
1/4" BSP Bgr. 1	

1001204-QV-B
10014-B-BIR
10014-VEP-B
10015-A-1SAE
10025-A-1SAE
1141105-B-QV
1141205-QN-B
121102-B
121102-N
121203-A-B-QN
121203-A-N
1212-B-BIR
1213-VEP-B
1222-A-15L-OK
1223-VEP-B
1223-VEP-B SCHRAUBMUFFE VEP13P 1/2" BSP BGR. 3
1345/FAU-10,5
1345/MAU-10,5
16 S (m-24)
1602/VCB-M-5
1810-A-B
1810-A-N
1820-A-N
1820-B-IRB
3345/FAU-10,5-TR
341203-B
341204-A-B-QN
3413-B-BIR
3701/A
381202-BE

[3812-B-BIR](#)

[402/VA](#)

[4730-12-329-0946](#)

[7241-1](#)

[800.000.000](#)

[800.000.023](#)

[800.501.001](#)

[800201008](#)

[800500002](#)

[800500003](#)

[800500004](#)

[800500005](#)

[800501008](#)

[800501009](#)

[80080000](#)

[800800000](#)

[800800002](#)

[800800003](#)

[800800006](#)

[800800008](#)

[800800009](#)

[800900006](#)

[800900007](#)

[800900010](#)

[800900011](#)

[800900206](#)

[800900207](#)

[800900210](#)

[800900211](#)

[800900212](#)

[800900213](#)

[801300002](#)

[801300003](#)

[801300008](#)

[801300031](#)

[802.400.115](#)

[802000115](#)

[802400100](#)

[802400101](#)

[804600101](#)

[804600104](#)

[804600105](#)

['804601106](#)

[804601107](#)

[807.200.006](#)

[807.200.007](#)

[807.200.010](#)

[807.200.011](#)

[807.300.002](#)

[807.300.003](#)

[807200012](#)

[807200013](#)

[807200016](#)

[807200017](#)

[807300004](#)

[807300005](#)

[807300007](#)

[807301011](#)

[807301017](#)

[808.101.015](#)

[808100014](#)

808100015
809500003
809608000
809608012
809608013
810200104
811201000
811201001
815.700.348
815000005
815000014
81500005
815305053
815305054
815405012
815405013
816005002
816005003
822-B-BIR
8242 B
8248
8249
A17-MUFFE1"SAE BGR.4
A5 HP-Muffe 3/8" NPT Bgr. 1
B16
F. VD 100 S25
F. A7 14 NPT
F. BIR 114 BSP
FAQ 13P - Muffe 1/2" BSP
FF1004

FIRG 1/2" BSP Bgr. 2	
FIRG 3/4" A BSP Bgr. 4A	
FIRG 34M	
FIRG-MUFFE 1/2" BSP BGR. 2	
FIRG-MUFFE 1/2" BSP BGR. 2 ISO 16028 - DN 10	
FIRG-MUFFE 1/4" BSP BGR. 1 ISO 16028 - DN 6,3	
FIRG-MUFFE 3/4" A BSP BGR. 4A	
FIRG-MUFFE 3/4" BSP BGR. 3	
H 11 F - FIRG 38 BSP	
IRB 1	
M. A7 14 NPT	
M. BIR 114 BSP	
M. IR 38V NPT	
M. VD 100 S25	
MULTI CFP 70	
QRC12FBF	
QRP04FBF	
QRP12FBF	
SKS IG 1/4" NPT PN 700 DN 6	
SVK-MUFFE IRBX 3/4" BSP BGR. 4	
VEP 21 1 1/4 1223-A-B	
VEP13P 1/2 BSP	
VEP13P 1/2" BSP 1213-VEP-B Gewicht: 0,5900 kg / 0,5900 kg	
141201-B	FIRG sleeve 1/4" BSP Bgr. ISO 16028 - DN 6.3 Attention: Operating pressure of the uncoupled sleeve = 120 bars. Weight: 0.1400kg / 7.0000kg
141101-B	FIRG male 1/4" BSP size 1 ISO 16028 - DN 6.3 Weight: 0.0860kg / 2.1500kg
1810-B-IRB	SVK connector IRB 1/8" BSP size 0 ISO 7241-1B Weight: 0.0180kg / 0.1800kg
Coupling -F-BIR V12 BSP-E 21 DORUK	

Coupling -M-BIR V12 BSP-I 20 DORUK	
QUICK COUPLING 1/2" FL13N FEMALE	
MALE QUICK COUPLING 1/2" FL13N	
1222-B-BIR-V	SVK-Muffe BIRG 1/2" BSP Bgr. 3 Viton ISO 7241-1 A
F-FIRG 14SA	
1411-B-IRB-V	SVK connector IRB 1/4" BSP size 1 ISO 7241-1 B - Viton
114991	SVK sleeve BIRG 1/2" BSP size 3 ISO 7241-1 A ; VITON
117427	SVK connector BIRG 1/2" BSP size 3 ISO 7241-1 A ; VITON
130651 (old: 141201-B)	FIRG sleeve 1/4" BSP size 1 Compatible with ISO 16028 - DN 6.3 Attention: Operating pressure of the uncoupled sleeve = 120 bar.
130470 (old: 1222-A9-6)	Parking station for GR6 DN 09 GR3 DN13 / GRI3 / GRI4 / GRB4 INDEX 01
135758 (old: 381102-B-V-FL)	FIRG connector 3/8" BSP FL9 size 2 Compatible with ISO 16028 - DN 10 - Stainless steel Viton
135835 (old: 381202-B-V-FL)	FIRG sleeve 3/8" BSP FL9 size 2 Compatible with ISO 16028 - DN 10 - Stainless steel Viton
135455 (alt: 3414-AA-B)	A15-Stecker 3/4" BSP Bgr. 4A ISO 16028 - DN 16
135677 (alt: 3424-AA-B)	A15 socket 3/4" BSP size 4A ISO 16028 - DN 16
128767 (alt: 10014-A-B)	A17 plug 1" BSP size 4 ISO 16028 - DN 19
128832 (alt: 10024-A-B)	A17 socket 1" BSP size 4 ISO 16028 - DN 19
130125 (alt: 121102-B)	FIRG connector 1/2" BSP size 2 compatible with ISO 16028 - DN 10
130309 (alt: 121202-B)	FIRG socket 1/2" BSP size 2 compatible with ISO 16028 - DN 10
130204 (alt: 1212-A-B)	A9 plug 1/2" BSP size 2 ISO 16028 - DN 10
117427	SVK plug BIRG 1/2" BSP size 3 ISO 7241-1 A ; VITON Origin: Italy Customs tariff number: 84812010
1601/VAB-M	POLES:2P+T, 16A/250VAC, T120, IP20, III/2, POLYAMIDE BODY, SILVER PLATED BRASS CONTACTS, SCREW FIXING
1602/VAB-M	POLES:2P+T, 16A/250VAC, T120, IP20, III/2, POLYAMIDE BODY, SILVER PLATED BRASS CONTACTS, SCREW FIXING
135852 (old: 3822-AB)	
135769 (old: 3812-AB)	
Firg-Muffe 3/4quot; A Bsp Bgr. 4a	

141201-B-Qv
1222-A-15I-Ok Quick Disconnect Coupling
1222-B-Irbx
381202-B-Qv
1001204 B
807304013
807300014
808100014 Brs F. Vep21hd 1-1/4 Bsp Buchse
807301007
801300040
1411-B-Irb
801300050
807301014
80654005
807300015
807300018
8068010001 Coupler F.A13hd 1/2npt
F-İp12-C16
10024-Vep-B Schraubmuffe Vep17p 1quot; Bsp Bgr.4
381102-N
16/Ast
800800001
Fırg 34f
14 Vu-4,5 Rueckschlagventil L11an Stand.
3423 Ae 15l Ok
807301013
807301015
00824700 Skm Ag 1/4 Npt Pn700 Dn6 Schraubkupplung-Muffe

F-Irb 38 Bsp 3/8 Iso B
Faq 13pa - Muffe 3/4quot; Bsp
807301012
8247, 00824700 Skm Ag 1/4
3812-B-Irbx
801300013
80654004
1222-B-Bir Svk-Muffe Birg 1/2quot; Bsp Bgr. 3
807200013 Brs M. Vep17p 1" Bsp Nippel
800800004
3414-B-Ir
1810-A-N A4-Stecker 1/8" Npt Bgr. 0iso 16028 - Dn 4
121202-Qv-B
141101 B
F Irbx12 Npt Quick Release Kit
807300019
16 Ast
1820-A-N A4-Muffe 1/8" Npt Bgr. 0iso 16028 - Dn 4
M-A4-A16 Jag Female
824600824600
Firg 1/2quot; Bsp Bgr. 2
800201008 (F. Ivhp Ã188;? Npt Ext) Female Coupler
800501009 Svk-Steckerbirg 1" Npt Bgr. 6
Firg-Muffe 1/2quot; Bsp Bgr. 2
Irbx38 Ss Female
14 Vu-4,5
1212-Vep-1/2sae
1212 Vep 1 2sae

3423-Ae-15l-Ok
Ff A Bsp 1/8 Nippel
805201005 Nipple M.Apm 13 1/2npt
14 Vu-0,35 Sae
1411-A-B, A7-Stecker 1/4quot; Bsp Bgr. 1
F-Bir 12 Bsp I 14 Kupplung Quick Release
141201-B
Firg-Muffe 3/4quot; Bsp Bgr. 3
M-A4-A16 Jag Male
801300014
Ff1004 Steckdose
1213-Vep-B Schraubstecker Vep13p 1/2quot; Bsp Bgr. 3
801304016
1421-A-B, A7-Muffe 1/4quot; Bsp Bgr. 1
Vep 13 1/2 1223-A-B
1222 Vep 1 2sae
1212-A-B
1810 B Irb
Stucci-F-Bir12 Bsp-E12
807200012 Brs F. Vep17p 1" Bsp Rosette
381202-N
14 Vu-0,35
Irbx12 Ss Female
8246, 00824600 Sks Ig 1/4quot;
Rhz35l-Ag 1 1/4
10024-Vep-B
A13-Muffe 3/4quot; Bsp Bgr. 3 Viton
801300051

Fırg Stecker 3/4quot; A Bsp Bgr. 4a 824700824700
808100015 Brs M. Vep21hd 1-1/4 Bsp Nippel
800800020
800900105 M
801300041
3811 B Hp
800900104 F
1212-B-Irbx
Irbx38 Ss Male
800501008 Svk-Muffebırg 1" Npt Bgr. 6
1212 B Bir
Irbx12 Ss Male
3811-B-Hp
Fırg 100f
10014-Vep-B Schraubstecker Vep17p 1quot; Bsp Bgr.4
3423-Vep-3/4sae
Fırg-Muffe 1/2quot; Bsp Bgr. 2 Iso 16028 - Dn 10
M-Bir 12 Bsp I 15 Kupplung Quick Release
3413 A 15l
11216-Vep-B
141101-B
3414-A-Vep-3/4sae
800800005
802404117
3413-A-15l
1222-B-Bir
800800004 Steckdose 2ffn38-Gas F 3/8 Bspp

112 D M Vep 30 Hd
141101-B Firg-Stecker 1/4" Bsp Bgr. 1iso 16028 - Dn 6,3
00824600 Sks Ig 1/4quot; Npt Pn 700 Dn 6 Schraubkupplung-Stecker
3702/V-N
3812-A-B
Firg-Muffe 1/4quot; Bsp Bgr. 1 Iso 16028 - Dn 6,3
1223-Vep-B Schraubmuffe Vep13p 1/2quot; Bsp Bgr. 3
80654006
1001204-B
1222-Vep-1/2sae
800501003
F-Vep17sn 1 Bsp-F09
Firg-Muffe 1/2quot; A Npt Fl13 Bgr. 3
M-I12gs-L14
Faq 13p - Muffe 1/2quot; Bsp
121102-Qv-B
M-A9 1/2 Bsb-L 15
800800021
F-Firg
100 D Fap 17 A
3413-B-Bir SvK-Stecker Birg 3/4" Bsp Bgr.4 Iso 7241-1 A
Firg 34m
381102-B-Qv
Vep 45 2
1222 B Bir
81500013
800800005 Nippel 2ffn38-Gas M 3/8 Bspp
Firg 3/4quot; A Bsp Bgr. 4a

3822-A-B	
1212-B-Bir	
130629 (old: 141101-B-BK)	FIRG connector 1/4" BSP size 1 Compatible with ISO 16028 - DN 6.3 with backup ring seal (O-ring + backup ring)
807301006	
Ff A Bsp 1/8 Steckdose	
3822-B-Irbx	
M Irbx12 Npt Quick Release Kit	
3424-A-Vep-3/4sae	
'800800000	
Mir 38v	
341203-B Schnellkuplungfirg-Muffe 3/4" Bsp Bgr. 3iso 16028 - Dn 12,5	