

Suhner

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin

info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Suhner Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Suhner Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
LSA 70 SUHNER	STRAIGHT GRINDER
QUILLmaster BEM 12-Machining unit	- Drilling capacity 12 mm / 600 N / mm ² - total stroke 80 mm - braked stroke 50 mm - Feed force at 6 bar 1,470 N - Runout accuracy 0.02 mm - Drive three-phase motor 0.75 kW / 2,900 min ⁻¹ or three-phase motor 0.55 kW / 1,450 min ⁻¹ Please specify accordingly in the case of an order! - Tool holder collet ER 25 - Limit switch electrical - Please specify speed

when ordering, possible speed levels see data sheet -
Weight approx. 26 kg Order no. Catalog page A 30

[03002602](#)

[03003801](#)

[03004802 WS 10 X 2000 DIN 10 / G 28](#)

[04979001](#)

[05064901](#)

[05252102](#)

[05726701](#)

[05727401](#)

[05795702](#)

[05796211](#)

[05881003](#)

[05935102](#)

[05972008](#)

[05972086](#)

[05988908 BEX 15/12 ISO 30
0.75KW/2900 U 2110](#)

[11000807](#)

[11002007](#)

[11323](#)

[14010900](#)

[50 697 13](#)

[50000052](#)

[6000 2Z](#)

[78 Z-0-7-2](#)

[82001006](#)

[90256600 44 \(Paste\)](#)

[90337300 22 X 0.5](#)

[90717800](#)

[BEA -25-CNC-ISO 30](#)

BEM 12-13	
BEM 12-7 0.75KW/2900 U/MIN	
BEM 20 -125 ISO 30	
BEM 20-125	
BEM 25 H	
BEM 25 H-ISO	
BEM 28	
BEM 6	
BEX 15/12 ER 25	
BEX 15/12 HSK 50	
BT-30/ABS40-B16	
HSK 63	
KA 25/1.5 FOR BSGV 6/16	
LGS 30 D	
LSA 81 SU	
LSB 35	
LSB44-E	
LWB 20	
NR. 40001543	
POLY DRILL MH-20/10	
RG 7 1:3 G 28 / G 28	
SPANNZANGE 6.0 MM	
UA 15 PH - S	
UAD25-RF	
UBC 10-R 230 V	
WE 1 10 x 8,0	
MHFS 5-130-2	40009550 LAS WELDON 5 3°OBEN 70,10
100044816	Motor 0.37kW 3000 min-1 W14
	Machining spindle with motor - Angular contact ball bearings suitable for max. axial feed force 14,000 N - Drilling performance 50 mm / 600 N/mm ² - max. torque 400 Nm - Max. speed 5,000 rpm - Timing belt drive 8MR-50 - Translation MR Z28, SR Z56 - Concentricity 0.01 mm - Tool

SPINDLEmaster MAX 40 R HSK-C 63	holder HSK-C-63 including 4-point clamping set - prepared for internal coolant supply through HSK spindle - Weight approx. 66 kg (without motor) Included option: - Drive three-phase motor 7.5 kW / 1,450 rpm Spindle speed approx. 750 min ⁻¹ - Color RAL 9011 / graphite black
05264301 Kontaktrolle D50x40 Bsg 10/50-2	
90094800	
Art.No. 11119801 Usk 15r 230v Vde 1.5kw	
Spz5032501	
90094200	
04826501	
57 170 01 Fh 10 10 Mm	
Bem 12 D	
11 Mmcx-50-2-1c	
1120601 (Ukc 3r)	
030 007 02	
Na 10x1000 G28/G28	
05798006	
57 773 01	
48 265 01 Fh 12 12 Mm	
N3263	
057 170 01	
Lwe 10 Top	
11003202	
05762002 Ka 16/9	
50 325 01	
52 630 01 Bsg 10/50	
05756003	
05762006 Ka 25/1.5	
05203405	
Max 40 Co Hsk 63	

16 Mmcx-50-2-1c	
Lfb44-Er	
5880805	Brake cylinder with release HB 50E
49 530 01 Fh 7 6 Mm	
30000005 Rep.39	
Lfb44-EI	
N32	
049 530 01	
64 597 01	
78 518 10	
111 236 01 Upk 5-R	
Llh7	
Bem 12	
05205657	
52 948 05	
3785703	
Ws 10x1000 G28/G28	
74-Z-0-3-6	
30004980	
Hb50	
Pinza Per Llh7	
Xw9941001x / 8840 - 05	
90094500	
030 026 02	
3785701	
52 952 05	
78 933 01	
16 Mmcx-50-2-10	
A 5050 B	
74-Z-0-2-1	
03003002	

[10628-Kyrzwelle](#)

[030 057 01](#)

[89-740](#)