

## Suhner

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin

**info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Suhner** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Suhner Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">LSA 70 SUHNER</a>	STRAIGHT GRINDER
<a href="#">QUILLmaster BEM 12-Machining unit</a>	- Drilling capacity 12 mm / 600 N / mm <sup>2</sup> - total stroke 80 mm - braked stroke 50 mm - Feed force at 6 bar 1,470 N - Runout accuracy 0.02 mm - Drive three-phase motor 0.75 kW / 2,900 min <sup>-1</sup> or three-phase motor 0.55 kW / 1,450 min <sup>-1</sup> Please specify accordingly in the case of an order! - Tool holder collet ER 25 - Limit switch electrical - Please specify speed

when ordering, possible speed levels see data sheet -  
Weight approx. 26 kg Order no. Catalog page A 30

[03002602](#)

[03003801](#)

[03004802 WS 10 X 2000 DIN 10 / G 28](#)

[04979001](#)

[05064901](#)

[05252102](#)

[05726701](#)

[05727401](#)

[05795702](#)

[05796211](#)

[05881003](#)

[05935102](#)

[05972008](#)

[05972086](#)

[05988908 BEX 15/12 ISO 30  
0.75KW/2900 U 2110](#)

[11000807](#)

[11002007](#)

[11323](#)

[14010900](#)

[50 697 13](#)

[50000052](#)

[6000 2Z](#)

[78 Z-0-7-2](#)

[82001006](#)

[90256600 44 \(Paste\)](#)

[90337300 22 X 0.5](#)

[90717800](#)

[BEA -25-CNC-ISO 30](#)

<a href="#">BEM 12-13</a>	
<a href="#">BEM 12-7 0.75KW/2900 U/MIN</a>	
<a href="#">BEM 20 -125 ISO 30</a>	
<a href="#">BEM 20-125</a>	
<a href="#">BEM 25 H</a>	
<a href="#">BEM 25 H-ISO</a>	
<a href="#">BEM 28</a>	
<a href="#">BEM 6</a>	
<a href="#">BEX 15/12 ER 25</a>	
<a href="#">BEX 15/12 HSK 50</a>	
<a href="#">BT-30/ABS40-B16</a>	
<a href="#">HSK 63</a>	
<a href="#">KA 25/1.5 FOR BSGV 6/16</a>	
<a href="#">LGS 30 D</a>	
<a href="#">LSA 81 SU</a>	
<a href="#">LSB 35</a>	
<a href="#">LSB44-E</a>	
<a href="#">LWB 20</a>	
<a href="#">NR. 40001543</a>	
<a href="#">POLY DRILL MH-20/10</a>	
<a href="#">RG 7 1:3 G 28 / G 28</a>	
<a href="#">SPANNZANGE 6.0 MM</a>	
<a href="#">UA 15 PH - S</a>	
<a href="#">UAD25-RF</a>	
<a href="#">UBC 10-R 230 V</a>	
<a href="#">WE 1 10 x 8,0</a>	
<a href="#">MHFS 5-130-2</a>	40009550 LAS WELDON 5 3°OBEN 70,10
<a href="#">100044816</a>	Motor 0.37kW 3000 min-1 W14
	Machining spindle with motor - Angular contact ball bearings suitable for max. axial feed force 14,000 N - Drilling performance 50 mm / 600 N/mm <sup>2</sup> - max. torque 400 Nm - Max. speed 5,000 rpm - Timing belt drive 8MR-50 - Translation MR Z28, SR Z56 - Concentricity 0.01 mm - Tool

<a href="#">SPINDLEmaster MAX 40 R HSK-C 63</a>	holder HSK-C-63 including 4-point clamping set - prepared for internal coolant supply through HSK spindle - Weight approx. 66 kg (without motor) Included option: - Drive three-phase motor 7.5 kW / 1,450 rpm Spindle speed approx. 750 min <sup>-1</sup> - Color RAL 9011 / graphite black
<a href="#">05264301 Kontaktrolle D50x40 Bsg 10/50-2</a>	
<a href="#">90094800</a>	
<a href="#">Art.No. 11119801 Usk 15r 230v Vde 1.5kw</a>	
<a href="#">Spz5032501</a>	
<a href="#">90094200</a>	
<a href="#">04826501</a>	
<a href="#">57 170 01 Fh 10 10 Mm</a>	
<a href="#">Bem 12 D</a>	
<a href="#">11 Mmcx-50-2-1c</a>	
<a href="#">1120601 (Ukc 3r)</a>	
<a href="#">030 007 02</a>	
<a href="#">Na 10x1000 G28/G28</a>	
<a href="#">05798006</a>	
<a href="#">57 773 01</a>	
<a href="#">48 265 01 Fh 12 12 Mm</a>	
<a href="#">N3263</a>	
<a href="#">057 170 01</a>	
<a href="#">Lwe 10 Top</a>	
<a href="#">11003202</a>	
<a href="#">05762002 Ka 16/9</a>	
<a href="#">50 325 01</a>	
<a href="#">52 630 01 Bsg 10/50</a>	
<a href="#">05756003</a>	
<a href="#">05762006 Ka 25/1.5</a>	
<a href="#">05203405</a>	
<a href="#">Max 40 Co Hsk 63</a>	

<a href="#">16 Mmcx-50-2-1c</a>	
<a href="#">Lfb44-Er</a>	
<a href="#">5880805</a>	Brake cylinder with release HB 50E
<a href="#">49 530 01 Fh 7 6 Mm</a>	
<a href="#">30000005 Rep.39</a>	
<a href="#">Lfb44-EI</a>	
<a href="#">N32</a>	
<a href="#">049 530 01</a>	
<a href="#">64 597 01</a>	
<a href="#">78 518 10</a>	
<a href="#">111 236 01 Upk 5-R</a>	
<a href="#">Llh7</a>	
<a href="#">Bem 12</a>	
<a href="#">05205657</a>	
<a href="#">52 948 05</a>	
<a href="#">3785703</a>	
<a href="#">Ws 10x1000 G28/G28</a>	
<a href="#">74-Z-0-3-6</a>	
<a href="#">30004980</a>	
<a href="#">Hb50</a>	
<a href="#">Pinza Per Llh7</a>	
<a href="#">Xw9941001x / 8840 - 05</a>	
<a href="#">90094500</a>	
<a href="#">030 026 02</a>	
<a href="#">3785701</a>	
<a href="#">52 952 05</a>	
<a href="#">78 933 01</a>	
<a href="#">16 Mmcx-50-2-10</a>	
<a href="#">A 5050 B</a>	
<a href="#">74-Z-0-2-1</a>	
<a href="#">03003002</a>	

[10628-Kyrzwelle](#)

[030 057 01](#)

[89-740](#)