



## Takenaka Ltd

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Takenaka Ltd** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Takenaka Ltd T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">Ssu20-T480</a>	
<a href="#">Gt7sn</a>	
<a href="#">S-25</a>	
<a href="#">Ssr-304</a>	40MM SPACING 4 AXIS X 140MM -RANGE 1 TO 3M INPUT 100/110+200/220 VAN (50/60HZ)-FORM 1C 5A 250VAC MAX OUTPUT-
<a href="#">Ss80-T2</a>	
<a href="#">Fzv8202bc</a>	
<a href="#">Gx25</a>	
<a href="#">Gs5sn</a>	
<a href="#">F-7215</a>	
<a href="#">Jt10r</a>	
<a href="#">Gm30</a>	

<a href="#">Gth705v</a>	
<a href="#">Fa7vg703</a>	
<a href="#">F7k-2</a>	
<a href="#">Ss80-T10-Pn</a>	80MM SPACING 10AXIS X 720MM DETECTION W/15M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Gn-R30c-J</a>	
<a href="#">Gt2-Dr14</a>	
<a href="#">Jrm3r-Sr</a>	
<a href="#">Ss80-T18</a>	80MM SPACING 18AXIS X 1360MM DETECTION W/15M RANGE-INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Mx10f-An</a>	
<a href="#">Ss40-Tr14</a>	
<a href="#">Gn-Z3crpn-J</a>	
<a href="#">Gr02-Dr14</a>	
<a href="#">Kd50w</a>	WATER COOLED HMD 150C WIDE VIEW OPEN COLLECTOR OUTPUT 100MA/30VDC (AC INPUT)
<a href="#">Fr1732bc</a>	
<a href="#">704l</a>	
<a href="#">Dx-Rc</a>	
<a href="#">Fa260</a>	
<a href="#">Ohw-1</a>	HMD OPTICAL HEAD WIDE VIEW (RECTANGULAR VIEW)
<a href="#">Fr8ybc</a>	
<a href="#">F70aw</a>	
<a href="#">Xnt10(R)-Fm</a>	
<a href="#">Dx-S300w</a>	
<a href="#">F71rpn</a>	
<a href="#">Gs20sn-06</a>	
<a href="#">Lst-T120</a>	OUTDOOR LIGHT CURTAIN, 80MM SPACING 20 AXIS W/7M RANGE- DARK ON W/ STABILITY INDICATOR
<a href="#">Ssp-M32r</a>	
<a href="#">Tm-460x</a>	

<a href="#">Gtshn705v</a>	
<a href="#">Ip2f</a>	
<a href="#">Lt20r03</a>	
<a href="#">Lr90-021m</a>	
<a href="#">DI-S200p</a>	
<a href="#">Gt1spn</a>	
<a href="#">2803-Fm</a>	
<a href="#">Fa200</a>	
<a href="#">Tm-200nir</a>	
<a href="#">Ss40-TI4</a>	
<a href="#">Ss20-T20-Pn</a>	20MM SPACING 12AXIS X 380MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Gmr2rspnn-J</a>	
<a href="#">Ss40-T8-Ch</a>	40MM SPACING 8AXIS X 280MM DETECTION W/7M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)IO
<a href="#">Fms1xn</a>	
<a href="#">Na-T20rf</a>	
<a href="#">Asw-U825</a>	
<a href="#">F71bhpn</a>	
<a href="#">Ss10-T32</a>	
<a href="#">Ss40-T14</a>	
<a href="#">Fr510</a>	
<a href="#">Ss40-T20-Pn</a>	40MM SPACING 20AXIS X 760MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Usa-Wr</a>	
<a href="#">Ss20-T48-Pn</a>	20MM SPACING 48AXIS X 940MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Lr-9101-Cn</a>	
<a href="#">Usa-S3an</a>	0.4 TO 3M RANGE 12BIT D/A-INPUT12-24VDC-TEACH AND ANTI-INTERFERENCE FUNCTIONS W/OUTPUT INVERT BUTTON-ANALOG A OR V OUTPUT (W/250OHMR)
<a href="#">Xit3</a>	

<a href="#">4802</a>	
<a href="#">Ss40-T24-Ch</a>	
<a href="#">F332</a>	
<a href="#">Ft15fc20</a>	
<a href="#">Pst-H10r</a>	
<a href="#">Ms-S30uv</a>	
<a href="#">Psr324</a>	
<a href="#">Ne-R10d</a>	
<a href="#">Mc-U2g</a>	
<a href="#">Cxs8pn-J</a>	
<a href="#">Gm-S5rtpn</a>	
<a href="#">Sst850r</a>	
<a href="#">Ss20-T24-Ch</a>	
<a href="#">Fthv74bc</a>	
<a href="#">Gr05s</a>	
<a href="#">F11cpgpn</a>	
<a href="#">Ssf-T432c</a>	40MM SPACING 32 AXIS X 1240MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 50MM DIA
<a href="#">Ssf-T412c</a>	40MM SPACING 12 AXIS X 440MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 50MM DIA
<a href="#">Fts88bc</a>	
<a href="#">Um-T50dsvp</a>	
<a href="#">Fx716bc</a>	
<a href="#">Xnt10</a>	
<a href="#">Umtr50dsv</a>	
<a href="#">Glx520j</a>	
<a href="#">Ps3f</a>	
<a href="#">Ss40-T24</a>	
<a href="#">F20</a>	
<a href="#">Fthv7bc15</a>	

<a href="#">Fld1r</a>	
<a href="#">Gtr1s</a>	
<a href="#">Ss20-T16-Pn</a>	20MM SPACING 16AXIS X 300MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Dla-S1000</a>	
<a href="#">Ssc-T801pn</a>	
<a href="#">DI-S100p</a>	
<a href="#">6510a-Fm</a>	
<a href="#">Js-U15</a>	
<a href="#">Um-Tr50dsp</a>	
<a href="#">Gt2</a>	
<a href="#">Ss20-T24-Pn</a>	20MM SPACING 24AXIS X 460MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">2802-Fm</a>	
<a href="#">Ds4-50</a>	
<a href="#">EntI3</a>	
<a href="#">Gsz3rs</a>	
<a href="#">Um-T50ds1v</a>	
<a href="#">Fr2</a>	
<a href="#">Mst112</a>	40MM SPACING 12AXIS X 440MM DETECTION W/10M RANGE- INPUT 12-24VDC- LIGHT/DARK ON-100MA/30VDCNPN OR ANALOG PROPORTIONAL TO BLOCKED
<a href="#">5102n</a>	
<a href="#">Gthn720v</a>	FO THRU BEAM 90 DEGREE HI TEMP (350 C) + HI VACUUM (10-8) SUS SPIRAL COVERED 2000MM(FLANGE CONNECTION)
<a href="#">Fr-F1</a>	
<a href="#">Ne2-D70-2</a>	
<a href="#">At10f</a>	
<a href="#">Dn-S30pn</a>	
<a href="#">Gmr2rpn-N</a>	
<a href="#">Gs20rsn</a>	
<a href="#">Us-T50-NI</a>	

<a href="#">Ss20-T40-10m</a>	
<a href="#">Lsc05r</a>	
<a href="#">Ft3fc</a>	
<a href="#">Fu916bc</a>	
<a href="#">Gsz3rspn</a>	
<a href="#">Ft8bc</a>	
<a href="#">Js2-T4sn</a>	
<a href="#">Xsst-T224s</a>	
<a href="#">Anp-6d</a>	
<a href="#">Gmr2rn</a>	
<a href="#">Sef-H5I8</a>	
<a href="#">Kr50</a>	
<a href="#">Gn-Z3cpn-J</a>	
<a href="#">Ssr-308</a>	
<a href="#">F71rh-J</a>	
<a href="#">Hd601n</a>	
<a href="#">Ss40-T22</a>	
<a href="#">Klr50e</a>	AC110/220@50/50HZ VOLTAGE OUTPUT 5MA/10VDC
<a href="#">Ss20-T8</a>	20MM SPACING 8AXIS X 140MM DETECTION W/7M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ft7202bc</a>	
<a href="#">Gtshn715v</a>	FO THRU BEAM 90 DEGREE HI TEMP (350 C) + HI VACUUM (10-8) SUS SPIRAL COVERED 1.5M(FLANGE CONNECTION)
<a href="#">Da-S200p</a>	
<a href="#">Gt27ad</a>	GLASS FO FOR FD-A310C SERIES 7M
<a href="#">Ftr44ah</a>	THRU BEAM RECEIVER RELAY OUTPUT-0.5A/ 48VDC MAX
<a href="#">Ma-U2b</a>	
<a href="#">Fx8404bc</a>	
<a href="#">Ir7an</a>	
<a href="#">Frs6410</a>	

<a href="#">302nc</a>	
<a href="#">Ss80-T22-Pn</a>	80MM SPACING 22AXIS X 1680MM DETECTION W/15M RANGE-INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ss10-T64-Ch</a>	10MM SPACING 64AXIS X 630MM DETECTION W/2M RANGE-INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Fts2053</a>	
<a href="#">Ss80-T4-Pn</a>	
<a href="#">Gsm2rsn-Y5</a>	
<a href="#">Ssf-T32c</a>	
<a href="#">Dc12n</a>	
<a href="#">Gs5s</a>	
<a href="#">F10cr</a>	
<a href="#">Cx-R03v-J</a>	
<a href="#">F70rpn-Je</a>	
<a href="#">Fa511</a>	
<a href="#">Ne-T10r-J</a>	
<a href="#">Ss20-T48-Ch</a>	20MM SPACING 48AXIS X 940MM DETECTION W/7M RANGE-INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Gmr2rsn</a>	
<a href="#">Js2-H10e</a>	
<a href="#">Gtshn720v</a>	FO THRU BEAM 90 DEGREE HI TEMP (350 C) + HI VACUUM (10-8) SUS SPIRAL COVERED 2M(FLANGE CONNECTION
<a href="#">Ssf-T424c</a>	40MM SPACING 24 AXIS X 920MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 50MM DIA
<a href="#">DI-S3rpn</a>	
<a href="#">Ss80-T16</a>	80MM SPACING 20AXIS X 1200MM DETECTION W/15M RANGE-INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ft91ybc</a>	
<a href="#">Um-T50dnsv</a>	
<a href="#">3810-Fm</a>	
<a href="#">Frs2053j</a>	
<a href="#">3805-Fm</a>	

<a href="#">Psr320</a>	
<a href="#">Fr5bc05</a>	
<a href="#">Kd50ew</a>	WATER COOLED HMD 150C WIDE VIEW 30VDC ANALOG (0 TO 3V) OUT (AC INPUT)
<a href="#">F70ar-J</a>	
<a href="#">F70b</a>	
<a href="#">Ss20-T40-Pn</a>	20MM SPACING 40AXIS X 780MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">6130r</a>	
<a href="#">Ssp-T210</a>	
<a href="#">Stm-H5l</a>	
<a href="#">Um-T15tv</a>	
<a href="#">Fa250</a>	
<a href="#">Ntl50p</a>	
<a href="#">Tst-B8</a>	
<a href="#">Mst116</a>	40MM SPACING 16AXIS X 600MM DETECTION W/10M RANGE- INPUT 12-24VDC-LIGHT/DARK ON-100MA/30VDCNPN OR ANALOG PROPORTIONAL TO BLOCKED
<a href="#">Um2-T50s1vp</a>	
<a href="#">Gn-M2crpn-J</a>	
<a href="#">Frh7bc10</a>	
<a href="#">Pa-6820e</a>	
<a href="#">Ssf-T428c</a>	40MM SPACING 28 AXIS X 1080MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 50MM DIA
<a href="#">Ip1f</a>	
<a href="#">Swd60re</a>	SINGLE AND DOUBLE HOLE WELD POINT DETECTOR RECEIVER WITH EDGE PROCESSING FUNCTION
<a href="#">Um2-Z3svp</a>	
<a href="#">Na-R10</a>	
<a href="#">Ar5mf</a>	
<a href="#">Ssf-T416c</a>	40MM SPACING 16 AXIS X 600MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 50MM DIA



<a href="#">B-9255-Fm</a>	
<a href="#">Fl-7013-02</a>	
<a href="#">Fl-7013-17a</a>	
<a href="#">Gr12g-Pn</a>	
<a href="#">Ssf-T16c</a>	20MM SPACING 16 AXIS X 300MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 30MM DIA
<a href="#">Js2-T2m</a>	
<a href="#">Fms1fn</a>	
<a href="#">F70awpn</a>	
<a href="#">F11cpg</a>	
<a href="#">Gt7spn</a>	
<a href="#">Dl-S15-Pnp</a>	
<a href="#">Na-T20rfa</a>	
<a href="#">Ssm-308</a>	
<a href="#">Ss-H5r</a>	
<a href="#">Ss20-Tr12</a>	
<a href="#">Ssf-TI412</a>	
<a href="#">Ss80-T6</a>	
<a href="#">GtI5rn-J</a>	
<a href="#">Sst805pn</a>	
<a href="#">Ft5fc05</a>	
<a href="#">Ft15fc05</a>	
<a href="#">Mst108</a>	40MM SPACING 8AXIS X 280MM DETECTION W/10M RANGE- INPUT 12-24VDC- LIGHT/DARK ON-100MA/30VDCNPN OR ANALOG PROPORTIONAL TO BLOCKED
<a href="#">Gp2</a>	
<a href="#">Ftv502ybc</a>	
<a href="#">Fa55</a>	
<a href="#">Gt2pn</a>	
<a href="#">Us-S25an</a>	
<a href="#">Fa205</a>	
<a href="#">Fr8bc</a>	

<a href="#">Gn-T7cpn-J</a>	
<a href="#">Gr12gsn</a>	
<a href="#">Ohf-Clc</a>	
<a href="#">Cx-P</a>	
<a href="#">Fts5-Ma</a>	
<a href="#">Kd50-24</a>	
<a href="#">Pf-R03ds</a>	
<a href="#">Tm7-Ex</a>	
<a href="#">F-9051</a>	
<a href="#">Ss80-T8</a>	80MM SPACING 8AXIS X 560MM DETECTION W/15M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Na-M7r</a>	
<a href="#">Fu901bc</a>	
<a href="#">Ss40-T20-Ch</a>	40MM SPACING 20AXIS X 760MM DETECTION W/7M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Ss40-T6-Ch</a>	40MM SPACING 6AXIS X 200MM DETECTION W/7M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Gsz5rs-J</a>	
<a href="#">Um-T50ds</a>	
<a href="#">Ft108bc</a>	
<a href="#">Sef-H5s5</a>	
<a href="#">Sst348(L)</a>	
<a href="#">Fd-600a</a>	
<a href="#">Wj332</a>	
<a href="#">Sst-9431l</a>	
<a href="#">Ss40-T12</a>	
<a href="#">Mldv563l</a>	
<a href="#">Pf-Tr3s</a>	
<a href="#">Gxhn410v</a>	FO DIFF REFL BUNDLE STRAIGHT HI TEMP (350 C) SUS SPIRAL COVERED 1000MM(FLANGE CONNECTION)
<a href="#">F800</a>	
<a href="#">Js-U12</a>	

<a href="#">F70a-Dr</a>	
<a href="#">F70awk</a>	
<a href="#">F70tr</a>	
<a href="#">Ne-M5r</a>	
<a href="#">F-9812-B</a>	
<a href="#">5402</a>	
<a href="#">Ssf-T56c</a>	20MM SPACING 56 AXIS X 1100MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 30MM DIA
<a href="#">Ft91y10</a>	
<a href="#">Fr84bc</a>	
<a href="#">Jnrm3r</a>	
<a href="#">3010-1r</a>	
<a href="#">KI50</a>	
<a href="#">Psr304</a>	
<a href="#">Es-BI</a>	
<a href="#">Fa515</a>	
<a href="#">Gn-R30cpn-J</a>	
<a href="#">Ne-T10r-Dc</a>	
<a href="#">Ne-M5rd-Dc</a>	
<a href="#">5403</a>	
<a href="#">Gxh505j</a>	
<a href="#">Usa-S3man</a>	
<a href="#">Da-S40r</a>	
<a href="#">Rst-110I</a>	
<a href="#">Um-Tr50dtp</a>	
<a href="#">Fl-6bc</a>	
<a href="#">Frs83bc</a>	
<a href="#">2805t</a>	
<a href="#">Ssc-Tr835</a>	
<a href="#">F71gk</a>	

<a href="#">DI-S4</a>	
<a href="#">FI-7161-1</a>	
<a href="#">Cxm8-Pn</a>	
<a href="#">F1-C4</a>	
<a href="#">Dx-S35f</a>	
<a href="#">Esn-T8</a>	
<a href="#">Ne-T30</a>	
<a href="#">Um-T15t</a>	
<a href="#">Pec-3010</a>	
<a href="#">F38a-04</a>	
<a href="#">Gn-Z3cr</a>	
<a href="#">DI-S5pn</a>	
<a href="#">Um-T100dt</a>	
<a href="#">31012621</a>	
<a href="#">DI-S10</a>	
<a href="#">Ss10-T16</a>	10MM SPACING 16AXIS X 150MM DETECTION W/2M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Mx10f</a>	
<a href="#">Sst-H5I</a>	
<a href="#">Frs53bc</a>	
<a href="#">Ssf-T408c</a>	40MM SPACING 8 AXIS X 280MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY AXIS BLOCK TO 50MM DIA
<a href="#">Gm-S5rt</a>	
<a href="#">Esn-T12pn</a>	
<a href="#">Gsm2rsys</a>	
<a href="#">Um-R5tv</a>	
<a href="#">Gr02s-Dr14</a>	
<a href="#">Gm-Z5rtpn</a>	
<a href="#">F38s-P5</a>	
<a href="#">Gs-M2crds</a>	

<a href="#">Ssr-310</a>	40MM SPACING 10 AXIS X 380MM -RANGE 1 TO 3M INPUT 100/110+200/220 VAN (50/60HZ)-FORM 1C 5A 250VAC MAX OUTPUT-
<a href="#">Gt21ad</a>	
<a href="#">F38s-05</a>	
<a href="#">Gt505</a>	
<a href="#">Um-TI50t</a>	
<a href="#">Psr310</a>	
<a href="#">Um-TI100t</a>	
<a href="#">6110-Fm</a>	
<a href="#">Kl46a-702l</a>	
<a href="#">F71r-J</a>	
<a href="#">F11r</a>	
<a href="#">Gt210</a>	
<a href="#">Sst830r</a>	
<a href="#">Ne-M5rd-01</a>	
<a href="#">Ne2-D70-J2</a>	
<a href="#">Gnp1</a>	
<a href="#">Gsz3rsn</a>	
<a href="#">Ssc-Tr830</a>	
<a href="#">Gr12gsn-Pn</a>	
<a href="#">Ne-M5rd</a>	
<a href="#">Dw-S500</a>	
<a href="#">Ss20-Tr40</a>	
<a href="#">Ss40-T34</a>	
<a href="#">Ss20-T32-Pn</a>	20MM SPACING 32AXIS X 620MM DETECTION W/7M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ssp-T205-J</a>	
<a href="#">Ssb-308</a>	
<a href="#">Fx205j</a>	
<a href="#">Nef-R50</a>	
<a href="#">F396</a>	

<a href="#">Ss10-T64-Pn</a>	10MM SPACING 64AXIS X 630MM DETECTION W/2M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Asu0d</a>	
<a href="#">Psz300l</a>	
<a href="#">Ld-S33r</a>	
<a href="#">Tu-7000</a>	
<a href="#">Cs-Df10</a>	
<a href="#">G-Msb1</a>	
<a href="#">G-Mtb2</a>	
<a href="#">Cxtr8</a>	
<a href="#">F5gn</a>	
<a href="#">Ssb-304</a>	
<a href="#">H301</a>	
<a href="#">Ss80-T14</a>	80MM SPACING 16AXIS X 1040MM DETECTION W/15M RANGE-INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Fd-A300ph</a>	RELAY OUTPUT TO 0.5A/48VDC
<a href="#">Dn-S30rpn</a>	
<a href="#">Gr12gsnpn-J</a>	
<a href="#">Fa3sp10</a>	
<a href="#">Psz300s</a>	
<a href="#">Gr05-Pn</a>	
<a href="#">Na-T30</a>	
<a href="#">F70ag</a>	
<a href="#">Sdy-01dv-No</a>	
<a href="#">Ld-S30r</a>	
<a href="#">303nc</a>	
<a href="#">Vs-S20r</a>	
<a href="#">Us-Td50</a>	
<a href="#">Ss40-T40</a>	
<a href="#">Um-Tr50ds1</a>	

<a href="#">G-Mtbi</a>	
<a href="#">Ss20fs-T28c</a>	
<a href="#">DI-S100tc</a>	
<a href="#">Tm-D16</a>	
<a href="#">Ss40-T12-Dr</a>	
<a href="#">Cv-100</a>	
<a href="#">Gtr5-Rs</a>	
<a href="#">Ssr-306</a>	40MM SPACING 6 AXIS X 220MM -RANGE 1 TO 3M INPUT 100/110+200/220 VAN (50/60HZ)-FORM 1C 5A 250VAC MAX OUTPUT-
<a href="#">Fa54</a>	
<a href="#">Js2-T2s</a>	
<a href="#">Ss-H05r</a>	
<a href="#">F38pc-02</a>	
<a href="#">Ps3f-Sr</a>	
<a href="#">Ss10-T96-Pn</a>	10MM SPACING 96AXIS X 950MM DETECTION W/2M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">F70awpn-J</a>	
<a href="#">Ftv7108</a>	
<a href="#">Ss10-T16-Pn</a>	10MM SPACING 16AXIS X 150MM DETECTION W/2M RANGE- INPUT 12-24VDC-PNP 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ss80-T8-Pn</a>	
<a href="#">Um-Z3dsv</a>	
<a href="#">Xsst-T216s</a>	
<a href="#">Ss10-T32-Ch</a>	10MM SPACING 32AXIS X 310MM DETECTION W/2M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Gtl7sn</a>	
<a href="#">Gthn615v</a>	
<a href="#">Fa712</a>	
<a href="#">F2r-Jc3</a>	
<a href="#">Fr7ybc</a>	
<a href="#">S-15b</a>	

<a href="#">Gn-M2rspn-J</a>
<a href="#">Fd-600ah</a>
<a href="#">Ssc-T835pn</a>
<a href="#">Da-S100rp</a>
<a href="#">Ss20-T32-Ch</a>
<a href="#">Gn-R40rs</a>
<a href="#">Dn-S30</a>
<a href="#">2805-Fm</a>
<a href="#">Ss-H10r</a>
<a href="#">Um-TI50t1</a>
<a href="#">Gr02-Dr</a>
<a href="#">Um-TI50s-P1</a>
<a href="#">Srs-16</a>
<a href="#">Ltl-7083</a>
<a href="#">DI-S7707-Pn</a>
<a href="#">Gtr1spn</a>
<a href="#">Um2-T50dsp</a>
<a href="#">Pf-T3ds</a>
<a href="#">Frsv83bc</a>
<a href="#">Ssc-TI815</a>
<a href="#">F80rpn</a>
<a href="#">F-9573</a>
<a href="#">Esn-T12</a>
<a href="#">Ss40-Tr16</a>
<a href="#">DI-S5r</a>
<a href="#">F70gkpn</a>
<a href="#">Ap60et</a>
<a href="#">Gkm-S02r</a>
<a href="#">Dx-B1</a>
<a href="#">Jnt10r</a>



<a href="#">Ftl745bc</a>	
<a href="#">Us-1ah-NI</a>	
<a href="#">Gt21</a>	
<a href="#">Ntl100p</a>	
<a href="#">Ss40-T8-Pn</a>	
<a href="#">Esn-T16</a>	
<a href="#">2801-Fm</a>	
<a href="#">Jr07</a>	
<a href="#">Ss80-T12</a>	80MM SPACING 12AXIS X 880MM DETECTION W/15M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ss10-T48-Ch</a>	10MM SPACING 48AXIS X 470MM DETECTION W/2M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">F10r</a>	
<a href="#">Ss40-T16-Ch</a>	40MM SPACING 16AXIS X 600MM DETECTION W/7M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">F10r-Pn</a>	
<a href="#">Sst-H10I</a>	
<a href="#">Ss20-TI40</a>	
<a href="#">Gtr5rpnn-J</a>	
<a href="#">Ss10-T96</a>	10MM SPACING 96AXIS X 950MM DETECTION W/2M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ux-R2pn</a>	
<a href="#">Dx-S33c</a>	
<a href="#">Fx220</a>	
<a href="#">Cxtr8pn</a>	
<a href="#">Gth540fej</a>	
<a href="#">Ss40-T6-Pn</a>	
<a href="#">Lsc20I</a>	
<a href="#">F-7294</a>	
<a href="#">Ss10-T96-Ch</a>	10MM SPACING 96AXIS X 950MM DETECTION W/2M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Ld-T20r-P1</a>	

<a href="#">Ssc-T830</a>	
<a href="#">Ss40-T8</a>	40MM SPACING 8AXIS X 280MM DETECTION W/7M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ne2-R10-2</a>	
<a href="#">Fr505</a>	
<a href="#">F71b-J</a>	
<a href="#">F1rm-Dr</a>	
<a href="#">Sst815-Pn</a>	
<a href="#">Cxs8</a>	
<a href="#">Ftv7195</a>	
<a href="#">Gth505j</a>	
<a href="#">Ss40-Tr12</a>	
<a href="#">Fr93bc</a>	
<a href="#">Js-U13</a>	
<a href="#">Pst104</a>	
<a href="#">F-9761</a>	
<a href="#">Ssc-Tr810</a>	
<a href="#">Tmc-6rgb</a>	CAMERA CCD 625LINES 50HZ 12VDC
<a href="#">Na-T20rbf</a>	
<a href="#">Mst124</a>	
<a href="#">Ga-B1</a>	
<a href="#">Ft81bc</a>	
<a href="#">Gr2m.5</a>	
<a href="#">Fms1sn</a>	
<a href="#">Ssf-C</a>	
<a href="#">Mu5r</a>	
<a href="#">Ssp-S204r-J</a>	
<a href="#">Gsr05rpnn-J</a>	
<a href="#">Um2-T50ds1v</a>	
<a href="#">Ma-U2bpn</a>	

<a href="#">5101n</a>	
<a href="#">Sst110</a>	
<a href="#">F71gh</a>	
<a href="#">Oh2n</a>	OPTICAL HEAD FOR FTL44A- NARROW DIVERGENCE PATTERN (APPROX. 5X LESS THAN OH2)
<a href="#">Gxsh5015j</a>	
<a href="#">Gs20rn</a>	
<a href="#">Ss20-T12</a>	20MM SPACING 12AXIS X 220MM DETECTION W/7M RANGE- INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Ltl20rc1c-05</a>	
<a href="#">Gt5rpn-N</a>	
<a href="#">Pst-H10l</a>	
<a href="#">Ss10-Tr32-Pn</a>	
<a href="#">Ss80-T24</a>	80MM SPACING 24AXIS X 1840MM DETECTION W/15M RANGE-INPUT 12-24VDC-NPN 100MA OUTPUT-ALL ON OR 1 BLOCKED RELAY SWITCH
<a href="#">Tm-440x</a>	
<a href="#">Ne2-T30r-2</a>	
<a href="#">Um-Tr50dt</a>	
<a href="#">Imahl3</a>	
<a href="#">Gn-T10crpn</a>	
<a href="#">Gm30c24</a>	
<a href="#">Ss40-Tl12</a>	
<a href="#">Ss10-T24-Ch</a>	10MM SPACING 24AXIS X 230MM DETECTION W/2M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Ld-T20rpn</a>	
<a href="#">Gthn705v</a>	
<a href="#">6510-D2</a>	
<a href="#">Ld-T20r-P03</a>	
<a href="#">Fr520c</a>	
<a href="#">Fl-7161-05</a>	
<a href="#">Fd-A310c</a>	

<a href="#">Ftsv5bc</a>	
<a href="#">Stm124</a>	
<a href="#">Rst102</a>	
<a href="#">Fa5135</a>	
<a href="#">Gr12g</a>	
<a href="#">Ohw-2</a>	HMD OPTICAL HEAD 2 X WIDE VIEW (RECTANGULAR VIEW)
<a href="#">Ne-P3</a>	
<a href="#">F-9812-C</a>	
<a href="#">Ds4r</a>	
<a href="#">Tm-300</a>	
<a href="#">Ne-R10-01</a>	
<a href="#">Ssp-T216-Pj</a>	SET THRU BEAMS 16AXIS X 375MM LONG -12-24VDC INPUT/NPN OR PNP SELECTABLE 50MA/30VDC OUT-FREQ SWITCHING,AUTO SENSITIVITY-M12 CABLE
<a href="#">Fts8bc</a>	
<a href="#">Gn-B1</a>	
<a href="#">Sst815l</a>	
<a href="#">F70vrpn</a>	
<a href="#">Glt505j</a>	
<a href="#">Um-R3tv</a>	
<a href="#">Um-R3t</a>	
<a href="#">Ss10-T56</a>	
<a href="#">Frs2-X9</a>	
<a href="#">Cva55ire</a>	
<a href="#">Us-U30an</a>	ULTRASONIC THRU BEAM C SHAPE SENSOR, FIXED 30MM RANGE, 12-24VDC, ANALOG OUTPUT
<a href="#">Gn-R30cpn</a>	
<a href="#">Ft-0348</a>	
<a href="#">Ss20-T20-Ch</a>	20MM SPACING 20AXIS X 380MM DETECTION W/7M RANGE- INPUT 12-24VDC-10MA/30VDC ADDRESS (4 X 4 BITS)IO
<a href="#">Js-U19</a>	
<a href="#">703w</a>	
<a href="#">Mc-U2b</a>	

<a href="#">Ar05</a>	
<a href="#">F70ab</a>	
<a href="#">Fg-2</a>	
<a href="#">Um-T50dns</a>	
<a href="#">Fa514</a>	
<a href="#">Gxh510</a>	
<a href="#">Ssm-310</a>	
<a href="#">Ssu20-T240</a>	
<a href="#">Usiahpn</a>	
<a href="#">Gt7sn-Y5</a>	
<a href="#">Us-S25an-NI</a>	
<a href="#">Ss20fs-T32c</a>	
<a href="#">Ds-4crs</a>	
<a href="#">Sst300-H2r</a>	
<a href="#">Us-Td50pn</a>	
<a href="#">F71wh</a>	
<a href="#">Fr84ybc</a>	
<a href="#">Gn-Pfb</a>	
<a href="#">Frs5-X9</a>	
<a href="#">Um-Tr7383vfpn</a>	
<a href="#">Ms-S30w</a>	
<a href="#">At10d</a>	
<a href="#">Asg-S20r</a>	
<a href="#">Sst348</a>	
<a href="#">Ux-T50ds</a>	
<a href="#">Gt510j</a>	
<a href="#">Ssm306s</a>	
<a href="#">Ohc</a>	
<a href="#">Gs20pn</a>	
<a href="#">Tm-765e</a>	CCD CAMERA MONOCHROME

<a href="#">Xne-T30</a>	
<a href="#">Fg-5</a>	FO BUNDLE 5M FOR FD-300/600 FDA- 300 HMD SENSORS/ OHA, OHAN, OHAN OHW OPTICAL HEADS
<a href="#">Ftl10a</a>	
<a href="#">Ftv74bc</a>	
<a href="#">Ss20-T12-Ch</a>	20MM SPACING 12AXIS X 220MM DETECTION W/7M RANGE- INPUT 12-24VDC- 10MA/30VDC ADDRESS (4 X 4 BITS)I
<a href="#">Na-T20r</a>	
<a href="#">Ld-T20r-C1-P1</a>	
<a href="#">Sef-H5I5</a>	
<a href="#">Frs6420</a>	
<a href="#">Cxs8pn</a>	
<a href="#">Pa71f</a>	
<a href="#">Frs510</a>	
<a href="#">Fd-A320h</a>	
<a href="#">Frs205</a>	
<a href="#">K-Mt4</a>	
<a href="#">Um-Tr50dt1v</a>	
<a href="#">5103-Fm</a>	
<a href="#">Ltr20rb</a>	
<a href="#">Tm-765</a>	
<a href="#">Jt10rf-Sr</a>	
<a href="#">Us-T50pn</a>	
<a href="#">Asw-Sg825</a>	25 CHANNEL X 6.35MM PITCH FOR 200MM WAFERS-INPUT 24VDC- DARK ON NPN 30MA/30VDC/CHANNEL OUTPUT
<a href="#">Ft7vbc-M5</a>	
<a href="#">Fl-7161-2</a>	
<a href="#">Tp-40fh</a>	
<a href="#">Jr07f-Sr</a>	
<a href="#">Lx405la</a>	
<a href="#">DI-S15</a>	
<a href="#">Ssf-T8c</a>	20MM SPACING 8 AXIS X 140MM -RANGE TO 5M INPUT 24VDC-2 CNTRL+1 LOCKOUT OUTPUT FORM A RELAYS-ANY

AXIS BLOCK TO 30MM DIA
<a href="#">Ne-M5r-J</a>
<a href="#">Um2-T50s1v</a>
<a href="#">Kr50e</a>
<a href="#">Js-U24</a>
<a href="#">F71rk</a>
<a href="#">Ft101-Ad</a>
<a href="#">Gkm-Cs01r</a>
<a href="#">Pn-7300</a>
<a href="#">Bos15kse102</a>
<a href="#">F70r</a>
<a href="#">K-6</a>
<a href="#">Ftl706bc</a>
<a href="#">Da-S200tc</a>
<a href="#">Gm-Z5rt</a>
<a href="#">Fd-A300pc</a>
<a href="#">Ss40-Tl14</a>
<a href="#">3801-Fm</a>
<a href="#">F71wan</a>
<a href="#">Ssc-T804</a>
<a href="#">Gs20n-Y6j</a>
<a href="#">Gn-M2cr-J</a>
<a href="#">DI-S7507</a>
<a href="#">Ss40-Tr10</a>
<a href="#">Cxtl8</a>
<a href="#">Um-R1</a>
<a href="#">Gm-Z5rt-J</a>
<a href="#">Ss10-T24-Pn</a>
<a href="#">Rst-110r</a>
<a href="#">Ss40-T30</a>
<a href="#">F71rhpn</a>

<a href="#">Gt25</a>	
<a href="#">DI-S4r</a>	
<a href="#">Ss20-T40-Ch</a>	
<a href="#">Ohf-Cr</a>	
<a href="#">Kd150c</a>	WATER COOLED HMD 150C NARROW VIEW/30VDCANALOG (0 TO 3V) OUT (12-24VDC INPUT)
<a href="#">Gsr05rn-J</a>	
<a href="#">Dla-S150</a>	
<a href="#">Fth7febc</a>	
<a href="#">Um-R5tp</a>	
<a href="#">Fa712h</a>	
<a href="#">Gtsh710v</a>	
<a href="#">Mst-H10r</a>	
<a href="#">DI-S10rpn</a>	
<a href="#">Gn-R7c</a>	
<a href="#">F1r</a>	
<a href="#">Ss40-T28</a>	
<a href="#">Ux-T50dspn</a>	
<a href="#">Ss20fs-T8c</a>	
<a href="#">Pa60n</a>	
<a href="#">Cl1</a>	
<a href="#">Ss20-T16</a>	
<a href="#">It3ds</a>	
<a href="#">F-9812</a>	
<a href="#">Cxm8pn-J</a>	
<a href="#">Gs-T5crd</a>	
<a href="#">4305-Fm</a>	
<a href="#">DI-S3r</a>	
<a href="#">Fa520</a>	
<a href="#">Um-T15dtv</a>	
<a href="#">Fac-A2r2</a>	



<a href="#">Fd-300ac</a>	RELAY OUTPUT TO 0.5A/250VAC/VDC
<a href="#">Gx22</a>	
<a href="#">Fa52</a>	
<a href="#">Um2-T50s</a>	
<a href="#">F71rhpn-J</a>	
<a href="#">Ss20fs-T24c</a>	
<a href="#">Gs-M2crd1-Y2</a>	
<a href="#">Swd60r</a>	
<a href="#">Ga-Mt1rpn</a>	
<a href="#">Gsr05rspn-N</a>	
<a href="#">Um-T50ds1</a>	
<a href="#">Us-R25-01</a>	
<a href="#">Gn-T7c</a>	
<a href="#">Pst108</a>	
<a href="#">Jb5</a>	
<a href="#">Gsz5rs</a>	
<a href="#">Jt10rf</a>	
<a href="#">Cst-R80pn</a>	
<a href="#">Tm-745i</a>	CAMERA 2/3INCH INTERLACED SCAN 12VDC
<a href="#">Um-Z3svp</a>	
<a href="#">Ssc-T815</a>	
<a href="#">Gthn715v</a>	
<a href="#">Um-Tl15t</a>	
<a href="#">Ux-R5v-Y5</a>	
<a href="#">Ftv7108bc</a>	
<a href="#">Wj348</a>	
<a href="#">Sst112</a>	LIGHT CURTAIN, 40MM SPACING 12 AXIS X 440MM -RANGE TO 10M INPUT 24VDC-NPN 100MA/30VDC OUTPUT-
<a href="#">Ssf-Tr412</a>	
<a href="#">Js-U11</a>	
<a href="#">F2r</a>	

<a href="#">F5n</a>
<a href="#">Ss20fs-T48c</a>
<a href="#">F11crpn</a>
<a href="#">Ft-L101</a>
<a href="#">Lt20r</a>
<a href="#">Bu25-Gm</a>
<a href="#">Special</a>
<a href="#">Fa5133</a>
<a href="#">Ss80-T4</a>
<a href="#">Gthn610v</a>
<a href="#">Js2-H10</a>
<a href="#">Gt7s</a>
<a href="#">2810-Fm</a>
<a href="#">Nes-Mt1d</a>
<a href="#">DI-S100r-J</a>
<a href="#">DI-S202-J</a>
<a href="#">Mc-U2r</a>
<a href="#">Cx-R01-01</a>
<a href="#">Da-S40r-J</a>
<a href="#">Gsz3sn</a>
<a href="#">Um2-T50ds1vp</a>
<a href="#">Da-S70</a>
<a href="#">Pt10s</a>
<a href="#">Fz802bc</a>
<a href="#">Lm66</a>
<a href="#">Um2-T50ds</a>
<a href="#">Narecvr</a>
<a href="#">Ims512cbl</a>
<a href="#">Um-T100dtp</a>
<a href="#">Flh-7013-1</a>

<a href="#">Et19ybc</a>	
<a href="#">Fd-A300p</a>	FO COUPLED GE PHOTODIODE 8 BIT HMD SENSOR- RELAY OUTPUT TO 5A/250VAC
<a href="#">Gsr05rn</a>	
<a href="#">Na-M7r-Pg</a>	
<a href="#">Fu-0609a</a>	
<a href="#">Jnr05</a>	
<a href="#">Ss40-T44</a>	
<a href="#">Sst300-H2l</a>	
<a href="#">Fr520c-3j</a>	
<a href="#">Wj316</a>	
<a href="#">Cs-C3n</a>	
<a href="#">Pa60</a>	
<a href="#">Ds-5crs</a>	
<a href="#">Fg-30</a>	FO BUNDLE 30M FOR FD-300/600 FDA- 300 HMD SENSORS/ OHA, OHAN, OHAN OHW OPTICAL HEADS
<a href="#">Ds4r-03</a>	
<a href="#">Ssc-Tl810</a>	
<a href="#">Ne-R10</a>	