

Te Co

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Te Co Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Te Co T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
C2---55-8b3	55KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315S
C2---22-6b5	22KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
C2---90-2b5	90KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280M
C2----7-8b5	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
C2---18-4b3	18.5KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
C2---30-2b3	30KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE DS00L
C2---15-8b5	15KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
C2---22-4b5	22KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180L

C2---90-6b3	90KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
C2---55-2b3	55KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D250M
C2---90-6b5	90KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
C2---75-8b5	75KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
A510-4040-H3	A510-4040-H3-400V, 30 KW HEAVY DUTY, 37 KW NORMAL DUTY
C2---22-2b3	22KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
I2---15-4b5	15KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
Db45-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 75 HP: 460V
N3-460-N1	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---37-2b5	37KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
C2---45-4b3	45KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225M
A510-4025-H3	A510-4025-H3-400V, 18.5 KW HEAVY DUTY, 22 KW NORMAL DUTY
C2---75-2b5	75KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280S
C2---55-6b3	55KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280M
C2---37-6b5	37KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 250M
Kdrulg2le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Kdrulh2le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
I2---11-6b5	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
Pa7300-4075-N1	DRIVE VARIABLE TORQUE AC 75HP 111AMP 3PH 460VAC
C2---55-4b5	55KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D250M
	15KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE

C2---15-4b5	MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160L
I2---11-6b3	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
Jntebgbb0040jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Kdrulg3he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
C2---30-4b5	30KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
C2---22-2b5	22KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
C2---37-8b5	37KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280S
Cv-4060-H3 Kmf3150a	CV-4060-H3 KMF3150A TECO 45KW/96AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
A510-4075-H3	A510-4075-H3-400V, 55 KW HEAVY DUTY, 75 KW NORMAL DUTY
A510-4030-H3	A510-4030-H3-400V, 22 KW HEAVY DUTY, 30 KW NORMAL DUTY
C2----7-8b3	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
C2---45-4b5	45KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225M
C2---37-4b3	37KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225S
Cv-4050-H3 Kmf3100a	CV-4050-H3 KMF3100A TECO 37.5KW/80AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
C2---37-2b3	37KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
Cv-4075-H3 Kmf3180a	CV-4075-H3 KMF3180A TECO 55KW/128AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
C2---18-6b3	18.5KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
I2---18-2b5	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE 160L
N3-475-N1	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
I2----7-8b5	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
A510-4050-H3	A510-4050-H3-400V, 37 KW HEAVY DUTY, 45 KW NORMAL DUTY

Kdrulf26he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
C2---37-4b5	37KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225S
I2---18-2b3	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE 160L
Eq5-4020-N1	VARIABLE TORQUE
Jntebgbb0040az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Eq5-4500-C	VARIABLE TORQUE
C2---18-2b3	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160L
Ma7200-2010-N4	MA7200 PLUS NEMA 4/12, 230V 1-PHASE OR 3-PHASE INPUT/ 3-PHASE OUTPUT
A510-4030-H3f	A510-4030-H3F-400V, 22 KW HEAVY DUTY, 30 KW NORMAL DUTY
Kdrulh2l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.50
I2---15-2b5	15KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160M
Kdrull1h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.50
Kdrulf4he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
C2---30-6b5	30KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225L
A510-4215-H3	A510-4215-H3-400V, 160 KW HEAVY DUTY, 185 KW NORMAL DUTY
C2---15-6b5	15KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 180L
Tmvrxe12-650-2300-12	2300 VOLT, NEMA12
Eq5-4075-C	VARIABLE TORQUE
C2---75-8b3	75KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
Eq5-2007-N1	VARIABLE TORQUE
Hb0104	MAX-E2/841 NEMA PREMIUM EFFICIENCY, TYPE AEHH8B
C2---90-4b5	90KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280M

Bu37-2c Kdrulh22le01	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 7.00
A510-4020-H3f	A510-4020-H3F-400V, 15 KW HEAVY DUTY, 18,5 KW NORMAL DUTY
C2---37-8b3	37KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280S
V1k305a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Jntebgbb0030jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Eq5-4600-C	VARIABLE TORQUE
Kdrull4h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.50
A407	SEVERE DUTY W/ ACROSS THE LINE BYPASS, STANDARD MODULAR OPTION 16 CHANNEL RTD MODULE(S), 100 OHM PLATINUM (ALSO AVAILABLE FOR REMOTE MOUN
Kdrulj22he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Eq5-2030-N1	VARIABLE TORQUE
Kdruli21h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Kdrulh22l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Eq5-4003-N1	VARIABLE TORQUE
N3-215-N1	N3 COMPACT DRIVE, 230 V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---75-4b5	75KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280S
C2---11-6b5	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
C2---30-8b3	30KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 250M
Bu132-4c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT
Kdrull4he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Kdrulh24h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Eq5-2003-N1	VARIABLE TORQUE
Eq5-2040-C	VARIABLE TORQUE

C2---18-2b5	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160L
Kdrulf1he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Kdrull6he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 36.00 X 28.39 X 30.19
C2---18-6b5	18.5KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
Db37-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 60 HP: 460V
Dbr-221	BRAKING RESISTOR, AC DRIVE HP RATING 50
7200ma	***DO NOT USE INCORRECT PART NUMBER***
Kdrulj23l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 11.50
Kdrulh1le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Dbr-213	BRAKING RESISTOR, AC DRIVE HP RATING 125
Jntebgbb0100az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Eq5-4250-C	VARIABLE TORQUE
V1k250a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
V1k55a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrulj22h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.75
Kdrulf2he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Eq5-4700-C	VARIABLE TORQUE
Jntebgbb0060az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Tmvrxe12-750-2300-12	2300 VOLT, NEMA12
Jntebgbb0250az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Kdruli22h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Kdrulg22le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 9.00
Eq5-2005-N1	VARIABLE TORQUE
Kdruls1l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X

Kdruli2h	15.00 X 13.25 LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Pa7300-2050-N1	DRIVE AC 144AMP 50HP 230V
Kdrulf25he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
V1k362a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrulg1he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Ga7200-4025-N1	DRIVE 25HP 34KVA
V1k420a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Dbr-108	BRAKING RESISTOR, 230V 3-PHASE,OHMS 6.8
Kdrulg3l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.00
Kdrulj1l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 12.00 X 11.50
Dbr-230	BRAKING RESISTOR, AC DRIVE HP RATING 100
V1k110a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Kdrulh2h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Kdrulj23le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 9.75
Kdruli24l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Pdh03004te5	MOTOR 30HP 1765RPM 28AMP 575VAC 22KW 3PH
Kdrulg25he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Kdrulg22l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.00
Kdrull5h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 11.00
Db37-2c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING RESISTOR
V1k750a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Db90-2c	EQ7 PERIPHERALS, BRAKING RESISTOR 150 HP: 230V

Db55-2c	EQ7 PERIPHERALS, BRAKING RESISTOR 100 HP: 230V
I2----7-8b3	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
C2---11-8b5	11KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 180L
Nema1-110g11-4	NEMA1 KIT 150,200HP 460V
A406	SEVERE DUTY W/ ACROSS THE LINE BYPASS, STANDARD MODULAR OPTION 8 CHANNEL RTD MODULE, 100 OHM (ALSO AVAILABLE FOR REMOTE MOUNTING, CALL FA
Jntebgbb0100jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Dbr-191	BRAKING RESISTOR, AC DRIVE HP RATING 25
Kdruli23le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 7.00
C2---18-8b3	18.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225S
Ma7200-2005-N4	MA7200 PLUS NEMA 4/12, 230V 1-PHASE OR 3-PHASE INPUT/ 3-PHASE OUTPUT
Kdrull2h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.31
Db75-2c	EQ7 PERIPHERALS, BRAKING RESISTOR 125 HP: 230V
Jntebgbb0200az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Jntebgbb0075jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
V1k130a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrulh24he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
V1k25a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Eq5-4015-N1	VARIABLE TORQUE
Tmvrxe12-1500-2300-3r	2300 VOLT, NEMA3R
Db132-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 250 HP: 460V
Hb0204	MAX-E2/841 NEMA PREMIUM EFFICIENCY, TYPE AEHH8B
Eq5-2100-C	VARIABLE TORQUE