

## Te Connectivity



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Te Connectivity** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Te Connectivity Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">47820</a>	DIE SET
<a href="#">314268-1</a>	DIE SET
<a href="#">679300-1</a>	DIE SET
<a href="#">47821</a>	DIE SET
<a href="#">48128</a>	HYP8 SOLIS 6AWG NEST
<a href="#">48129</a>	HYP8 SOLIS 4AWG NEST
<a href="#">48127</a>	HYP8 SOLIS 6-2AWG INDENTER
<a href="#">48132</a>	HYP8 SOLIS 1/0AWG NEST
<a href="#">48131</a>	HYP8 SOLIS 1/0-4/0AWG INDENTER
<a href="#">59974-1</a>	HYP8 8-2AWG MANUAL TOOL
<a href="#">69051</a>	CRIMPING HEAD
<a href="#">69065</a>	HYP8 8-4/0AWG 12T HEAD
<a href="#">206037-1</a>	10 pin
<a href="#">206043-1</a>	10Pin
<a href="#">RVPX-HPD-2</a>	ALIGMENT PIN
<a href="#">JMAPD-26XM</a>	RELAY GEN PURPOS DPDT 1A 26.5VDC
<a href="#">ASTA558FR92730100000</a>	19-Pin Female M23
<a href="#">AKUA559MR93730100000</a>	19-Pin Male M23transformer
<a href="#">2-284932-8</a>	Automotive Connectors DUOPLUG MKI STD KEYED 2/38 POS BROWN
<a href="#">DT06-3S-P032</a>	

<a href="#">0462-221-1631</a>	
<a href="#">0462-201-1631</a>	
<a href="#">W9S-1939-P012</a>	
<a href="#">794940-1</a>	6POL.MINI REAR PLUG HOUSING SEALED
<a href="#">770903-1 ##(pahling 96151197)</a>	AMP pin contact AWG22-18 MMNL vz t=0.2mm (strip) - 100 pieces#manufactured part no
<a href="#">794895-1</a>	MINI RECEIVER HOUSING SEALED 6POL
<a href="#">770904-1</a>	HRS TOOL FEMALE PIN IS 600 V 9A RATED FEMALE PIN CABLE RANGE 0.3-0.9 mm2
<a href="#">KUP-5D55-12</a>	General Purpose Relays SP BRKT MT QC 12VDC
<a href="#">DRB16-102SAE-L018</a>	571-DRB16-102SAEL018 DRB PLUG ASM TE Connectivity Automotive Connectors RoHS: Konform ECCN: EAR99 /
<a href="#">DRB102-BT</a>	571-DRB102-BT MFR PN: DRB102-BT BT DRB 102 WY PL TE Connectivity Automotive Connectors RoHS: Konform ECCN: EAR99
<a href="#">DTM15-12PA</a>	
<a href="#">P/N 1-966067-2</a>	CABLE TERMINAL END,COPPER (E-CU), TIN PLATED,14LX2DX3.5D, CABLE 1.5MM2,1.5LIK DIN 46228-4 Black
<a href="#">P/N 966067-9</a>	CABLE TERMINAL END,COPPER (E-CU), TIN PLATED,14LX1.7DX3D, CABLE 1MM2,1 46228-4 red
<a href="#">ETE s1001-c610 resolve</a>	
<a href="#">TMS-SCE-1/4-2.0-9</a>	
<a href="#">TMS-SCE-1/4-2.0-4</a>	
<a href="#">TMS-SCE-3/16-2.0-9</a>	
<a href="#">TMS-SCE-3/16-2.0-4</a>	
<a href="#">TMS-SCE-1-1/2-2.0-4</a>	
<a href="#">CM-SCE-TP-1/2-4H-9</a>	
<a href="#">CM-SCE-TP-1/4-4H-4</a>	
<a href="#">1966-RIBBON</a>	
<a href="#">TMS-SCE-3/8-2.0-4</a>	
<a href="#">TMS-SCE-1/2-2.0-4</a>	
<a href="#">665-501-04-50 (MARL // LED )</a>	
<a href="#">571-1-1241380-2</a>	MFR PN: 1-1241380-2 AMP MCP 1, 5 K SWS TE Connectivity Automotive Connectors RoHS: Konform

<a href="#">571-964972-1</a>	MFR PN: 964972-1 WIRE SEAL TE Connectivity Automotive Connectors RoHS: Konform
<a href="#">571-1-1418448-1</a>	MFR PN: 1-1418448-1 3 POS. AMP MCP1.5K R TE Connectivity Automotive Connectors
<a href="#">MFR PN: 1-967626-1</a>	9P 2TAB PLUG YELLOW
<a href="#">MFR PN: 929505-1</a>	FF FLSTE-GEH2X2P
<a href="#">MFR PN: 929505-2</a>	FF FLA-STE-GEG2X3P
<a href="#">962885-5</a>	
<a href="#">279-MCU2K210</a>	CUST PN: MFR PN: MCU2K210 2.2 KOhms Cermet Fla TE Connectivity Potentiometers
<a href="#">1718329-1</a>	PB-GF 30
<a href="#">CONBNC002</a>	
<a href="#">8PCV-04-006</a>	
<a href="#">2-647123-3</a>	
<a href="#">91H1-15-06-1-B-HE100</a>	
<a href="#">800 A Shielded Detachable Cable Head</a>	for 36 (42) kV 1 x 120 mm2 (Unarmored) Copper Conductor Cables. The shoe is copper crimped type. (Interface Type C) RSTI 6824 for RMU type cells.
<a href="#">M83536/33-003L</a>	
<a href="#">E244-213-G-QX-XA-C7</a>	
<a href="#">,0-200Bar,4-20mA,G¼"NPT</a>	
<a href="#">Dsy 1205.02 Shw/ 374z-05341</a>	
<a href="#">T92s7d12-24 Monostabiles Relais</a>	
<a href="#">Te 1-965641-1</a>	Automotive Connectors 6P 2TAB PLUG BLUE CONNECTOR HOUSING 6 er Stecker schwarz
<a href="#">009263083</a>	
<a href="#">Dtp06-4s</a>	mit Gehäuse, Stift und Keil
<a href="#">0-1415035-1 Sockel</a>	
<a href="#">9-160583-5</a>	
<a href="#">006405821</a>	
<a href="#">He 024m Industrielle Stecker Buchse</a>	
<a href="#">013752552 Hook &amp; Loop Cable Tie</a>	
<a href="#">Te Acc1230u20 3100y30t12999cj</a>	

<a href="#">Orwh-Sh-112d1f.000</a>	
<a href="#">3-1579007-7</a>	
<a href="#">H24? -Tsh-Pg21 Flachsteckergehaeuse</a>	
<a href="#">Dthd06-1-4s</a>	mit Gehäuse, Stift und Keil
<a href="#">Rt315024 Allzweckrelais Spdt 16a 24vdc Pcb</a>	
<a href="#">1971919-1</a>	Item number: 1971919-1 Manufacturer: TE Connectivity / Amp Brand Description: PIN KITS, PV4 PANEL MOUNTED CONNECTOR
<a href="#">539972-1</a>	
<a href="#">009268931</a>	
<a href="#">016586801</a>	
<a href="#">A101sycq04 4-1825136-5</a>	
<a href="#">Csl-38-60010 Relais</a>	
<a href="#">951-08rc8-4s50</a>	
<a href="#">165565-2 Plug-In Fingerhut 2,8x0,5mm Rot</a>	
<a href="#">4-1393817-1</a>	
<a href="#">006405811</a>	
<a href="#">He 024m Industrieller Stecker-Stecker</a>	
<a href="#">Dt15-12pc</a>	mit Gehäuse, Stift und Keil
<a href="#">Rvip-15-120i</a>	
<a href="#">350706-7 Contact Male 0,2 -0,8 Mm2</a>	
<a href="#">Dthd04-1-8p</a>	mit Gehäuse, Stift und Keil
<a href="#">Te 967635-1</a>	Accessory Type : TPA (Terminal Position Assurance) Color : Brown Connector System : Wire-to-Board, Wire-to-Wire Material : PBT GF Operating Temperature Range : -40 - 140 °C [ -40 - 284 °F ]
<a href="#">292304-2 Stecker</a>	
<a href="#">Pt3s7lc4-1415075-1 Relay</a>	
<a href="#">003508091</a>	
<a href="#">9-0160583-5</a>	
<a href="#">1102855-8</a>	
<a href="#">1-1579007-6</a>	

<a href="#">8-321045-1 Cable Lug Ring M6 1.25 2sn Bu</a>	
<a href="#">02560927-000</a>	
<a href="#">Te 967630-1</a>	Connector Style : Housing for male terminals 21 OUTPUT FEMALE CONNECTOR (braun) Mating Tab Width : 2.8 mm [ .11 in ] Connector System : Wire-to-Wire Number of Positions : 21 Centerline (Pitch) : 5 mm [ .197 in ]
<a href="#">Fdba56-10-6sn-K081</a>	
<a href="#">Rp420048</a>	
<a href="#">001826491</a>	
<a href="#">M5246-00000p-020bg</a>	
<a href="#">Rt424024, Pcb Relay Dpdt 8a 24vdc</a>	
<a href="#">H24? -Sgrh-Pg21 Flachsteckergehaeuse</a>	
<a href="#">009655761</a>	
<a href="#">1102855-5</a>	
<a href="#">Dt15-12pb</a>	mit Gehäuse, Stift und Keil
<a href="#">60.194.23</a>	
<a href="#">1-1579007-7</a>	
<a href="#">000660988 Amp Connector</a>	
<a href="#">016711961</a>	
<a href="#">Mtl106d 3-1437559-4</a>	
<a href="#">001305160</a>	
<a href="#">626481-1 Faston Connector 110</a>	
<a href="#">Relais Oj-Sh-124lmh (24dc Spule, Kontakt 8a, 240v)</a>	
<a href="#">003508101</a>	
<a href="#">002008932 Amp Connectors</a>	
<a href="#">1971920-1</a>	Item number: 1971920-1 Manufacturer: TE Connectivity / Amp Brand Description: SOCKET KITS, PV4 PANEL MOUNTED CONNECTOR
<a href="#">1102855-2</a>	
<a href="#">Dt15-12pd</a>	mit Gehäuse, Stift und Keil
<a href="#">Te 967633-1</a>	Accessory Type : TPA (Terminal Position Assurance) Connector System : Wire-to-Board, Wire-to-Wire Material : PBT GF Operating Temperature Range : -40 - 140 °C [ -40 -

284 °F ]	
<a href="#">61.159.23</a>	
<a href="#">Te 967628-1</a>	All AMP MCP, UN-SEALED CONNECTOR HOUSING (164) Connector Style : Housing for male terminals Mating Tab Width : 2.8 mm [ .11 in ] Connector System : Wire-to-Wire Number of Positions : 15 Centerline (Pitch) : 5 mm [ .197 in ]
<a href="#">0460-202-16141</a>	
<a href="#">Ry211024 Te Connectivity Monostabiles Relais Printrelais, 24vdc Spule, 1-Poliger Wechsler</a>	
<a href="#">02291333-000</a>	
<a href="#">02560984-000</a>	
<a href="#">002195852 Madison Kabel   Cat6,</a>	
<a href="#">0410 63 043 005wg Relais</a>	
<a href="#">016586702</a>	
<a href="#">6-1625984-3</a>	
<a href="#">Dt15-12pa</a>	mit Gehäuse, Stift und Keil
<a href="#">Dtm06-12sa</a>	mit Gehäuse, Stift und Keil
<a href="#">000661009 Amp Connector</a>	
<a href="#">1-1579007-8</a>	
<a href="#">2-1415356-1 Relay Pn 2-1415356-1, Pbh34012</a>	
<a href="#">Pn: Ir-1759 Miniray Infrared Heating Tool</a>	
<a href="#">017279123 Ep95-13rohs 2 Konform</a>	
<a href="#">1102855-7</a>	
<a href="#">Dlx21-P Kabelverschraubung (Kabelverschraubung)</a>	
<a href="#">019335421</a>	