

Teco

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Teco Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Teco T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
C2---75-6b3	75KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315S
Ga7200-4007-N1	DRIVE AC 3PHASE 7.5HP 460VAC
Fm100-405-N1	TECO Drive FM100
T2e3f040as1	40HP ,NEMA1,208-230/460/3
22236	
Ma7200-4007-N1	MA7200 PLUS NEMA 1, 460V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---55-2b5	55KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D250M
Type:Aeeffb,1.5kw Frame 90s Ins F,Ip54 2 Poles Volts : 380/400/415 400/440 Hz: 50 / 60	
Aealzm 415v 4,4amp. 2,1 Hp-6 P 880 Rpm	

C2---45-8b5	45KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280M
Jnthbcba7r50beu	
C2---45-8b3	45KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280M
C2---90-8b3	90KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315L
A510-4100-H3	A510-4100-H3-400V, 75 KW HEAVY DUTY, 90 KW NORMAL DUTY
Type: Aeof 0.37 Kw 50hz 220v-380v	
Frequency Inverter Jnthbcba0005be-Uf	
C2---45-2b3	45KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225M
N3-407-C , Possible S: E510-408-Sh3f Or A510-4008-H3f Check Datasheet!	
C2---90-2b3	90KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280M
A510-4005-H3	
Ep0104	MAX-E1, NEMA PREMIUM EFFICIENCY, TYPE AEHE, AEHH8N
Jnthbcba0002be-Uf	
Cv-4020-H3 Kmf350a	CV-4020-H3 KMF350A TECO 15KW/32 AMPS IP20 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
C2---55-8b5	55KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315S
Jntebgbb0050jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---15-8b3	15KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
Cv-4040-H3 Kmf3100a	CV-4040-H3 KMF3100A TECO 30KW/64 AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
C2---45-6b3	45KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280S
C2---22-8b5	22KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225M
Hb0502	MAX-E2/841 NEMA PREMIUM EFFICIENCY, TYPE AEHH8B
Cv-4025-H3 Kmf370a	CV-4025-H3 KMF370A TECO 18.5KW/32 AMPS IP20 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
	18.5KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE

C2---18-4b5	MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
3025980	
C2---22-4b3	22KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180L
C2---30-6b3	30KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 255M
C2---90-4b3	90KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280M
Driver Motor. 3 Phase Induction Motor	
Aealzm 6p-2.1 Hp	
Opc-G11s-Ibs	INTERBUSS
C2---30-8b5	30KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 250M
C2---18-8b5	18.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225S
Ma7200-4007-N4	MA7200 PLUS NEMA 4/12, 460V 3-PHASE INPUT/ 3-PHASE OUTPUT
Eq5-4125-C	VARIABLE TORQUE
Fm50-203-N4fs	DRIVE 3HP 230V 10.5AMP 3PHASE
4001315004	
A510-4060-H3f	A510-4060-H3F-400V, 45 KW HEAVY DUTY, 55 KW NORMAL DUTY
A510-4040-H3f	A510-4040-H3F-400V, 30 KW HEAVY DUTY, 37 KW NORMAL DUTY
Aeebuc009 150kw ,274 A	
Ep0302	MAX-E1, NEMA PREMIUM EFFICIENCY, TYPE AEHE, AEHH8N
A510-4150-H3	A510-4150-H3-400V, 110 KW HEAVY DUTY, 132 KW NORMAL DUTY
C2---15-6b3	15KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 180L
17544	
602137	
Aenm	
Aehe00-04-00100yh	MOTOR 10HP 1800RPM 215T FRAME 230/460V
C2---45-6b5	45KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280S

4001315002	
Eq5-2050-C	VARIABLE TORQUE
Esda-40c	
Wk008k234	
Ma7200-4015-N1	MA7200 PLUS NEMA 1, 460V 3-PHASE INPUT/ 3-PHASE OUTPUT
A510-4050-H3f	A510-4050-H3F-400V, 37 KW HEAVY DUTY, 45 KW NORMAL DUTY
E510-420-H3f	E510-420-H3F-400V, 15KW , 20.0HP
Db75-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 125 HP: 460V
A510-4125-H3	A510-4125-H3-400V, 90 KW HEAVY DUTY, 110 KW NORMAL DUTY
Np1004	MOTOR 100HP 230/460V 1800RPM 405T FRAME
A510-4175-H3	A510-4175-H3-400V, 132 KW HEAVY DUTY, 160 KW NORMAL DUTY
Aeubuc-Dcc	
Kdrulf28he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Gsu 14d/66d.3-S12 (50126782)	
C2---30-4b3	30KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
E510-425-H3f	E510-425-H3F-400V, 18.5KW, 25.0HP
C2---22-8b3	22KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225M
Db55-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 100 HP: 460V
Kdj2301	BOARD
Kdrulh2he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
S310 !!	
C2---30-2b5	30KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
C2---75-6b5	75KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315S
A510-4020-H3	A510-4020-H3-400V, 15 KW HEAVY DUTY, 18,5 KW NORMAL DUTY

Bu90-2c Kdruls2he01	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 48.00 X 36.27 X 36.27
Ep0404	MAX-E1, NEMA PREMIUM EFFICIENCY, TYPE AEHE, AEHH8N
C2---55-4b3	55KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D250M
Bu55-2c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT
Eq5-4040-C	VARIABLE TORQUE
Pmxx 25g 1	
2013-12-022-18a-3 Item No:12	
4001288029	
Ma7200-2007-N1	MA7200 PLUS NEMA 1, 230V 1-PHASE OR 3-PHASE INPUT/ 3- PHASE OUTPUT
Jntebgbb0060jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Eq5-4350-C	VARIABLE TORQUE
Ma7200-4025-N1	MA7200 PLUS NEMA 1, 460V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---55-6b5	55KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280M
Eq5-2015-N1	VARIABLE TORQUE
C2---11-8b3	11KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 180L
S 310	
F510-4005-H3	
N 310	
C2---75-4b3	75KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280S
N3-425-N1	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
Kdruls2h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 15.00 X 13.25
C2---37-6b3	37KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 250M
C2---75-2b3	75KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280S
C2---45-2b5	45KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225M

Aenm-Ap B3	
Nema1-90g11-2	NEMA1 KIT 150HP 230V 350,400,450HP 460V
Jnthbcba0005be-Uf	
C2---22-6b3	22KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
Kdrulj1h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.00
Kdrull1le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
C2---11-6b3	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
Cv-4030-H3 Kmf370a	CV-4030-H3 KMF370A TECO 22KW/48 AMPS IP20 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
Eq7-4300-C	EQ7 MULTIPLE DUTY, 460V 3-PHASE
Dbr-086	BRAKING RESISTOR, 230V 3-PHASE, OHMS 10
N3-401-C	
Jntebgbb0150az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
N3-220-N1	N3 COMPACT DRIVE, 230 V 3-PHASE INPUT/ 3-PHASE OUTPUT
Ma7200-4040-N1	MA7200 PLUS NEMA 1, 460V 3-PHASE INPUT/ 3-PHASE OUTPUT
Db30-2c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING RESISTOR
Eq5-2125-C	VARIABLE TORQUE
Kdrull1l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 15.00 X 12.00
V1k160a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Pa7300-2010-N1	DRIVE INVERTER 10HP 32AMP 230VAC
Kdrulf3le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Aenm-Ap	
Kdrull6h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 11.00
D 250 M-	
Kdrulh23he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43

C2---15-2b5	15KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160M
Kdruls1h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 15.00 X 13.25
Bu37-4c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT
Eq5-4050-C	VARIABLE TORQUE
Trf 300va 0.230-400-415-440-480/0-230 Cr	
Eq5-2010-N1	VARIABLE TORQUE
Nthbcba0002be-Uf	
Ma7200-2015-N1	MA7200 PLUS NEMA 1, 230V 1-PHASE OR 3-PHASE INPUT/ 3-PHASE OUTPUT
Nema1-160g11-4	NEMA1 KIT 250,300HP 460V
Eq5-4100-C	VARIABLE TORQUE
Eq5-4400-C	VARIABLE TORQUE
Kdrulx2le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 48.00 X 36.27 X 36.27
Ma7200-4075-N1	MA7200 PLUS NEMA 1, 460V 3-PHASE INPUT/ 3-PHASE OUTPUT
Bu55-4c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT
Xp7/54	NEMA PREMIUM EFFICIENCY EXPLOSION PROOF, TYPE AEHHXU
Kdruls1he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 48.00 X 36.27 X 36.27
Eq5-4200-C	VARIABLE TORQUE
Ma7200-2007-N4	MA7200 PLUS NEMA 4/12, 230V 1-PHASE OR 3-PHASE INPUT/ 3-PHASE OUTPUT
Duz Azer20120073f 723*1018mm	
Np0404	MAX-PE, TYPE AEHH9P, THREE PHASE TEFC
Np0754	MOTOR 75HP 230/460V 1800RPM 365T FRAME
Ep1254	MAX-E1, NEMA PREMIUM EFFICIENCY, TYPE AEHE, AEHH8N
Jntebgbb0075az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
A510-4005-H3f.	
Dhp0404	CAST IRON ODP NEMA PREMIUM, TYPE ASHH

Eq5-2075-C	VARIABLE TORQUE
A510-4025-H3f	A510-4025-H3F-400V, 18.5 KW HEAVY DUTY, 22 KW NORMAL DUTY
Kdrulh3le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Db160-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 300 HP: 460V
V1k110a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrull3l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.50
69506x	
Eq5-4010-N1	VARIABLE TORQUE
Eq5-2025-N1	VARIABLE TORQUE
Eq5-4005-N1	VARIABLE TORQUE
Kdrulg1h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 8.00
Kdrull3he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
2013-12-022-18a-3	
Kdrulj1le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
V1k27a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
N3-415-C	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
N3-430-N1	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
Kdrulh23h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Db110-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 150-200 HP: 460V
Kdrulx2l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 18.50 X 21.00 X 18.00
V1k600a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Vh0754	MAX-VH VERTICAL HOLLOW SHAFT WP1, TYPE AMRC
V1k200a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS

Aeul	
Db200-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 350 HP: 460V
Dt0254	25HP 208-230/460V 1800RPM MTR