

Teledyne

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Teledyne** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Teledyne T¼rkiye Distrib¼t¼r¼ veya temsilcisi deėildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Ta-B1	Teledyne oxygen measuring cell - type B1 p / n C06689-B1 -% measuring range - CO2-free sample gas
C06689-B2c	Teledyne oxygen measuring cell - type B2C p / n C06689-B2C - ppm measuring range - CO2-free sample gas HS code: 90279000 Country of origin: USA
TA-3190-A	Oxygen Trace Analyzer Model Teledyne 3190 A 2 configurable measurement ranges min. 0 - 10 ppm / max. 0 - 10.000 ppm Automatically measurement range switching Calibration with test gas Potential free configurable relay contacts for alarm 1 (high), alarm 2 (low) and failure Panel mount with LED display Signal output: 4 - 20 mA and 0 - 1 VDC for measurement signal, 0 - 1 VDC for measurement range identification Power supply: 100 - 240 VAC, 50/60 Hz Temperature range: 0°C - 50°C Separated cell block material: nylon Cell type: options Measurement gas input and output 6mm brass fittings Pressure input: 5 - 10 psig (0,35 - 0,70 bar) 1/4" brass fitting for measurement gas input and output Options: Measurement cell B2C ppm-range (CO2-free measurement gas) Measurement cell A2C ppm-range (CO2-containing

	measurement gas) HS-Code: 90271010 Ursprungsland: USA
TA-3190-D	Oxygen Trace Analyzer Model Teledyne 3190 D <input type="checkbox"/> 2 configurable measurement ranges min. 0 - 10 ppm / max. 0 - 10,000 ppm <input type="checkbox"/> Automatically measurement range switching <input type="checkbox"/> Calibration with test gas <input type="checkbox"/> Potential free configurable relay contacts for alarm 1 (high), alarm 2 (low) and failure <input type="checkbox"/> Panel mount with LED display <input type="checkbox"/> Signal output: 4 - 20 mA and 0 - 1 VDC for measurement signal, 0 - 1 VDC for measurement range identification <input type="checkbox"/> Power supply: 10 - 36 VDC, 50/60 Hz <input type="checkbox"/> Temperature range: 0 ° C - 50 ° C <input type="checkbox"/> Separated cell block material: nylon <input type="checkbox"/> Cell type: options <input type="checkbox"/> Measurement gas input and output 6mm brass fittings <input type="checkbox"/> Pressure input: 5 - 10 psig (0.35 - 0.70 bar) <input type="checkbox"/> 1/4 "brass fitting for measurement of gas input and output Options: Measurement cell B2C ppm-range (CO2-free measurement gas) Measurement cell A2C ppm-range (CO2-containing measurement gas) HS code: 90271010 Country of origin: USA Process parameter Measurement range: to be specified Measurement gas: to be specified Background gas: to be specified
MBF-1002	DELAY
T-2S63U-60	ISOLATOR
p/n C06689-B2C	TA-B2C Teledyne oxygen measuring cell - type B2C - ppm measuring range - CO2-free sample gas HS code: 90279000 Country of origin: USA
TA-E2	Teledyne oxygen measuring cell - type E2 p / n C57283-E2 -% measuring range - CO2-free sample gas 90279000 USA
C06689-A2C	TA-A2C Teledyne oxygen measuring cell - type A2C ppm measuring range Measurement gas containing CO2 HS code: 90279000 Country of origin: USA
p/n CB-HPM 4/5/6	Replacement Cable for HPM-4/5/6
ISCO Marka GLS Model	682950001
609004379	ISCO Brand Sampling Tubing, Approx. 7.62 meters, 3/8 inch ID vinyl sampling tube with sampling head
603004190TR	ISCO Model 923 Power Supply and battery charger
603004106TR	
684330000	Teledyne ISCO Brand Signature Model Bubbler Flowmeter (bubbler open channel flowmeter)
Y.HRT01.0001	6 mm diameter hose (domestic) max. 1 meter
Y.BR001.0001	Stainless Steel J-pipe for Signature Bubbler
TA-3190-A	Trace Oxygen Analyzer Model Teledyne 3190 A microprocessor-controlled analyzer for continuous measurement in process gases Features: <input type="checkbox"/> 2 user-configurable measuring ranges min. 0 - 10 ppm / max. 0-10,000 ppm <input type="checkbox"/> Automatic measuring range switching <input type="checkbox"/> Calibration with test gas <input type="checkbox"/> Potential-free, freely configurable relay contacts for alarm 1 (min), alarm 2 (max) and error <input type="checkbox"/> Front panel installation with LED display <input type="checkbox"/> Signal output: 4 - 20 mA and 0 - 1 VDC for act. Measured value, 0 - 1 VDC for area identification <input type="checkbox"/> Power supply: 100 - 240 VAC, 50/60 Hz <input type="checkbox"/> Temperature range: 0 ° C - 50 ° C <input type="checkbox"/> Separate cell block material: nylon <input type="checkbox"/> Measuring cell type: see options <input type="checkbox"/> 1/4 "brass connections for sample gas inlet and outlet Options: Measuring cell B2C ppm range (CO2-free measuring gas) Measuring cell A2C ppm range (measuring gas containing CO2) HS code: 90271010 Country of origin: USA Process parameters Measuring range: to be specified Sample gas: to be specified Background gas: to be specified
Panel Mount VT-4A-0-1	Hastings Ins. VT-4 Series Vacuum Gauge: 20 Torr range 230VAC -

Hastings Ins. DV-4D 20 Torr Vac Gauge Tube	(Purple Base) 55-19
P/N: 90680-21	TYPE: S-216-J-20 SERIAL NO: 20-263-80/20-250-80 SPRAGUE PRODUCTS DIV. OF CURTISS-WRIGHT FLOW CONTROL CORP. MODEL: S216J20 P/N: 77894-11 S/N: 9231 MAX. DRIVE PRESSURE: 100 PSIG MAX. OUTLET PRESSURE: 1850 PSIG OVERHAUL KIT
967-214520-100 IR-700 Infrared LEL	Gas Sensor Assembly 316SS Condulet
TA-B2C	Teledyne oxygen measuring cell - type B2C p/n C06689-B2C - ppm measurement range - CO2-free sample gas
TA-B1	Teledyne oxygen measuring cell - type B1 p/n C06689-B1 (Micro fuel cell, Teledyne) - % measuring range - CO2-free sample gas
Teledyne Detcon IR-700	Art Nr. 967-214520-100 Infrared Combustible Hydrocarbon Gas Detection Sensor Assembly, explosive gases, measuring range 0-100% LEL, 316SS condulet
TA-INSTATRANS-XD	Oxygen analyzer model Teledyne InstaTrans-XD 2-wire transmitter for continuous measurement of oxygen in Air separation plants, petrochemical and in industrial exhaust systems Features: <input type="checkbox"/> Adjustable measuring range: 0 - 10 ppm to 0 - 25 vol.% <input type="checkbox"/> Calibration in % range with ambient air <input type="checkbox"/> Calibration in the ppm range with test gas <input type="checkbox"/> Monitoring of the functionality of the measuring cell <input type="checkbox"/> Measuring cell types: see options <input type="checkbox"/> Includes 2 x 1/8" stainless steel compression fittings <input type="checkbox"/> Temperature range: 0 to +50 °C <input type="checkbox"/> Power supply: 9 - 24 VDC <input type="checkbox"/> Signal output: 4 - 20mA <input type="checkbox"/> Analog signal adjustable <input type="checkbox"/> Digital display, operation via membrane keyboard <input type="checkbox"/> Weatherproof stainless steel and powder coated aluminum casing <input type="checkbox"/> NEMA-4 and IP66 rated <input type="checkbox"/> ATEX: II 1G Ex ia IIC T4 Ga 0 °C ≤ Ta ≤ +50 °C <input type="checkbox"/> Weight: 3.2kg Options: Measuring cell B2C for ppm range (CO2-free sample gas) Measuring cell A2C for ppm range (measuring gas containing CO2) Measuring cell B1 for % range (CO2-free sample gas) Measuring cell A5 for % range (measuring gas containing CO2) process parameters Measuring range: to be specified Sample gas: to be specified Background gas: to be specified
LC584AL	55716 OSCILLOSCOPE
TA-L2C	Teledyne oxygen measuring cell - type L2C p/n C06689-L2C - ppm measurement range - CO2-free sample gas
CLASS L-2C	
UFO 130-2MG	
Dynamic Motion Sensor (DMS) RP 30	
TA-3190-A	Trace Oxygen Analyzer Model Teledyne 3190 A microprocessor-controlled analyzer for continuous measurement in process gases Characteristics: <input type="checkbox"/> 2 user-configurable measuring ranges min. 0 - 10 ppm / max. 0 - 10,000 ppm <input type="checkbox"/> Automatic measuring range switching <input type="checkbox"/> Calibration with test gas <input type="checkbox"/> Potential-free, freely configurable relay contacts for alarm 1 (min), alarm 2 (max) and error <input type="checkbox"/> Front panel mounting with LED display <input type="checkbox"/> Signal output: 4 - 20 mA and 0 - 1 VDC for act. Reading, 0 - 1 VDC for area identification <input type="checkbox"/> Power supply: 100 - 240 VAC, 50/60 Hz <input type="checkbox"/> Temperature range: 0°C - 50°C <input type="checkbox"/> Stepped Cell Block Material: Nylon <input type="checkbox"/> Measuring cell type: see options <input type="checkbox"/> 1/4" brass connections for sample gas inlet and outlet Options: Measuring cell B2C ppm range (CO2-free sample gas) Measuring cell A2C ppm range (measuring gas containing CO2) HS code: 90271010 Country of origin: United States process parameters Measuring range: to be specified Sample gas: to be specified Background gas: to be specified
(HPM 4/5/6)	HASTING BATTERY OPERATED PORTBLE , DİJİTAL GAUGE , DV4: 0-20 TORR,DV5 0-100MTORR,DV6 0-1000 MTORR
55-38)	HASTING 1000MT VACUUM TUBE (DV-6M)

(55-38R)	HASTING DV-6R , 1000MT VAC GAUGE TUBE/RUGGED
(55-104)	HASTING DB-20 , 1000MT REF TUBE FOR DV-6 SERIES
P/N 002690000 CD, LENS, PL-CON (PA)	
P/N 002700000 CD, LENS, BI-CON (KB)	
P/N 002720000 CD, FILTER, 330NM (KB)	
P/N 013400000 CD,PMT, SOx, (R1527) (KB)	
P/N 041660000 PCA, UV LAMP P/S, O3GEN, 400E, W/STA	W/STANDOFF
P/N 041800100 PCA, PMT PREAMP	
P/N 024180000 CD, UV FILTER 214 NM	
P/N OP0000012 PHOTOTUBE, IZS, R1228, ALT P/N OP1	
P/N 041510100 Press. / Flow Sensor	
DB-20	
ISCO 684330000	Must support MODBUS communication protocol and MODBUS module must be ready
CCT-38S36C-TDM	
CCRT-33S8E-TM	
PRESSURE HULL PENETRATION	22.04.1.03.1.00
isco 4250	
R2027200	
81258-02500h-5I02-A008m-06en	
720	
C06689-B1	
1779399509	
C43690 R17med	
R10550604	
645v-2h	
R0308200	
6033p	
2400-558	
R2000609	
601-2	
2400-141	
20404607	
8787	
311tc	

C6689-B3
R2012100
2400-446
Brd600240d40-012
Re2322700
Bcu-1/0
R0061600
2400-570
20052604
F0024500
10525701
R0012700
Sw-4
Ra2113100
Cf1a
C75504-A
R0455200
Rtxd7109
W0040901
Ra0001200
B2c
20036304
671240270
B2
W0040000
Sw-10
S1c8each
10529501
S48a75
Re2314900
20305000
T2015601
Portable Oxygen Analyzer Model Teledyne 3110 <input type="checkbox"/> ATEX: Ex II 1G Ex ia II C T3 <input type="checkbox"/> FM certificate: Class I Div 1 Groups A, B, C, D T6 Ta=40°C <input type="checkbox"/> Measuring ranges: 0 - 10 ppm to 0 - 10,000 ppm adjustable <input type="checkbox"/> Calibration with test gas <input type="checkbox"/> Battery operation with NiCd batteries <input type="checkbox"/> Charging voltage: 100 - 240 VAC 47 - 63 Hz <input type="checkbox"/> Temperature: 0 - 40°C <input type="checkbox"/> Cell Holder: Nylon <input type="checkbox"/> Measuring cell: see options <input type="checkbox"/> Analog output: 0 - 1 VDC <input type="checkbox"/> Connections: quick connectors (steel galvanized) <input type="checkbox"/> Digital

TA-3110	display <input type="checkbox"/> Case E00834 <input type="checkbox"/> Operating instructions English and German Options: Measuring cell B2C ppm range (CO2-free sample gas) Measuring cell A2C ppm range (measuring gas containing CO2) Measuring cell L2C ppm range long service life (CO2-free sample gas) Measuring cell L2CL ppm range long service life (CO2-containing sample gas) HS code: 90271010 Country of origin: United States process parameters Measuring range: to be specified Sample gas: to be specified Background gas: to be specified
B121151	
2400-562	
Nd-232/422/485/Etcp	
E2305900	
R0058200	
R10570303	
E2305400	
10-230	
A2118400	
Tg428xxl	
R2g14	
10548302	
Fs2637m-F-Da	
T*B80859a	
Alhsp1931	Serial No: MM066088 Nitrogen System Oxygen Analyzer
3190	
Exfl2rwwu	
52217791	
594-669	
C6689-L2c	
2400-106	
R20051705	
368alcl	
La-350	
Tsc-7129rcpl	
Ra2117202	
Blua-1/0s	
S-4	
Blu4/0s1	
R0472600	
D39218a	

012570
R20047801
Ctl417xx
R2026900
R2014200
Re2333500
Re0014400
R20031902
C-6689
Ctl417xxl
E2074502
1500-101232gw0
R3008800
E2324200
R0317200
S-10-S
7-2205m
T*2120-B
Pnl-500
326cj
R2002200
R2071500
20301401
H2et6s10
Es-001025
E2034400
R10547604
1001
9068011
20256006
R2004100
L0050700
Re2334700
Hpm-4/6
1044951r
Br534704

R10418805
Li-112-S
Model: 106-9 S/N: D0550
20052005
Cs33sic-T
C6689b3
R2003000
C6689b3c
Imlc-1/0-3s
B79153a
R2003600
C62371a Display Pcb Assy
10c6300
R2027700
342al
Blu-2/0d-2tc38
S48d25
Vr5 (665-9-1/4-Ss-28)
T*B27296
448-355
673-6
Er41212ag
Re2217700
W0036400
990-57722-01
E2076100
Tg428xx
Rw0034500
10571805
R10550603
A2002500
223d001
Ta-8800a
Rw2001800
Laser

Rv0072700
44-715 (2pcs/Pkg)
R0021901
Re2343300
7402n
Cvh-3
2et6s8
C8428x
R2000201
Rv0047700
716175425
Ar-10
E2103800
R0336400
R2010800
1022
10417400
T2016900
Ta-A2c
M39016-9-006l
370aj
500
Le18025b5l0120c0000s024sb
C-412-140-45
665-3-1222
R20031904
W0035900
B37937
8780-2
21110-7302-2800
A2118100
A2c
10534306
R0368000
R2074800
Eu902ft

Vr5 (665-9-1/2 -Ss-28)	
V0079100	
R0096000	
Ds26c	
R2014400	
L79	
Imlc-1/0-2s	
333aj/Cj	
V0054800	
Ta-320p	- 3 measuring ranges: 0 - 5/0 - 10/0 - 25% - Calibration with ambient air - Integrated switchable sample gas pump - Analogue display - Battery operation with NiCd batteries - Charging voltage: see options - Measuring cell: see options - Cell block Material: Nylon - Quick connections: PTFE - Sample gas filter - 0 - 100 mVDC output - Operation manual (English) options: Charging voltage 100 VAC, 50/60 Hz Charging voltage 220 VAC, 50/60 Hz Measuring cell B1 for% range (CO2-free measuring gas) Measuring cell A5 for% range (CO2-containing sample gas) HS Code: 90271010 Country of origin: USA
Re0240900	
Ca007712	
W0040900	
Mb1	
990-58009-01	
E2074506	
R0386400	
Sss8	
E2074503	
B74671 Pc Board, Flame Guard & Anode Power Supply	
Pa 7 60	
Sbcua-035	
990-58097-01	
20031902	
54710000	
R2078104	
A0078800	
2400-129	
R0390500	
10547002	
A2c Micro Fuel Cell	

J22te1_66c_R01m	
1lk00700	
Br542904	
Blua-2/0s1	
R2g38	
Rio Grande Adcp 600 Khz	
R0302000	
S-10	
Vt-4	
10449520	
Ta-F01378	
2400-224	
R0012200	
172-5	
E0009100	
A2010200	
Pp008-1	
R0390100	
E0180500	
R10526400	
20035405	
L2005800	
R0329600	
R2073400	
R0337000	
2400-139	
R10547602	
R0022700	
10531804	
L0063300	
Rs2111400	
P2069703	
Kit000179	INFRARED DETECTOR
502-336	
Af107	
2400-451	

Max5	
E2074505	
Tg414	
B82162	
2400-023	
10542001	
P0076100	
P2070200	
2856	
A0021400	
C8428xx	
453-1s2-65	
E2217800	
10534302	
Cvt-16	
R10314903	
Lcm/Mcm-7314	
583-11/2d2	HYDRAULIC SWING CHECK VALVE-24
R0096400	
D0016500	
10525302	
W0036300	
S2102500	
Dv-3m	
S2102600	
4134/4135	
B39164a	
S2012700	
A0109700	
E0023500	
Re2319700	
2400-548	
A2123411	
Co6689- B2c	
Re2107300	

A2088800	
R0322700	
Lck-1000	
V2000100	
A2085900	
B-30868	
10534304	
S2012500	
Br300506	
20159105	
10602306	
E0205000	
3000tb	
R20086628	
R-17s1	
Ta-B2c	
A33748	
Lm-5409100	
Pnl-4-Ab	
A2111400	CIRCULATOR PUMP ASSEMBLY
E2318900	
V0004200	
81000205	
712d12	
R2075100	
R0397500	
R20031908	
20052702	
1-036	
R0013100	
R20031905	
1003-1700-01	
Ssr1200480d40	
T*320p	
10525707	
Ta-B2c-XI	

B30927 Pc Board, Temperature Control	
E232400	
5c3700	
5,714,046	
303bl	
Ta-O165	
20001307	
118-474 (2pcs/Pkg)	
C40371 F1r	
75322-64-Epr	
Br010803	
L2012400	
370aj/Cj	
E2336500	
V2002000	
R2071400	
R0366900	
E0071300	
3000 Ta/Eu Item Quot;At7quot;	
Ra2115102	
Instatrans-3001	OXYGEN TRANSMITTER 2WIRE 4-20MA
S216jbn300	
Re2033900	
5415134	
Modell 3010ta	
665-4-1/8d2	
R0045400	
2741	
10222912	
10570303	
C-06689-B2c	
227b6658g001	
10602309	BASE TILE SUPPORT ASSEMBLY
C47f30	
R2000510	
177-93-995-01	

134f-6bp-R4	
T2016500	
R0061300	
20003605	
Re2058300	
3000ta	ANALYZER
Ra2117201	
2il6s36-V-Wb	
R20094900	
R2027805	
Sd48d40-06	
Type : Dv-6r	Hastings vacuum gauge Measuring range: 0-1000 mTorr Connection: 1/8 "NPT standard 90262080900 USA
367aj/Cj	
C-412-149	
10536905	BASE/TILE SUPPORT ASSEMBLY
C06689-B1	Teledyne oxygen measuring cell - type B1 - % measuring range - CO2- free sample gas HS code: 90271010 Country of origin: United States
R0097100	
Ssrt600240-A25	
10536902	
S-500	
P/N:665-9-1/2-Ss-28 Tag No:85-Psv-639	
V0047600	
R2005700	
R0202900	
86031-001	SOLID STATE RELAY 10A 250V 602-1Y
R3000601	
B-32129	
S2006700	
Tp-2	
E0013100	
10-332	
303aj	
Tg417xxl	
R2013000	

R0367000	
E0253100	
Re2071501	
3000pa	
2400-442	
Re2101600	
E2071504	
C71792-C-1-Ny-1	
Ra0079000	
C06689-B3	O2 Sensor C6689-B3
2sh6l100	
A2111500	
R0323300	
R10956000	
L154	
P002700	
R0305105	
R0099400	
C06689-A5c Sensor	
R0096900	
Af1194	
R2001000	
A0070101	
Ta-A36289	
Rv0051200	
R0017500	
Br534702	
Dv-23	
R0011900	
Bblu25	
Blua-2/0s	
J10d M204 R100u 60	
621b-6-3/4-2	
B71875	
F0023100	
H2et6s10-P2	

L6100
Dv-4d
10525508
R0458601
E2074504
Denr-100
R10536905
10542005
9068031
B37937 Battery
R2g56
Ca007714
10364300
8125s05000f5I01a00sm06en
Hfm-60
Pnl-1/0
332cj-111
1003
Ctl428vxx
751
Hf-Relais 712-9
M39016-7-011I
Cbtrip-1
404fg-1/4b-3
Hpm-2002-Obe-00-00-00-00-05
R20031906
S68
2400-441
R1a-10
Ab-27
1500-300
Ra2010000
325cj-111
Rv0073100
Typ B2c P/N C06689-B2c
Teledyne oxygen measuring cell - type B2C p / n C06689-B2C - ppm measuring range - CO2-free sample gas HS Code: 90279080 Country of

	origin: USA
802264 G1	
C76do-1	
312al	
990-57926-0101	
Br665906	TUBE BUNDLE
R0011600	
Re2105500	
E2314300	
621-6	
10534308	
319-885	
E-6010	
5c6600	
T*A761	
T2017300	
E2104800	
320p/D	
Hpm	
Trig32ck	
A0063300	
Nall-Ccp	
C43690 R17med Oxygen Sensor	
Br300306	
Br534701	
R0484000	
10582200	
10542007	
342al/Cl	
T100	API ANALYZER
Sq10a	
Ca005400	
10534604	
T0024300	
2400-020	
R2002500	

Pnl-500-Ab	
R135s03600q5l05c	
Br665908	
Vw0400cn12cbaex	
R0490103	
8235-9000-Cdsa-Dg	
L2011300	
C5428xxl	
L0052500	
T2005900	
10540702	
R0384700	
041710000	
Ht2et6s10-Td	
C06689-C3	
Cs38s16-D	
Model 122	Teledyne Alarm Module 122 122
Re2071504	
Hfc-203	
551a1800009-009	
Lm-5409350	
8235s10000p5p	
C5428xl	
B-29600	
303780-2	
Ax300	
Ra2108500	
Tp-750	
E2071503	
Dv-5m	
Ctl4284xl	
20035564	
10548101	
A2088100	
R-17med	
R10526109	

11-209-7000	
10534605	
Fefd04x2f	
L2c	
Hfc-E202-2-200a	
E2319900	
Rw2013300	
Hwg-M2-200	MARK II HOT WATER GENERATOR
R0385200	
R2027804	
B2cxl	
C72760	
C689b2c	
R2006300	
810001611	
3290	
Re2344300	
2400-512	
644-1	
A0095604	
T*B2c	
S21624	
BI-6s8	
Fefd04x2	
2400-284	
42262	
Rv2017904	
A2086100	
T2006400	
R0408100	
Cf47f20	
Ct1414xll	
20012600	
8335-1024-Edoa-0750	
Rw0034300	

611-2
R0027600
R0325303
R10907702
Ra2117203
R20607600
10449518
L640
2400-133
Grf3035
E2217700
Gscp-075
20607500
10364501
10448302
C-403-25-1
Br534703
S2013200
Blu-8s17
R0096600
P-01892
Tg428l
665-6
R2078102
B1 Cell
Ssr600240d125012
R0016400
Ctl428vx
R10536904
Ic321cl
E2103700
2sc6s8p2
20283200
2tc6l100-P2
R0319700
R0015500

R0387000	
Ta-Cp02487	
E2078500	
A0066500	
Ha133s20	
10449513	
20423202	HEAT EXCHANGER FOR TL80-199
E2328000	
200232-G	
Cp2b	
40120000	
B74674a	
L2012200	
M300e	
1003030002	PC BOARD
R2014800	
R0355900	
10449521	
Pik-66	
2400-332	
10536904	BASE/TILE SUPPORT ASSEMBLY
1500-101/232/Gw	
Ic333cl	
404fg-1/4b-20	
L2012700	
Ctl4123xl	
Ta-A65476	
Sw-3	
Ta-C71792-C-7-Ny-2	
R0336000	
10449518r	
R2014904	
D2004201	
9125s00300n5I01a	
Hd086mb8	

R0038400	
B30927	
F10	
V2013900	
R0018101	
R2002800	
B74671	
R0039200	
F0011400	
671-4	
10550602	2STGON/OFF SPARKIGNBURNERTRAY
Pnl-350-2-B2	
20282506	
58312d1	
B79154 Sensor Assembly	
665-3-1ss2	
2400-014	
Model: 665-9-1/2-Ss-28-E3,Ti	
Sw-2	
L156	
Lga-4000 P.Laser	
R0012300	
P620	
A2010303	
SI225	
Hv-220	
70-300	
10167300	
Blua-2/0s5-Each	
Re0100900	
R0098701	BURNER TRAY ASSEMBLY
C6689a5	
10667701	
E0234201	
Yf1290100-5	
R10547605	

2400-226	
R0457500	
Af2000-02-7-70	
10525308	
R10547603	
332ajcj	
10533601	
10525710	
V0047900	
3041	
R0305305	
673-22	
E0254000	
CtI414I	
20001302	
332al	
W 0039600	
E0101800	
712-5	
Model: 106-2 S/N: D0299	
Re2347601	
R10418816	
Cp2540	
E0234900	
Cas360	
2400-524	
V266-S001	
372al/Cl	
R0096700	
L0056500	
111-0524	
Br300106	COMBUSTION CHAMBER REPL. KIT
C06689-B1c	
20035563	
P300	
A0063600	

10534206	
2400-024	
601-1401p	
21110-6203-2855	
Re2313900	
6452h	
Gscp-150	
15-1608	
7107cbq	
Bbem-6	
R22a	
R0457501	
E2307501	
R2002700	
19-207-7000te	
J16 18a R250u	
Re0015900	
Gpl34	
R2023000	
10667706	
Rw0036200	
R0336800	
2n988	
2tc6l100	
Br300401	BURNER PLENUM REPLACEMENT KIT
601-1401	
Re2326600	
R0018104	
R2005900	
9400-Cj	
R2007300	
665-9-1/2ss28	
N650	NICKEL CADMIUM BATTERY
500b	
10418817	

10525709	
3042	
Blu-6s1	
320p/D Portable Oxygen Analyzer, 320p/D Digital O2 Analyzer, Instruments	
2sc6s16	
Re2103000	
Ct1428xxl	
R0360500	
8-266-2	
Ct1417vx	
V0072700	
Rv2001900	
A33748 Thermistor Assembly	
T*B37937	
E2102800	
R0366800	
332cj	
VI3-21774	
Br010802	HEAT EXCHANGER
R20167	
50s12	
Efp/Nfpaw80/24	
R0390300	
L0032900	
Rf300-5	
2400-136	COMBUSTION CHAMBER
Br300405	BURNER PLENUM WELDMENT
C65507a	
Rv0046600	
6793	
6011	
Tg414xx	
G-11	
20020601	POWER VENTOR
B79154	

V2019600	
2400-546	
906541	
R0061100	
Br534705	8TUBE COPPER HEAT EXCHANGER
7c2006	
E2074400	
20035403	
325alcl	
A2123419	
Hfc-202	MASS FLOW METER
C62371a	
T2018100	
2400-134	
3300pb	
673-23	
Br441706	
P2023800	
370cj	
C-412-257-5	
E0121000	
B-66378 For A B2cxl	
Vt-5	
Ic800cpl	
A0064400	
R0408200	
712-26	
B12863	
10582900	
T*A35681	
R20039600	
R10418815	
B79153	
Ta-B27296	
51-700-9000	
83356000dnsa	

C76di-1	
CtI414xl	
CtI4123xll	
Hp1290100-1 By Yf1290100-5	
8225-300-Cdsa-Bf	
Hp1290100-1 Code: 84658	
Bblu-1d2	
611-7	
R10418818	
10548401	
2400-082	
R9c56	
CtI414vxx	
R0327705	
CtI428v	
C64643a	
W0036901	
V0001800	
10547903	
603-2	
R0050800	
Br534708	8TUBE COPPER HEAT EXCHANGER
E0116400	
R2061100	
P2022100	
Rv2017700	
Hfc-202b	
P0026800	
R0095605	HTEXGER,TUBESONLY,COOPERNICKEL
Br300105	COMBUSTION CHAMBER REPL KIT
56-150-7000-Tnk3	
R2078106	
R0050801	
St48d50	
2400-316	

Tfv100t-110v	
R2004900	
2000a	
C75825a	
R0386900	
A-A00761	
322cj	
R2078101	
B-2c	
Navisound 215	
8800t	
E-103051	
Br300403	BURNER PLENUM REPLACEMENT KIT
20430400	
Re2043600	
R10550606	
70-302	
Rxd7063	
Br010806	
S60dc40	
E2320600	
R2006600	
R2004500	
P2069500	
Fsth-50k	
50d7516	
R10907701	
R0099100	
R3001300	
C06689-A5c	
2tc12l60	
R3002803	
S0076401	
332aj	
R20031909	
20427905	

61-100a	
2400-033	
4c2017	
10548002	
Ta-C71792-C-13-Ny-3	
666	
Xf2rww	
Model: Hp1290100-1, Ti	
9068021	
Rw2002300	
Scs-5	
Br534709	1825 TUBE ASSEMBLY
W 2001900	
453-1/4s2-6	
606700046	
S0053100	
B79153 Pc Board, Electrometer-Amplifier	
R2075302	
70cc14-M20	
2n3568	
R2014901	
R137s02048q-5l01e18sp04en	
453-1/8s2-6	
Kit000009	OZONE GENERATOR MODULE KIT
641-1	
20035566	
20001303	
B74674a Interface To Motherboard Pcb Assy	
712-12	
3648075	
B929216/B	
R0366200	