



## Tenma

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Tenma** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Tenma T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">72-13200</a>	
<a href="#">TENMA 72-10480</a>	Digital Control DC Power Supply 0-30V 3A
<a href="#">Spc24580</a>	MICROSCOPE BODY SZ TRINOCULAR, 6.7X -50X, WORKING DISTANCE:108MM, CAMERA TYPE:CCD, ILLUMINATION:ILLUMINATED, ROHS COMPLIANT: NA
<a href="#">72-7695calibratedw/Data</a>	
<a href="#">72-6628caldu</a>	
<a href="#">72-6409</a>	
<a href="#">21-8230</a>	
<a href="#">72-7606</a>	
<a href="#">72-6856calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:4A, OUTPUT VOLTAGE 2:35V, OUTPUT CURRENT 2:2A, OUTPUT V
<a href="#">72-6610cal</a>	
<a href="#">21-10562</a>	
<a href="#">21-10117</a>	
<a href="#">867-Bk</a>	

<a href="#">72-9590</a>	
<a href="#">76-112</a>	
<a href="#">Spc35463</a>	
<a href="#">21-10140</a>	
<a href="#">21-8192</a>	
<a href="#">72-8474caldu</a>	COMPACT 2 CHANNEL DSO 100MHZ OSCILLOSCOPE
<a href="#">72-6607</a>	
<a href="#">72-6905</a>	
<a href="#">72-545</a>	
<a href="#">Spc35582</a>	
<a href="#">72-6615</a>	
<a href="#">21-8356</a>	
<a href="#">72-7295caldu</a>	
<a href="#">33-310</a>	
<a href="#">2302</a>	
<a href="#">72-3040</a>	
<a href="#">36-505</a>	
<a href="#">72-6535caldu</a>	
<a href="#">72-8362cal</a>	
<a href="#">Spc15338</a>	
<a href="#">72-1097</a>	
<a href="#">21-7981</a>	
<a href="#">72-9350</a>	
<a href="#">21-9372</a>	
<a href="#">Spc15374</a>	
<a href="#">72-7770cald</a>	
<a href="#">72-7750calibratedw/Data</a>	
<a href="#">72-6855calibratedw/Data</a>	
<a href="#">72-6069a</a>	
<a href="#">2275</a>	
<a href="#">21-8241</a>	
<a href="#">72-6130</a>	
<a href="#">72-6854caldu</a>	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">72-10195</a>	
<a href="#">Spc35521</a>	

<a href="#">72-6820caldu</a>	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2, BAN
<a href="#">Spc12022</a>	
<a href="#">72-585</a>	
<a href="#">21-7960</a>	
<a href="#">Spc15251</a>	
<a href="#">21-8225</a>	
<a href="#">72-7218cald</a>	
<a href="#">8530-15184</a>	
<a href="#">72-7705cald</a>	
<a href="#">72-8695</a>	
<a href="#">72-7750caldu</a>	
<a href="#">21-8150</a>	
<a href="#">Spc4866</a>	
<a href="#">21-925</a>	
<a href="#">76-082</a>	
<a href="#">Spc12712</a>	
<a href="#">21-1042</a>	
<a href="#">72-7755</a>	
<a href="#">21-600</a>	
<a href="#">72-10395</a>	
<a href="#">72-10380</a>	
<a href="#">Ct2707</a>	
<a href="#">72-7680calibratedw/Data</a>	ELECTRONIC DC LOAD, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V, OUTPUT CURRENT:60A, POWER RATING:300W, APPROVAL BODIES:CE, CERTIFICATE
<a href="#">72-6700caldu</a>	
<a href="#">76-062</a>	
<a href="#">72-6620cal</a>	
<a href="#">72-6505</a>	
<a href="#">72-805</a>	
<a href="#">72-9280</a>	
<a href="#">21-10563</a>	
<a href="#">72-8700</a>	
<a href="#">Spc15354</a>	
<a href="#">72-7720</a>	
<a href="#">21-560</a>	

<a href="#">Spc22002</a>	
<a href="#">72-6851</a>	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, INPUT VOLTAGE:115VAC, LOAD
<a href="#">72-6850calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:10A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DISPLAY
<a href="#">72-7650</a>	
<a href="#">72-8335a</a>	
<a href="#">22h6397</a>	
<a href="#">72-10430</a>	
<a href="#">76-107</a>	
<a href="#">72-10400</a>	
<a href="#">72-942</a>	
<a href="#">72-7255</a>	
<a href="#">72-8727</a>	DSO 4 CH 200 MHZ
<a href="#">21-555</a>	
<a href="#">21-8125</a>	
<a href="#">72-6696</a>	SPECTRUM ANALYZER, 150X310X455MM, 8.5KG, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:150KHZ TO 1GHZ, EXTERNAL HEIGHT:150MM, EXTERNAL WIDTH
<a href="#">Tj-101-Bk</a>	
<a href="#">72-750</a>	
<a href="#">72-1023</a>	
<a href="#">Spc15132</a>	
<a href="#">76-230</a>	
<a href="#">72-8140</a>	
<a href="#">2303</a>	
<a href="#">72-6860cal</a>	
<a href="#">726152</a>	
<a href="#">72-7735</a>	
<a href="#">Ct3375a</a>	
<a href="#">72-7245cald</a>	
<a href="#">868-R</a>	
<a href="#">76-096</a>	
<a href="#">21-10180</a>	
<a href="#">21-1045</a>	
<a href="#">21-730</a>	
<a href="#">72-7260caldu</a>	

<a href="#">Spc12732</a>	
<a href="#">21-10571</a>	
<a href="#">76-004</a>	
<a href="#">21-11420</a>	
<a href="#">72-6628cald</a>	
<a href="#">72-6707</a>	
<a href="#">72-10450</a>	
<a href="#">72-6860calibratedw/Data</a>	
<a href="#">76-025</a>	
<a href="#">21-10620</a>	
<a href="#">72035</a>	
<a href="#">Spc21094</a>	
<a href="#">72-455a</a>	
<a href="#">72-6700</a>	
<a href="#">Ct3288ara</a>	
<a href="#">72-6850cal</a>	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
<a href="#">Sldhp10(New)</a>	
<a href="#">21-1190</a>	
<a href="#">Spc12055</a>	
<a href="#">Spc12058</a>	
<a href="#">76-095</a>	
<a href="#">72-2065a</a>	
<a href="#">72-8150cald</a>	
<a href="#">72-6610caldu</a>	
<a href="#">72-505cal</a>	
<a href="#">72-6694caldu</a>	
<a href="#">2265</a>	
<a href="#">72-1095</a>	
<a href="#">867-Gr</a>	
<a href="#">72-6787</a>	
<a href="#">72-7685calibratedw/Data</a>	
<a href="#">Spc15206</a>	
<a href="#">Spc4863</a>	
<a href="#">76-056</a>	
<a href="#">Ct3743</a>	

<a href="#">72-7228cald</a>	
<a href="#">2271</a>	
<a href="#">Pc303rp1</a>	
<a href="#">76-022</a>	
<a href="#">72-6910cald</a>	POWER SUPPLY, BENCH, 42V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:42V DC, OUTPUT CURRENT:10A, POWER RATING:420W, I
<a href="#">72-7218</a>	
<a href="#">72-9950</a>	
<a href="#">Spc15144</a>	
<a href="#">72-2075</a>	
<a href="#">76-090</a>	
<a href="#">72-6810cald</a>	OSCILLOSCOPE, 35MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
<a href="#">72-8470</a>	
<a href="#">21-565</a>	
<a href="#">72-8474cal</a>	COMPACT 2 CHANNEL DSO 100MHZ OSCILLOSCOPE
<a href="#">72-8180</a>	
<a href="#">723060</a>	
<a href="#">21-670</a>	
<a href="#">72-7712</a>	
<a href="#">21-4355</a>	
<a href="#">21-10570</a>	
<a href="#">Spc12057</a>	
<a href="#">76-118</a>	
<a href="#">72-8725</a>	OSCILLOSCOPE, 4-CHAN, 100MHZ, 2GSPS, PRODUCT RANGE:-, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RATE:2GSPS, DISPLAY MEMORY DEPTH:1024 KPTS
<a href="#">72-6854cal</a>	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">72720</a>	
<a href="#">21-9302</a>	
<a href="#">72-7712cald</a>	
<a href="#">21-8195</a>	
<a href="#">72-8380demo</a>	
<a href="#">72-9205</a>	
<a href="#">72-7390</a>	
<a href="#">72-9170</a>	

<a href="#">21-350</a>	
<a href="#">72-7725caldu</a>	
<a href="#">72-6615calibratedw/Data</a>	
<a href="#">72-7570calibratedw/Data</a>	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP, ROHS COMPLIANT: NA
<a href="#">72-9390</a>	
<a href="#">Mc20159</a>	
<a href="#">21-10168</a>	
<a href="#">72-6854cald</a>	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35V DC, OUTPUT VOLTAGE 2:35V DC, OUTPUT CURRENT:
<a href="#">72-7265cal</a>	
<a href="#">72-2010</a>	
<a href="#">21-8191</a>	
<a href="#">72-6855 Cal</a>	POWER SUPPLY, BENCH, 35V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
<a href="#">72-8385</a>	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 500MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:LCD COLOUR, SAMPLING RATE:
<a href="#">72-8115</a>	
<a href="#">Spc12052</a>	
<a href="#">72-6535calibratedw/Data</a>	
<a href="#">72-6693</a>	
<a href="#">72-7570</a>	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:60V DC, OUTPUT VOLTAGE 2:60V DC, OUTPUT CURRENT:
<a href="#">Spc21999</a>	
<a href="#">21-10600</a>	
<a href="#">72-6710</a>	
<a href="#">21-10557</a>	
<a href="#">76-300</a>	
<a href="#">21-10120</a>	
<a href="#">21-9371</a>	
<a href="#">Spc35466</a>	
<a href="#">72-7218caldu</a>	
<a href="#">Spc12051</a>	
<a href="#">72-7595</a>	
<a href="#">24-790</a>	
<a href="#">72-505</a>	
	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE

<a href="#">72-6815calibrated</a>	CHANNELS:2 ANALOGUE, BANDWIDTH:50MHZ, METER DISPLAY TYPE:CRT COLOUR, INPUT IMPEDANCE:1MOHM, RI
<a href="#">72-1023 Cal Du</a>	MULTIMETER, DIGITAL, BENCH, 4-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE
<a href="#">Psa2701t</a>	SPECTRUM ANALYZER, SPECTRUM ANALYZER TYPE:HAND HELD, ANALYZER POWER SUPPLY:BATTERY/AC, BANDWIDTH MAX:2.7GHZ, AMPLITUDE ACCURACY :1DB, ANALYZER HARMO
<a href="#">Spc15377</a>	
<a href="#">72-7265</a>	
<a href="#">72-945</a>	
<a href="#">72-6852 Cal Du</a>	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
<a href="#">Spc35533</a>	
<a href="#">21-9295</a>	
<a href="#">Spc15357</a>	
<a href="#">72-6851cald</a>	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, INPUT VOLTAGE:115VAC, LOAD
<a href="#">72-630</a>	
<a href="#">76-160</a>	
<a href="#">2296</a>	
<a href="#">72-6859cald</a>	
<a href="#">72-6851caldu</a>	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
<a href="#">72-7690calibratedw/Data</a>	
<a href="#">72-6628</a>	
<a href="#">72-8710</a>	OSCILLOSCOPE, 2-CHAN, 100MHZ, 1GSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:LCD, SAMPLING RATE:1GSPS, RISE
<a href="#">72-10465</a>	
<a href="#">72-9465</a>	
<a href="#">Spc35473</a>	
<a href="#">76-009</a>	
<a href="#">Spc15188</a>	
<a href="#">72-10455</a>	
<a href="#">21-7925</a>	
<a href="#">72-6854</a>	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35V DC, OUTPUT VOLTAGE 2:35V DC, OUTPUT CURRENT:
<a href="#">72-8380</a>	OSCILLOSCOPE, 200MHZ, 2 CHANNEL, 500MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:200MHZ, METER DISPLAY TYPE:LCD COLOUR, SAMPLING RATE:
<a href="#">2264</a>	



<a href="#">72-9345</a>	
<a href="#">Spc4857</a>	
<a href="#">72-7601cal</a>	
<a href="#">72-7222</a>	
<a href="#">72-420</a>	
<a href="#">72-6908cal</a>	
<a href="#">21-370</a>	
<a href="#">72-7705calibratedw/Data</a>	
<a href="#">72-10471</a>	
<a href="#">Psa1301t</a>	SPECTRUM ANALYZER, SPECTRUM ANALYZER TYPE:HAND HELD, ANALYZER POWER SUPPLY:BATTERY/AC, BANDWIDTH MAX:1.3GHZ, AMPLITUDE ACCURACY :1DB, ANALYZER HARMO
<a href="#">72-6909 Cal Du</a>	POWER SUPPLY, BENCH, 75V, 300W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">21-10590</a>	
<a href="#">2270</a>	
<a href="#">72-10415</a>	
<a href="#">Spc15443</a>	
<a href="#">72-6535cal</a>	
<a href="#">Spc12053</a>	
<a href="#">21-8358</a>	
<a href="#">72-6854calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:10A, OUTPUT VOLTAGE 2:35V, OUTPUT CURRENT 2:10A, CERTIF
<a href="#">72-8150caldu</a>	
<a href="#">72-6859</a>	
<a href="#">21-11460</a>	
<a href="#">72-8495</a>	
<a href="#">72-6853calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18V, OUTPUT CURRENT:20A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DROP SHI
<a href="#">72-2015calibrated</a>	
<a href="#">21-7988</a>	
<a href="#">72-8142caldu</a>	
<a href="#">72-8390</a>	
<a href="#">72-6411</a>	
<a href="#">21-10130</a>	
<a href="#">21-8197</a>	
<a href="#">72-6066</a>	

<a href="#">76-040</a>	
<a href="#">76-093</a>	
<a href="#">72-2080</a>	
<a href="#">72-6909cald</a>	POWER SUPPLY, BENCH, 75V, 300W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:75VDC, OUTPUT VOLTAGE 2:75VDC, OUTPUT CURRENT:2A
<a href="#">21-9303</a>	
<a href="#">6-100-B</a>	
<a href="#">72-9495</a>	
<a href="#">72-9195</a>	
<a href="#">76-032</a>	
<a href="#">Spc4377</a>	
<a href="#">Spc35465</a>	
<a href="#">72-6815cal</a>	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
<a href="#">Spc35579</a>	
<a href="#">Spc12021</a>	
<a href="#">72-9970</a>	
<a href="#">Pm11189</a>	
<a href="#">2276</a>	
<a href="#">72-7680cald</a>	DC ELECTRONIC LOAD, 60V, 300W, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:3V TO 60V, OPERATING CURRENT RANGE:6MA TO 60A, POWER RATING:300W, AP
<a href="#">21-8236</a>	
<a href="#">72-6909calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:75V, OUTPUT CURRENT:2A, OUTPUT VOLTAGE 2:75V, OUTPUT CURRENT 2:2A, POWER RA
<a href="#">72-6711</a>	
<a href="#">72-6345</a>	
<a href="#">72-7745cald</a>	
<a href="#">76-017</a>	
<a href="#">76-150</a>	
<a href="#">72-7228cald</a>	
<a href="#">76-061</a>	
<a href="#">21-10564</a>	
<a href="#">2278</a>	
<a href="#">72-6910cal</a>	POWER SUPPLY, BENCH, 42V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">72-8790</a>	

<a href="#">Spc12023</a>	
<a href="#">72-7601cald</a>	
<a href="#">21-8242</a>	
<a href="#">861-Gr</a>	
<a href="#">72-7255a</a>	
<a href="#">72-6269</a>	
<a href="#">72-6852calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18V, OUTPUT CURRENT:20A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DISPLAY
<a href="#">72-7695caldu</a>	
<a href="#">72-6859caldu</a>	FUNCTION GENERATOR FREQUENCY/PULSE 20MHZ, SIGNAL GENERATOR TYPE:FUNCTION, SUPPLY
<a href="#">76-024</a>	
<a href="#">72-6825calibratedw/Data</a>	MIN QTY 10 OSCILLOSCOPE, SCOPE BANDWIDTH:200 MHZ, SCOPE CHANNELS:2 SCOPE, SCOPE TYPE:ANALOG, CERTIFICATE OF CALIBRATION:YES WITH DATA, FEATURES:BUILT-
<a href="#">72-6702</a>	
<a href="#">76-083</a>	
<a href="#">Ct3733</a>	
<a href="#">72-6407</a>	
<a href="#">72-7226caldu</a>	
<a href="#">21-9360</a>	
<a href="#">72-965</a>	
<a href="#">72-110</a>	
<a href="#">21-8235</a>	
<a href="#">Tj-100-Yel</a>	
<a href="#">83-600</a>	
<a href="#">72-7400 Cal</a>	PRECISION MILLI/MICRO OHMMETER, 20KOHM, RESOLUTION (OHM) :10OHM, TEST CURRENT:250
<a href="#">Spc15445</a>	
<a href="#">72-10206</a>	
<a href="#">Tj-200-W</a>	
<a href="#">Spc35516</a>	
<a href="#">21-10605</a>	
<a href="#">76-079</a>	
<a href="#">21-10172</a>	
<a href="#">21-10575</a>	
<a href="#">Psahc</a>	
<a href="#">72-7226cald</a>	

<a href="#">72-7680</a>	DC ELECTRONIC LOAD, 60V, 300W, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:3V TO 60V, OPERATING CURRENT RANGE:6MA TO
<a href="#">72-6190</a>	
<a href="#">72-6910calibratedw/Data</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:42V, OUTPUT CURRENT:10A, POWER RATING:420W, CERTIFICATE OF CALIBRATION:YES
<a href="#">72-8362cald</a>	
<a href="#">72-9275</a>	
<a href="#">72-9160</a>	
<a href="#">21-11410</a>	
<a href="#">Spc4860</a>	
<a href="#">72-6861</a>	
<a href="#">72-7755caldu</a>	
<a href="#">2268</a>	
<a href="#">72-7925</a>	
<a href="#">72-6615cald</a>	POWER SUPPLY, BENCH, 30V/5V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, FIXED, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:30V DC, OUTPUT VOLTAGE 2:30V DC, OUTPUT VOLT
<a href="#">72-8345</a>	
<a href="#">76-006</a>	
<a href="#">72-7245</a>	
<a href="#">21-2235</a>	
<a href="#">21-11445</a>	
<a href="#">21-10142</a>	
<a href="#">72-9595</a>	
<a href="#">21-3315</a>	
<a href="#">76-270</a>	
<a href="#">72-7732a</a>	
<a href="#">21-8160</a>	
<a href="#">76-026</a>	
<a href="#">Tp-100</a>	
<a href="#">72-4030calibratedw/Data</a>	
<a href="#">72-7221cal</a>	
<a href="#">Ct3290ra</a>	
<a href="#">Spc15363</a>	
<a href="#">2305</a>	
<a href="#">21-3525</a>	

<a href="#">72-10175</a>	
<a href="#">72-9485</a>	
<a href="#">72-1005</a>	
<a href="#">72-6406</a>	
<a href="#">21-10166</a>	
<a href="#">21-9374</a>	
<a href="#">21-10176</a>	
<a href="#">72-2070</a>	
<a href="#">72-10440</a>	
<a href="#">72-6635</a>	
<a href="#">76-042</a>	
<a href="#">21-10565</a>	
<a href="#">Spc12050</a>	
<a href="#">72-7715</a>	
<a href="#">21-9381</a>	
<a href="#">Spc35627</a>	
<a href="#">24685</a>	
<a href="#">Spc21375</a>	
<a href="#">72-9230</a>	
<a href="#">21-10561</a>	
<a href="#">72-6815caldu</a>	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
<a href="#">Spc35472</a>	
<a href="#">72-7275</a>	
<a href="#">76-029</a>	
<a href="#">2272</a>	
<a href="#">72-6067</a>	
<a href="#">72-6858</a>	
<a href="#">72-1015</a>	
<a href="#">72-7765cal</a>	
<a href="#">21-10595</a>	
<a href="#">72-2010cald</a>	
<a href="#">72-6810cal</a>	OSCILLOSCOPE, 35MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
<a href="#">72-7570cal</a>	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">72-6530</a>	
<a href="#">76-010</a>	

<a href="#">72-6614</a>	
<a href="#">726203</a>	
<a href="#">21-10580</a>	
<a href="#">72-8785</a>	
<a href="#">Spc12054</a>	
<a href="#">72-6716</a>	
<a href="#">72-6694cal</a>	
<a href="#">En610101</a>	
<a href="#">72-6667</a>	
<a href="#">72-10204</a>	
<a href="#">72-9335</a>	
<a href="#">Spc22364</a>	
<a href="#">Spc22005</a>	
<a href="#">21-690</a>	
<a href="#">21-11405</a>	
<a href="#">21-8220</a>	
<a href="#">6-100r</a>	
<a href="#">72-7224</a>	
<a href="#">M10-300x-10cald</a>	
<a href="#">21-8240</a>	
<a href="#">21-1590</a>	
<a href="#">72-10474</a>	
<a href="#">21-10675</a>	
<a href="#">2304</a>	
<a href="#">76-103</a>	
<a href="#">72-7400 Cal Du</a>	PRECISION MILLI/MICRO OHMMETER, 20KOHM, RESOLUTION (OHM) :10OHM, TEST CURRENT:250
<a href="#">Spc20524</a>	
<a href="#">72-7740cald</a>	
<a href="#">72-6068</a>	
<a href="#">72-6910</a>	
<a href="#">Spc35574</a>	
<a href="#">72-9185</a>	
<a href="#">72-9340</a>	
<a href="#">72-6787cal</a>	
<a href="#">72-8400</a>	

<a href="#">72-6864</a>	
<a href="#">72-7745</a>	
<a href="#">72-6810 Cal D</a>	OSCILLOSCOPE, CERTIFICATE OF CALIBRATION:YES, WITH DATA, DROP SHIP:YES, SCOPE BANDWIDTH:35 MHZ, SENSITIVITY:5 MV/DIV, SWEEP TIME RANGE, HORIZONTAL:0.1
<a href="#">Spc35492</a>	
<a href="#">72-7270</a>	
<a href="#">Spc35462</a>	
<a href="#">72-9265</a>	
<a href="#">72-7770cal</a>	
<a href="#">72-7740calibratedw/Data</a>	
<a href="#">21-8359</a>	
<a href="#">21-7987</a>	
<a href="#">72-1023 Cal</a>	MULTIMETER, DIGITAL, BENCH, 4-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE
<a href="#">21-10585</a>	
<a href="#">76-023</a>	
<a href="#">866-B</a>	
<a href="#">72-7295cal</a>	
<a href="#">72-8500</a>	
<a href="#">76-028</a>	
<a href="#">72-6852</a>	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA, INPUT V
<a href="#">72-9355</a>	OSCILLOSCOPE, 60MHZ, 250MSPS, PRODUCT RANGE:-, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:60MHZ, SAMPLING RATE:250MSPS, DISPLAY MEMORY DEPTH:512 KPTS, CALCU
<a href="#">21-8145</a>	
<a href="#">72-6856cald</a>	POWER SUPPLY, BENCH, 35V/5V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:35VDC, OUTPUT VOLTAGE 2:35VDC, OUTPUT VOLTAGE
<a href="#">72-7270caldu</a>	
<a href="#">72-505caldu</a>	
<a href="#">72-7700</a>	
<a href="#">72-7230</a>	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, 500MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:50MHZ, METER DISPLAY TYPE:CRT COLOUR, SAMPLING RATE:50
<a href="#">72-7400</a>	PRECISION MILLI/MICRO OHMMETER, 20KOHM, RESISTANCE MEASURING RANGE:0.0019OHM / 0.0199OHM / 0.1999OHM / 1.999OHM / 19.99OHM / 199.9OHM / 1.999KOHM / 19
<a href="#">72-7260cald</a>	
<a href="#">21-10146</a>	

<a href="#">72-6185calibratedw/Data</a>	
<a href="#">2266</a>	
<a href="#">21-9384</a>	
<a href="#">72-6852cald</a>	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA, INPUT V
<a href="#">72-6694cald</a>	
<a href="#">72-10420</a>	
<a href="#">72-6784</a>	
<a href="#">861-BI</a>	
<a href="#">72-7601</a>	
<a href="#">72-6793</a>	
<a href="#">72-9250</a>	
<a href="#">21-10156</a>	
<a href="#">72-6910caldu</a>	POWER SUPPLY, BENCH, 42V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">21-7961</a>	
<a href="#">72-7860</a>	RF SIGNAL GENERATOR, FREQUENCY, 2GHZ, SIGNAL GENERATOR TYPE:RF, BANDWIDTH:3.4KHZ, MODULATION TYPE:AM / FM / PM, SUPPLY VOLTAGE RANGE:110V TO 120V / 22
<a href="#">76-094</a>	
<a href="#">72-9165</a>	
<a href="#">72-8350</a>	
<a href="#">866-Gr</a>	
<a href="#">72-10160</a>	
<a href="#">21-3511</a>	
<a href="#">Spc22001</a>	
<a href="#">72-7675</a>	
<a href="#">21-1040</a>	
<a href="#">72-7245caldu</a>	
<a href="#">72-7765cald</a>	
<a href="#">72-9400</a>	
<a href="#">867-W</a>	
<a href="#">76-123</a>	
<a href="#">76-034</a>	
<a href="#">76-020</a>	
<a href="#">842-B</a>	



<a href="#">Spc35573</a>	
<a href="#">Spc15156</a>	
<a href="#">7263040amp</a>	
<a href="#">72-9955</a>	
<a href="#">72-6856</a>	
<a href="#">72-10182</a>	
<a href="#">76-060</a>	
<a href="#">72-8390 Cal Du</a>	DIGITAL STORAGE OSCILLOSCOPE 40MHZ COLOR DISPLAY DSO
<a href="#">76-014</a>	
<a href="#">21-10174</a>	
<a href="#">72-9490</a>	
<a href="#">72-8474</a>	OSCILLOSCOPE, HAND HELD, 2-CHAN, 100MHZ, 500MSPS, PRODUCT RANGE:-, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:100MHZ, SAMPLING RATE:500MSPS, DISPLAY MEMORY D
<a href="#">72-6635caldu</a>	
<a href="#">Spc15190</a>	
<a href="#">72-6810</a>	
<a href="#">72-10186</a>	
<a href="#">Spc35454</a>	
<a href="#">72-6855 Cal Du</a>	POWER SUPPLY, BENCH, 35V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
<a href="#">Spc15223</a>	
<a href="#">Ct2287-100-0</a>	
<a href="#">21-8198</a>	
<a href="#">72-10410</a>	
<a href="#">Spc12705</a>	
<a href="#">72-6290a</a>	
<a href="#">Spc15161</a>	
<a href="#">Spc12715</a>	
<a href="#">72-6787caldu</a>	
<a href="#">72-10165</a>	
<a href="#">Pm11279</a>	
<a href="#">Man1001</a>	
<a href="#">72-7570caldu</a>	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">21-10154</a>	
<a href="#">72-6908calibratedw/Data</a>	
<a href="#">72-8366</a>	

<a href="#">Spc35477</a>	
<a href="#">72-820caldu</a>	
<a href="#">72-6852 Cal</a>	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
<a href="#">72-8540</a>	
<a href="#">Spc35455</a>	
<a href="#">72-6696cald</a>	ANALYZER, SPECTRUM, 150KHZ TO 1000MHZ, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:150KHZ TO 1GHZ, EXTERNAL HEIGHT:150MM, EXTERNAL WIDTH:3
<a href="#">Spc12733</a>	
<a href="#">72-2063</a>	
<a href="#">72-6614calibratedw/Data</a>	
<a href="#">21-10152</a>	
<a href="#">Spc12700</a>	
<a href="#">72-9945</a>	
<a href="#">Tj-100-Red</a>	
<a href="#">Spc15246</a>	
<a href="#">21-9380</a>	
<a href="#">Spc12708</a>	
<a href="#">76-200</a>	
<a href="#">6-107</a>	
<a href="#">726131</a>	
<a href="#">72-6866</a>	
<a href="#">72-6725</a>	
<a href="#">72-6905caldu</a>	
<a href="#">72-1055</a>	
<a href="#">21-8226</a>	
<a href="#">Spc4852</a>	
<a href="#">Spc15124</a>	
<a href="#">2277</a>	
<a href="#">72-6696calibrated</a>	SPECTRUM ANALYZER, ANALYZER POWER SUPPLY:AC, BANDWIDTH MAX:1GHZ, BANDWIDTH MIN.:150KHZ, CERTIFICATE OF CALIBRATION:YES WITH DATA, SPECTRUM ANALYZER TY
<a href="#">72-7700calibratedw/Data</a>	
<a href="#">72-6901</a>	
<a href="#">861-R</a>	
<a href="#">Spc12703</a>	
<a href="#">72-6905calibratedw/Data</a>	

<a href="#">861-B</a>	
<a href="#">72-6909 Cal</a>	POWER SUPPLY, BENCH, 75V, 300W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
<a href="#">72-8175</a>	
<a href="#">Pm11119</a>	
<a href="#">2269</a>	
<a href="#">21-10555</a>	
<a href="#">72-6853cald</a>	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA
<a href="#">72-6346</a>	
<a href="#">2273</a>	
<a href="#">21-926</a>	
<a href="#">21-1046</a>	
<a href="#">72-9190</a>	
<a href="#">76-108a</a>	
<a href="#">21-10170</a>	
<a href="#">21-10158</a>	
<a href="#">72-8110</a>	
<a href="#">72-6794</a>	
<a href="#">72-2060</a>	
<a href="#">72-6251</a>	
<a href="#">72-7690cald</a>	
<a href="#">Spc35170</a>	
<a href="#">72-8141</a>	
<a href="#">Spc35452</a>	
<a href="#">Pm11124</a>	
<a href="#">21-10148</a>	
<a href="#">72-10385</a>	
<a href="#">72-7670</a>	
<a href="#">72-8474cald</a>	COMPACT 2 CHANNEL DSO 100MHZ OSCILLOSCOPE
<a href="#">PI21-8359-10f</a>	
<a href="#">21-8355</a>	
<a href="#">21-7980</a>	
<a href="#">72-6909</a>	
<a href="#">72-2050</a>	
<a href="#">21-11430</a>	

<a href="#">72-10178</a>	
<a href="#">72-6712</a>	
<a href="#">72-6605</a>	
<a href="#">72-8429-04</a>	
<a href="#">72-10184</a>	
<a href="#">83-605</a>	
<a href="#">Spc15427</a>	
<a href="#">72-6620</a>	
<a href="#">72-9405</a>	
<a href="#">72-8368</a>	
<a href="#">76-250</a>	
<a href="#">72-9270</a>	
<a href="#">72-2061</a>	
<a href="#">21-9375</a>	
<a href="#">76-043</a>	
<a href="#">Spc21998</a>	
<a href="#">76-102</a>	
<a href="#">Spc15250</a>	
<a href="#">Pm11277</a>	
<a href="#">72-1015cal</a>	
<a href="#">76-240</a>	
<a href="#">72-815</a>	
<a href="#">72-7226cal</a>	
<a href="#">72-9380</a>	
<a href="#">72-1098</a>	
<a href="#">72-820</a>	
<a href="#">Spc12018</a>	
<a href="#">866-W</a>	
<a href="#">Spc12049</a>	
<a href="#">Spc15170</a>	
<a href="#">72-7730cald</a>	
<a href="#">2289</a>	
<a href="#">72-2010calibratedw/Data</a>	
<a href="#">72-7750cald</a>	
<a href="#">72-10210</a>	
<a href="#">72-6853 Cal</a>	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT

TYPE:ADJUSTABLE, NO. OF OUT	
<a href="#">72-6788</a>	
<a href="#">72-6800</a>	
<a href="#">72-6906calibratedw/Data</a>	
<a href="#">72-9380a</a>	
<a href="#">76-078</a>	
<a href="#">72-947</a>	
<a href="#">PI21-8355-10f</a>	
<a href="#">72-10473</a>	
<a href="#">2267</a>	
<a href="#">21-10115</a>	
<a href="#">726185</a>	
<a href="#">76-099</a>	
<a href="#">72-9210</a>	
<a href="#">76-114</a>	
<a href="#">72-6695</a>	MIN QTY 10 BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:6V, OUTPUT CURRENT:3A, OUTPUT VOLTAGE 2:18V, OUTPUT CURRENT 2:3A
<a href="#">72-847417025calibrated</a>	MCM 72-8474 CALIBRATED
<a href="#">Tj-101-BI</a>	
<a href="#">72-10425</a>	
<a href="#">72-190</a>	
<a href="#">72-7765</a>	
<a href="#">Ct2393-0</a>	
<a href="#">72-6704</a>	
<a href="#">2298</a>	
<a href="#">72-10390</a>	
<a href="#">Spc4867</a>	
<a href="#">Spc15179</a>	
<a href="#">Spc35554</a>	
<a href="#">Spc12020</a>	
<a href="#">Ct2265-2</a>	
<a href="#">Ct2393-2</a>	
<a href="#">2294</a>	
<a href="#">72-7705cal</a>	
<a href="#">Spc12019</a>	
<a href="#">72-8340</a>	

<a href="#">72-6535cald</a>	
<a href="#">21-7978</a>	
<a href="#">72-630-24amp</a>	
<a href="#">Spc15259</a>	
<a href="#">72-7770</a>	
<a href="#">72-6851cal</a>	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
<a href="#">26-165</a>	
<a href="#">72-8485</a>	
<a href="#">76-015</a>	
<a href="#">21-10560</a>	
<a href="#">Spc15256</a>	
<a href="#">21-10150</a>	
<a href="#">72-6851calibrated</a>	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:10A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DROP SHI
<a href="#">21-685</a>	
<a href="#">72-9360</a>	HANDHELD DSO 100MHZ
<a href="#">72-8150</a>	
<a href="#">72-7705caldu</a>	
<a href="#">72-9260</a>	
<a href="#">Spc12716</a>	
<a href="#">72-2055</a>	
<a href="#">21-8190</a>	
<a href="#">72-9455</a>	
<a href="#">72-9300</a>	
<a href="#">72-7260</a>	
<a href="#">72-7725cal</a>	
<a href="#">Spc15278</a>	
<a href="#">21-7985</a>	
<a href="#">72-7650calibrated</a>	
<a href="#">21-7944</a>	
<a href="#">76-016</a>	
<a href="#">72-500</a>	
<a href="#">76-046</a>	
<a href="#">72-6535</a>	
<a href="#">Tj-200-Bk</a>	

<a href="#">72-1080</a>	
<a href="#">21-1050</a>	
<a href="#">83-425</a>	
<a href="#">72-6850cald</a>	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, POWER RATING:750VA
<a href="#">21-11425</a>	
<a href="#">21-570</a>	
<a href="#">Hv-Kit-</a>	
<a href="#">72-9220</a>	
<a href="#">72-7695</a>	
<a href="#">72-7270cal</a>	
<a href="#">21-9385</a>	
<a href="#">Spc35526</a>	
<a href="#">21-1925</a>	
<a href="#">72-10405</a>	
<a href="#">72-7700cald</a>	
<a href="#">Pm11199</a>	
<a href="#">70-5803</a>	
<a href="#">Spc15424</a>	
<a href="#">21-10558</a>	
<a href="#">Spc22006</a>	
<a href="#">72-6820-Demo</a>	
<a href="#">92f382</a>	
<a href="#">72-7685cald</a>	
<a href="#">72-7725</a>	
<a href="#">76-116</a>	
<a href="#">76-019</a>	
<a href="#">Tj-101-R</a>	
<a href="#">Spc12707</a>	
<a href="#">76-005</a>	
<a href="#">72-6347</a>	
<a href="#">21-7936</a>	
<a href="#">Spc22000</a>	
<a href="#">Ct3737</a>	
<a href="#">Spc15329</a>	

<a href="#">72-7745cal</a>	
<a href="#">76-065</a>	
<a href="#">72-7855</a>	POWER SUPPLY, BENCH, 80V, 300W, DC LOAD TYPE:FIXED, OPERATING VOLTAGE RANGE:0V TO 80V, OPERATING CURRENT RANGE:0A TO 80A, POWER RATING:320W, CALIBRATE
<a href="#">72-2015cald</a>	
<a href="#">72-6610cald</a>	
<a href="#">72-6908</a>	
<a href="#">21-8120</a>	
<a href="#">Spc35625</a>	
<a href="#">72-630a</a>	
<a href="#">21-9370</a>	
<a href="#">72-8390 Cal D</a>	DIGITAL STORAGE OSCILLOSCOPE 40MHZ COLOR DISPLAY DSO
<a href="#">Spc35169</a>	
<a href="#">Ct2266-0</a>	
<a href="#">76-120</a>	
<a href="#">Ct3734</a>	
<a href="#">72-9470</a>	
<a href="#">72-820cald</a>	
<a href="#">72-6776</a>	
<a href="#">21-9290</a>	
<a href="#">Ct2162-150-0</a>	
<a href="#">72-6820</a>	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:CRT COLOUR, INPUT IMPEDANCE
<a href="#">72-7245cal</a>	
<a href="#">72-6601</a>	
<a href="#">21-7982</a>	
<a href="#">72-6610</a>	
<a href="#">72-7730acal</a>	
<a href="#">72-6853 Cal Du</a>	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
<a href="#">72-6853</a>	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA
<a href="#">72-7245calibratedw/Data</a>	
<a href="#">72-6639</a>	
<a href="#">72-6630calibratedw/Data</a>	
<a href="#">76-027</a>	



<a href="#">7210505</a>	
<a href="#">72-6633calibratedw/Data</a>	
<a href="#">72-6820cal</a>	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2, BAN
<a href="#">72-8395</a>	
<a href="#">21-1047</a>	
<a href="#">Spc15432</a>	
<a href="#">72-8155</a>	
<a href="#">2295</a>	
<a href="#">72-6633</a>	
<a href="#">72-6065</a>	
<a href="#">72-7735calibratedw/Data</a>	
<a href="#">Spc15194</a>	
<a href="#">76-001</a>	
<a href="#">72-9175</a>	
<a href="#">Spc15258</a>	
<a href="#">72-6791</a>	
<a href="#">72-6706</a>	
<a href="#">72-6860cald</a>	SIGNAL GENERATOR, PULSE, 10MHZ, SIGNAL GENERATOR TYPE:FUNCTION, SUPPLY VOLTAGE RANGE:115V / 230V, EXTERNAL HEIGHT:5.5, EXTERNAL WIDTH:8.6, EXTERNAL
<a href="#">72-6615caldu</a>	
<a href="#">72-8335</a>	
<a href="#">72-10475</a>	
<a href="#">72-9330</a>	
<a href="#">76-037</a>	
<a href="#">72-9305</a>	
<a href="#">Spc35524</a>	
<a href="#">21-10178</a>	
<a href="#">21-10550</a>	
<a href="#">72-7655</a>	
<a href="#">72-9385</a>	
<a href="#">PI21-8358-10f</a>	
<a href="#">72-6867</a>	
<a href="#">72-6850</a>	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, POWER RATING:750VA
<a href="#">72-6855cald</a>	POWER SUPPLY, BENCH, 35V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35VDC,

OUTPUT VOLTAGE 2:35VDC, OUTPUT CURRENT:4	
<a href="#">72-7750cal</a>	
<a href="#">72-6825</a>	OSCILLOSCOPE, SCOPE BANDWIDTH:200 MHZ, SCOPE CHANNELS:2 SCOPE, SCOPE TYPE:ANALOG, FEATURES:BUILT-IN 6 DIGIT COUNTER, RISE TIME:3.5NS, SENSITIVITY:2 MV
<a href="#">21-7979</a>	
<a href="#">72-10208</a>	
<a href="#">72-7755calibrated</a>	
<a href="#">Spc15182</a>	
<a href="#">861-W</a>	
<a href="#">72-490</a>	
<a href="#">72-10180</a>	
<a href="#">72-9325</a>	
<a href="#">21-9373</a>	
<a href="#">72-9965</a>	
<a href="#">Spc15372</a>	
<a href="#">72-7570cald</a>	
<a href="#">76-100</a>	
<a href="#">21-9355</a>	
<a href="#">21-7927</a>	
<a href="#">72-6906</a>	
<a href="#">72-10472</a>	
<a href="#">72-860a</a>	
<a href="#">58</a>	
<a href="#">72-6850caldu</a>	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
<a href="#">72-10470</a>	
<a href="#">72-6947</a>	
<a href="#">21-8221</a>	
<a href="#">76-057</a>	
<a href="#">72-8370</a>	
<a href="#">72-7395</a>	
<a href="#">72-360</a>	
<a href="#">72-9365</a>	OSCILLOSCOPE, 200MHZ, 1GSPS, PRODUCT RANGE:-, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RATE:1GSPS, DISPLAY MEMORY DEPTH:512 KPTS, CALCULA
<a href="#">72-6820cald</a>	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:CRT COLOUR, INPUT IMPEDANCE

<a href="#">Spc4868</a>
<a href="#">72-7250</a>
<a href="#">76-106</a>
<a href="#">76-122</a>
<a href="#">72-6907cald</a>
<a href="#">Spc15192</a>
<a href="#">24-785</a>
<a href="#">72-9255</a>
<a href="#">72-6800calibratedw/Data</a>
<a href="#">72-8170</a>
<a href="#">72925</a>
<a href="#">76-008</a>
<a href="#">Ct2417-100-0</a>
<a href="#">Spc15243</a>