



Tenma

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Tenma** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Tenma T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
72-13200	
TENMA 72-10480	Digital Control DC Power Supply 0-30V 3A
Spc24580	MICROSCOPE BODY SZ TRINOCULAR, 6.7X -50X, WORKING DISTANCE:108MM, CAMERA TYPE:CCD, ILLUMINATION:ILLUMINATED, ROHS COMPLIANT: NA
72-7695calibratedw/Data	
72-6628caldu	
72-6409	
21-8230	
72-7606	
72-6856calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:4A, OUTPUT VOLTAGE 2:35V, OUTPUT CURRENT 2:2A, OUTPUT V
72-6610cal	
21-10562	
21-10117	
867-Bk	

72-9590	
76-112	
Spc35463	
21-10140	
21-8192	
72-8474caldu	COMPACT 2 CHANNEL DSO 100MHZ OSCILLOSCOPE
72-6607	
72-6905	
72-545	
Spc35582	
72-6615	
21-8356	
72-7295caldu	
33-310	
2302	
72-3040	
36-505	
72-6535caldu	
72-8362cal	
Spc15338	
72-1097	
21-7981	
72-9350	
21-9372	
Spc15374	
72-7770cald	
72-7750calibratedw/Data	
72-6855calibratedw/Data	
72-6069a	
2275	
21-8241	
72-6130	
72-6854caldu	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
72-10195	
Spc35521	

72-6820caldu	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2, BAN
Spc12022	
72-585	
21-7960	
Spc15251	
21-8225	
72-7218cald	
8530-15184	
72-7705cald	
72-8695	
72-7750caldu	
21-8150	
Spc4866	
21-925	
76-082	
Spc12712	
21-1042	
72-7755	
21-600	
72-10395	
72-10380	
Ct2707	
72-7680calibratedw/Data	ELECTRONIC DC LOAD, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V, OUTPUT CURRENT:60A, POWER RATING:300W, APPROVAL BODIES:CE, CERTIFICATE
72-6700caldu	
76-062	
72-6620cal	
72-6505	
72-805	
72-9280	
21-10563	
72-8700	
Spc15354	
72-7720	
21-560	

Spc22002	
72-6851	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, INPUT VOLTAGE:115VAC, LOAD
72-6850calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:10A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DISPLAY
72-7650	
72-8335a	
22h6397	
72-10430	
76-107	
72-10400	
72-942	
72-7255	
72-8727	DSO 4 CH 200 MHZ
21-555	
21-8125	
72-6696	SPECTRUM ANALYZER, 150X310X455MM, 8.5KG, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:150KHZ TO 1GHZ, EXTERNAL HEIGHT:150MM, EXTERNAL WIDTH
Tj-101-Bk	
72-750	
72-1023	
Spc15132	
76-230	
72-8140	
2303	
72-6860cal	
726152	
72-7735	
Ct3375a	
72-7245cald	
868-R	
76-096	
21-10180	
21-1045	
21-730	
72-7260caldu	

Spc12732	
21-10571	
76-004	
21-11420	
72-6628cald	
72-6707	
72-10450	
72-6860calibratedw/Data	
76-025	
21-10620	
72035	
Spc21094	
72-455a	
72-6700	
Ct3288ara	
72-6850cal	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
Sldhp10(New)	
21-1190	
Spc12055	
Spc12058	
76-095	
72-2065a	
72-8150cald	
72-6610caldu	
72-505cal	
72-6694caldu	
2265	
72-1095	
867-Gr	
72-6787	
72-7685calibratedw/Data	
Spc15206	
Spc4863	
76-056	
Ct3743	

72-7228cald	
2271	
Pc303rp1	
76-022	
72-6910cald	POWER SUPPLY, BENCH, 42V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:42V DC, OUTPUT CURRENT:10A, POWER RATING:420W, I
72-7218	
72-9950	
Spc15144	
72-2075	
76-090	
72-6810cald	OSCILLOSCOPE, 35MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
72-8470	
21-565	
72-8474cal	COMPACT 2 CHANNEL DSO 100MHZ OSCILLOSCOPE
72-8180	
723060	
21-670	
72-7712	
21-4355	
21-10570	
Spc12057	
76-118	
72-8725	OSCILLOSCOPE, 4-CHAN, 100MHZ, 2GSPS, PRODUCT RANGE:-, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RATE:2GSPS, DISPLAY MEMORY DEPTH:1024 KPTS
72-6854cal	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
72720	
21-9302	
72-7712cald	
21-8195	
72-8380demo	
72-9205	
72-7390	
72-9170	

21-350	
72-7725caldu	
72-6615calibratedw/Data	
72-7570calibratedw/Data	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP, ROHS COMPLIANT: NA
72-9390	
Mc20159	
21-10168	
72-6854cald	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35V DC, OUTPUT VOLTAGE 2:35V DC, OUTPUT CURRENT:
72-7265cal	
72-2010	
21-8191	
72-6855 Cal	POWER SUPPLY, BENCH, 35V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
72-8385	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 500MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:LCD COLOUR, SAMPLING RATE:
72-8115	
Spc12052	
72-6535calibratedw/Data	
72-6693	
72-7570	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:60V DC, OUTPUT VOLTAGE 2:60V DC, OUTPUT CURRENT:
Spc21999	
21-10600	
72-6710	
21-10557	
76-300	
21-10120	
21-9371	
Spc35466	
72-7218caldu	
Spc12051	
72-7595	
24-790	
72-505	
	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE

72-6815calibrated	CHANNELS:2 ANALOGUE, BANDWIDTH:50MHZ, METER DISPLAY TYPE:CRT COLOUR, INPUT IMPEDANCE:1MOHM, RI
72-1023 Cal Du	MULTIMETER, DIGITAL, BENCH, 4-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE
Psa2701t	SPECTRUM ANALYZER, SPECTRUM ANALYZER TYPE:HAND HELD, ANALYZER POWER SUPPLY:BATTERY/AC, BANDWIDTH MAX:2.7GHZ, AMPLITUDE ACCURACY :1DB, ANALYZER HARMO
Spc15377	
72-7265	
72-945	
72-6852 Cal Du	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
Spc35533	
21-9295	
Spc15357	
72-6851cald	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, INPUT VOLTAGE:115VAC, LOAD
72-630	
76-160	
2296	
72-6859cald	
72-6851caldu	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
72-7690calibratedw/Data	
72-6628	
72-8710	OSCILLOSCOPE, 2-CHAN, 100MHZ, 1GSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:LCD, SAMPLING RATE:1GSPS, RISE
72-10465	
72-9465	
Spc35473	
76-009	
Spc15188	
72-10455	
21-7925	
72-6854	POWER SUPPLY, BENCH, 35V, 175W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35V DC, OUTPUT VOLTAGE 2:35V DC, OUTPUT CURRENT:
72-8380	OSCILLOSCOPE, 200MHZ, 2 CHANNEL, 500MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:200MHZ, METER DISPLAY TYPE:LCD COLOUR, SAMPLING RATE:
2264	

72-9345	
Spc4857	
72-7601cal	
72-7222	
72-420	
72-6908cal	
21-370	
72-7705calibratedw/Data	
72-10471	
Psa1301t	SPECTRUM ANALYZER, SPECTRUM ANALYZER TYPE:HAND HELD, ANALYZER POWER SUPPLY:BATTERY/AC, BANDWIDTH MAX:1.3GHZ, AMPLITUDE ACCURACY :1DB, ANALYZER HARMO
72-6909 Cal Du	POWER SUPPLY, BENCH, 75V, 300W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
21-10590	
2270	
72-10415	
Spc15443	
72-6535cal	
Spc12053	
21-8358	
72-6854calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:10A, OUTPUT VOLTAGE 2:35V, OUTPUT CURRENT 2:10A, CERTIF
72-8150caldu	
72-6859	
21-11460	
72-8495	
72-6853calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18V, OUTPUT CURRENT:20A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DROP SHI
72-2015calibrated	
21-7988	
72-8142caldu	
72-8390	
72-6411	
21-10130	
21-8197	
72-6066	

76-040	
76-093	
72-2080	
72-6909cald	POWER SUPPLY, BENCH, 75V, 300W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:75VDC, OUTPUT VOLTAGE 2:75VDC, OUTPUT CURRENT:2A
21-9303	
6-100-B	
72-9495	
72-9195	
76-032	
Spc4377	
Spc35465	
72-6815cal	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
Spc35579	
Spc12021	
72-9970	
Pm11189	
2276	
72-7680cald	DC ELECTRONIC LOAD, 60V, 300W, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:3V TO 60V, OPERATING CURRENT RANGE:6MA TO 60A, POWER RATING:300W, AP
21-8236	
72-6909calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:75V, OUTPUT CURRENT:2A, OUTPUT VOLTAGE 2:75V, OUTPUT CURRENT 2:2A, POWER RA
72-6711	
72-6345	
72-7745cald	
76-017	
76-150	
72-7228cald	
76-061	
21-10564	
2278	
72-6910cal	POWER SUPPLY, BENCH, 42V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
72-8790	

Spc12023	
72-7601cald	
21-8242	
861-Gr	
72-7255a	
72-6269	
72-6852calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18V, OUTPUT CURRENT:20A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DISPLAY
72-7695caldu	
72-6859caldu	FUNCTION GENERATOR FREQUENCY/PULSE 20MHZ, SIGNAL GENERATOR TYPE:FUNCTION, SUPPLY
76-024	
72-6825calibratedw/Data	MIN QTY 10 OSCILLOSCOPE, SCOPE BANDWIDTH:200 MHZ, SCOPE CHANNELS:2 SCOPE, SCOPE TYPE:ANALOG, CERTIFICATE OF CALIBRATION:YES WITH DATA, FEATURES:BUILT-
72-6702	
76-083	
Ct3733	
72-6407	
72-7226caldu	
21-9360	
72-965	
72-110	
21-8235	
Tj-100-Yel	
83-600	
72-7400 Cal	PRECISION MILLI/MICRO OHMMETER, 20KOHM, RESOLUTION (OHM) :10OHM, TEST CURRENT:250
Spc15445	
72-10206	
Tj-200-W	
Spc35516	
21-10605	
76-079	
21-10172	
21-10575	
Psahc	
72-7226cald	

72-7680	DC ELECTRONIC LOAD, 60V, 300W, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:3V TO 60V, OPERATING CURRENT RANGE:6MA TO
72-6190	
72-6910calibratedw/Data	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:42V, OUTPUT CURRENT:10A, POWER RATING:420W, CERTIFICATE OF CALIBRATION:YES
72-8362cald	
72-9275	
72-9160	
21-11410	
Spc4860	
72-6861	
72-7755caldu	
2268	
72-7925	
72-6615cald	POWER SUPPLY, BENCH, 30V/5V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, FIXED, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:30V DC, OUTPUT VOLTAGE 2:30V DC, OUTPUT VOLT
72-8345	
76-006	
72-7245	
21-2235	
21-11445	
21-10142	
72-9595	
21-3315	
76-270	
72-7732a	
21-8160	
76-026	
Tp-100	
72-4030calibratedw/Data	
72-7221cal	
Ct3290ra	
Spc15363	
2305	
21-3525	

72-10175	
72-9485	
72-1005	
72-6406	
21-10166	
21-9374	
21-10176	
72-2070	
72-10440	
72-6635	
76-042	
21-10565	
Spc12050	
72-7715	
21-9381	
Spc35627	
24685	
Spc21375	
72-9230	
21-10561	
72-6815caldu	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
Spc35472	
72-7275	
76-029	
2272	
72-6067	
72-6858	
72-1015	
72-7765cal	
21-10595	
72-2010cald	
72-6810cal	OSCILLOSCOPE, 35MHZ, 2 CHANNEL, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 SCOPE, BANDWI
72-7570cal	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
72-6530	
76-010	

72-6614	
726203	
21-10580	
72-8785	
Spc12054	
72-6716	
72-6694cal	
En610101	
72-6667	
72-10204	
72-9335	
Spc22364	
Spc22005	
21-690	
21-11405	
21-8220	
6-100r	
72-7224	
M10-300x-10cald	
21-8240	
21-1590	
72-10474	
21-10675	
2304	
76-103	
72-7400 Cal Du	PRECISION MILLI/MICRO OHMMETER, 20KOHM, RESOLUTION (OHM) :10OHM, TEST CURRENT:250
Spc20524	
72-7740cald	
72-6068	
72-6910	
Spc35574	
72-9185	
72-9340	
72-6787cal	
72-8400	

72-6864	
72-7745	
72-6810 Cal D	OSCILLOSCOPE, CERTIFICATE OF CALIBRATION:YES, WITH DATA, DROP SHIP:YES, SCOPE BANDWIDTH:35 MHZ, SENSITIVITY:5 MV/DIV, SWEEP TIME RANGE, HORIZONTAL:0.1
Spc35492	
72-7270	
Spc35462	
72-9265	
72-7770cal	
72-7740calibratedw/Data	
21-8359	
21-7987	
72-1023 Cal	MULTIMETER, DIGITAL, BENCH, 4-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE
21-10585	
76-023	
866-B	
72-7295cal	
72-8500	
76-028	
72-6852	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA, INPUT V
72-9355	OSCILLOSCOPE, 60MHZ, 250MSPS, PRODUCT RANGE:-, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:60MHZ, SAMPLING RATE:250MSPS, DISPLAY MEMORY DEPTH:512 KPTS, CALCU
21-8145	
72-6856cald	POWER SUPPLY, BENCH, 35V/5V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:35VDC, OUTPUT VOLTAGE 2:35VDC, OUTPUT VOLTAGE
72-7270caldu	
72-505caldu	
72-7700	
72-7230	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, 500MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:50MHZ, METER DISPLAY TYPE:CRT COLOUR, SAMPLING RATE:50
72-7400	PRECISION MILLI/MICRO OHMMETER, 20KOHM, RESISTANCE MEASURING RANGE:0.0019OHM / 0.0199OHM / 0.1999OHM / 1.999OHM / 19.99OHM / 199.9OHM / 1.999KOHM / 19
72-7260cald	
21-10146	

72-6185calibratedw/Data	
2266	
21-9384	
72-6852cald	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA, INPUT V
72-6694cald	
72-10420	
72-6784	
861-BI	
72-7601	
72-6793	
72-9250	
21-10156	
72-6910caldu	POWER SUPPLY, BENCH, 42V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
21-7961	
72-7860	RF SIGNAL GENERATOR, FREQUENCY, 2GHZ, SIGNAL GENERATOR TYPE:RF, BANDWIDTH:3.4KHZ, MODULATION TYPE:AM / FM / PM, SUPPLY VOLTAGE RANGE:110V TO 120V / 22
76-094	
72-9165	
72-8350	
866-Gr	
72-10160	
21-3511	
Spc22001	
72-7675	
21-1040	
72-7245caldu	
72-7765cald	
72-9400	
867-W	
76-123	
76-034	
76-020	
842-B	

Spc35573	
Spc15156	
7263040amp	
72-9955	
72-6856	
72-10182	
76-060	
72-8390 Cal Du	DIGITAL STORAGE OSCILLOSCOPE 40MHZ COLOR DISPLAY DSO
76-014	
21-10174	
72-9490	
72-8474	OSCILLOSCOPE, HAND HELD, 2-CHAN, 100MHZ, 500MSPS, PRODUCT RANGE:-, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:100MHZ, SAMPLING RATE:500MSPS, DISPLAY MEMORY D
72-6635caldu	
Spc15190	
72-6810	
72-10186	
Spc35454	
72-6855 Cal Du	POWER SUPPLY, BENCH, 35V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
Spc15223	
Ct2287-100-0	
21-8198	
72-10410	
Spc12705	
72-6290a	
Spc15161	
Spc12715	
72-6787caldu	
72-10165	
Pm11279	
Man1001	
72-7570caldu	POWER SUPPLY, BENCH, 60V, 420W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
21-10154	
72-6908calibratedw/Data	
72-8366	

Spc35477	
72-820caldu	
72-6852 Cal	POWER SUPPLY, BENCH, 18V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
72-8540	
Spc35455	
72-6696cald	ANALYZER, SPECTRUM, 150KHZ TO 1000MHZ, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:150KHZ TO 1GHZ, EXTERNAL HEIGHT:150MM, EXTERNAL WIDTH:3
Spc12733	
72-2063	
72-6614calibratedw/Data	
21-10152	
Spc12700	
72-9945	
Tj-100-Red	
Spc15246	
21-9380	
Spc12708	
76-200	
6-107	
726131	
72-6866	
72-6725	
72-6905caldu	
72-1055	
21-8226	
Spc4852	
Spc15124	
2277	
72-6696calibrated	SPECTRUM ANALYZER, ANALYZER POWER SUPPLY:AC, BANDWIDTH MAX:1GHZ, BANDWIDTH MIN.:150KHZ, CERTIFICATE OF CALIBRATION:YES WITH DATA, SPECTRUM ANALYZER TY
72-7700calibratedw/Data	
72-6901	
861-R	
Spc12703	
72-6905calibratedw/Data	

861-B	
72-6909 Cal	POWER SUPPLY, BENCH, 75V, 300W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTP
72-8175	
Pm11119	
2269	
21-10555	
72-6853cald	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA
72-6346	
2273	
21-926	
21-1046	
72-9190	
76-108a	
21-10170	
21-10158	
72-8110	
72-6794	
72-2060	
72-6251	
72-7690cald	
Spc35170	
72-8141	
Spc35452	
Pm11124	
21-10148	
72-10385	
72-7670	
72-8474cald	COMPACT 2 CHANNEL DSO 100MHZ OSCILLOSCOPE
PI21-8359-10f	
21-8355	
21-7980	
72-6909	
72-2050	
21-11430	

72-10178	
72-6712	
72-6605	
72-8429-04	
72-10184	
83-605	
Spc15427	
72-6620	
72-9405	
72-8368	
76-250	
72-9270	
72-2061	
21-9375	
76-043	
Spc21998	
76-102	
Spc15250	
Pm11277	
72-1015cal	
76-240	
72-815	
72-7226cal	
72-9380	
72-1098	
72-820	
Spc12018	
866-W	
Spc12049	
Spc15170	
72-7730cald	
2289	
72-2010calibratedw/Data	
72-7750cald	
72-10210	
72-6853 Cal	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT

TYPE:ADJUSTABLE, NO. OF OUT	
72-6788	
72-6800	
72-6906calibratedw/Data	
72-9380a	
76-078	
72-947	
PI21-8355-10f	
72-10473	
2267	
21-10115	
726185	
76-099	
72-9210	
76-114	
72-6695	MIN QTY 10 BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:6V, OUTPUT CURRENT:3A, OUTPUT VOLTAGE 2:18V, OUTPUT CURRENT 2:3A
72-847417025calibrated	MCM 72-8474 CALIBRATED
Tj-101-BI	
72-10425	
72-190	
72-7765	
Ct2393-0	
72-6704	
2298	
72-10390	
Spc4867	
Spc15179	
Spc35554	
Spc12020	
Ct2265-2	
Ct2393-2	
2294	
72-7705cal	
Spc12019	
72-8340	

72-6535cald	
21-7978	
72-630-24amp	
Spc15259	
72-7770	
72-6851cal	POWER SUPPLY, BENCH, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1
26-165	
72-8485	
76-015	
21-10560	
Spc15256	
21-10150	
72-6851calibrated	BENCH POWER SUPPLY, OUTPUT TYPE:VARIABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V, OUTPUT CURRENT:10A, CERTIFICATE OF CALIBRATION:YES WITH DATA, DROP SHI
21-685	
72-9360	HANDHELD DSO 100MHZ
72-8150	
72-7705caldu	
72-9260	
Spc12716	
72-2055	
21-8190	
72-9455	
72-9300	
72-7260	
72-7725cal	
Spc15278	
21-7985	
72-7650calibrated	
21-7944	
76-016	
72-500	
76-046	
72-6535	
Tj-200-Bk	

72-1080	
21-1050	
83-425	
72-6850cald	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, POWER RATING:750VA
21-11425	
21-570	
Hv-Kit-	
72-9220	
72-7695	
72-7270cal	
21-9385	
Spc35526	
21-1925	
72-10405	
72-7700cald	
Pm11199	
70-5803	
Spc15424	
21-10558	
Spc22006	
72-6820-Demo	
92f382	
72-7685cald	
72-7725	
76-116	
76-019	
Tj-101-R	
Spc12707	
76-005	
72-6347	
21-7936	
Spc22000	
Ct3737	
Spc15329	

72-7745cal	
76-065	
72-7855	POWER SUPPLY, BENCH, 80V, 300W, DC LOAD TYPE:FIXED, OPERATING VOLTAGE RANGE:0V TO 80V, OPERATING CURRENT RANGE:0A TO 80A, POWER RATING:320W, CALIBRATE
72-2015cald	
72-6610cald	
72-6908	
21-8120	
Spc35625	
72-630a	
21-9370	
72-8390 Cal D	DIGITAL STORAGE OSCILLOSCOPE 40MHZ COLOR DISPLAY DSO
Spc35169	
Ct2266-0	
76-120	
Ct3734	
72-9470	
72-820cald	
72-6776	
21-9290	
Ct2162-150-0	
72-6820	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:CRT COLOUR, INPUT IMPEDANCE
72-7245cal	
72-6601	
21-7982	
72-6610	
72-7730acal	
72-6853 Cal Du	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
72-6853	POWER SUPPLY, BENCH, 18V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:18VDC, OUTPUT CURRENT:20A, POWER RATING:750VA
72-7245calibratedw/Data	
72-6639	
72-6630calibratedw/Data	
76-027	

7210505	
72-6633calibratedw/Data	
72-6820cal	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2, BAN
72-8395	
21-1047	
Spc15432	
72-8155	
2295	
72-6633	
72-6065	
72-7735calibratedw/Data	
Spc15194	
76-001	
72-9175	
Spc15258	
72-6791	
72-6706	
72-6860cald	SIGNAL GENERATOR, PULSE, 10MHZ, SIGNAL GENERATOR TYPE:FUNCTION, SUPPLY VOLTAGE RANGE:115V / 230V, EXTERNAL HEIGHT:5.5, EXTERNAL WIDTH:8.6, EXTERNAL
72-6615caldu	
72-8335	
72-10475	
72-9330	
76-037	
72-9305	
Spc35524	
21-10178	
21-10550	
72-7655	
72-9385	
PI21-8358-10f	
72-6867	
72-6850	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:35V DC, OUTPUT CURRENT:10A, POWER RATING:750VA
72-6855cald	POWER SUPPLY, BENCH, 35V, 600VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:35VDC,

OUTPUT VOLTAGE 2:35VDC, OUTPUT CURRENT:4	
72-7750cal	
72-6825	OSCILLOSCOPE, SCOPE BANDWIDTH:200 MHZ, SCOPE CHANNELS:2 SCOPE, SCOPE TYPE:ANALOG, FEATURES:BUILT-IN 6 DIGIT COUNTER, RISE TIME:3.5NS, SENSITIVITY:2 MV
21-7979	
72-10208	
72-7755calibrated	
Spc15182	
861-W	
72-490	
72-10180	
72-9325	
21-9373	
72-9965	
Spc15372	
72-7570cald	
76-100	
21-9355	
21-7927	
72-6906	
72-10472	
72-860a	
58	
72-6850caldu	POWER SUPPLY, BENCH, 35V, 750VA, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUT
72-10470	
72-6947	
21-8221	
76-057	
72-8370	
72-7395	
72-360	
72-9365	OSCILLOSCOPE, 200MHZ, 1GSPS, PRODUCT RANGE:-, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RATE:1GSPS, DISPLAY MEMORY DEPTH:512 KPTS, CALCULA
72-6820cald	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 20MSPS, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, METER DISPLAY TYPE:CRT COLOUR, INPUT IMPEDANCE

Spc4868
72-7250
76-106
76-122
72-6907cald
Spc15192
24-785
72-9255
72-6800calibratedw/Data
72-8170
72925
76-008
Ct2417-100-0
Spc15243