

Thermo Sensor

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Thermo Sensor Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Thermo Sensor Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
(15208834) RT BASC STIR MED120V/US PLG	
01X447602	
074532	
09.2005	
09.4011	
10031532	
10049564	
101163010000001	
10169270	
102350D711202	
1030-5-K	

10313021
1036-6-K
1037-5788
1040-6
10484
11027.
11-100P/F
1114003
11162 CK101 PM 230 VAC
11164 CK101 FM 24 VDC
1133-11-1004
1133-11-1091
1133-11-1185
1133-11-2328
1133-11-694
1133-11-714
1133-11-733
1133-11-800
11361442
1138-32-001
1153-11-136
1153-11-250
120320-0030
1213000
1425302
15407 20-39
190049
190777
19704-47
20190357
20190364

2025I-DBE
20-30SS
20-30-SS 25
20-59-NM
20703-0002
21-35-nm-f-csa-4x
21-52-nm
228077
2336-1-023
2436-0503
2436-0504
2436-0507
2869
3052835
320 mm
362-0041
365D0291
3951
399-0511
4010A 11593103
401316687623
4013A 10564775
420-006
420-008
420-011
420217203042
4202A 11839752
425068710
42I
42IQ - Moly

42iBEMVPAA
42iQ - Moly-42iQ - Moly-AA
42iQ - Moly-XA
430-517
475560
500-933
50120350, BK 800 108L
50129872
5025-0505
510011
51030287
51119200
513148
554-1137
557-2286
567-2090
60-31B
714-009800
75003230
75005181 HOCHLEISTUNGSZENTRIFUGE BIOFUGE PRIMO
75007685
75007697
75007730
75008150
808-1141
810-02361
810199
8102BN
8102BNUWP
8103BN

8302BNUMD
840-210500
842312051411
842312051431
842312051511
842315550051
842315550611
9005FMT
910104
910107
910110
9107BNMD (10590533)
912A0760
91-ND-LITE NANODROP ND-LITE
94060820
9512BNPW
9512BNWP
9606BNWP
9720BNWP
A027981
A028460
A028610
A033977
A034213
A035134
A036840
A036861
A037255
A037323
A037535

A037691
A038461
A038657
A038659
À039189
A040356
À040594
A043360
A1373701
A13744-01
A14291DJ
A500255
A500272
A501346
A78110101
A79210051
A-79210052
AA19786
ACCEL 500
ALPHA COND 560
ARL 3460 OES
ARL4460
ARL4460 S318553
Art. Nr. 425067501 , Dosiswarner RadEye G-10
BATERIA AA
BS-D50237
CNN 19100
CNN-12200-KX
CQ-17090-30
D0809

DB-500
DXF32040V
EVOLUTION 201 PC 840-210800
FERMENTAS TAQ POLYMERASE ENZYME
FISHER: 13418007 THERMO: 038008
FL1332X2
HPA1910MQ.
ICE 3300 AA
INDUSTRIAL RTS ASSEMBLÓ
ISA-220 Integrating Sphere for EVO 220
LFM-3
LT5165000
MINI 11-100-F-RC
MINI 11-100-P-RC
MODEL 2210
MODEL 60-30
Model: ORION Star A 324
Model: Orion Dual Star
MP 2000.
MTS-10323-K-500
MTS-12643-K-200
MX-35 DISPOSABLE BLADES
MX35 ULTRA
NANODROP 8000
NANODROP ND LITE EU
ND-2000
ND-2000-EU
NESLAB THERMOFLEX 1400
Niton XL2 100G
OAK RIDGE ZENTRIFUGENROHRCHEN PC/PP 85 ML

OAK-RIDGE-ROEHRCHEN, 10 ML PC
OAK-RIDGE-ROEHRCHEN, 30 ML PC
PDR1500-UDCN
Q612-20
R400-SAEV-TS
RL A037399
ROS-2D
R-P-5-B3-K-500-H-250-A-X-X60 CM LENGTH THICKNESS OF 3.2 MM
RUSH TAQ POLYMERASE ENZYME
S3118311
S317693
S422255
S426779
S427749
S428382
S701096
S701103
S702594T
S702734T
S702774
S702821
S703123T
S703268
S703341
S703555T
S703690T
S703832
S703839
S703999
SF021-806

SORVALL CENTRIFUGES RC5C	
T.b.a.	
TA-125-HD	
TE-57P713-1	
WELLWASH 4MK2	
XL2 air Plus	
XL3 980	
ZB100984-01	
14812-08-R0	Thermoelement Fe-CuNi, R1/2", -50 ... 250°C, 4 ... 20 mA, Thermocouple Temperature filter inlet filter 1&2 Temperature dust collection hopper filter 1&2
113311715	
1153-11-137	Triple thermocouple cable sensor Design: oil-tight from the measuring tip Thermocouple: 3 x NiCr-Ni, type K in accordance with DIN EN 60584, class 1 Measuring points: insulated Sensor diameter; 7.0 mm Sensor length: 5.0 mm Process connection: adjustable bayonet cap, inner diameter 14.5 mm Spring: stainless steel, length 200 mm Connection cable: 6000 mm flexible thermocouple cable, individually and jointly insulated with Teflon with internal copper shielding, pair-marking of the thermocouples Connection type: free connection ends Accessories: screw-in nipple, M14x1, thread length 10 mm Drawing: KUN672.20 (09/2008) Marking: P0009302200
1169-21-017 Sensor	
2338-1-015	
1138-32-001 Thermosensor	
Xi-3000-2-0-0-0	
2338-1-010	
1153-11-255	
2338-1-011	
Ekv10 Ct310 Temperature Sensor Magnetic Coupling Pumptyp 2338-1- 0111*Pt100*75 G 1/4"	
1169-21-017	
1169-21-020	
1169-21-018	
80026764 Schmelztemperatursensor	

[Ekh10 Ct302? Final Tempeature Atyp
2338-1-0102*Pt100*120 Mm Schutzrohr](#)