

Tox Pressotechnik

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Tox Pressotechnik Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Tox Pressotechnik T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
TOX CMH 03.45	ES 160 TOX hydropneumatisch 3/5 meter Hydraulikschlauch MKD maschinenelektronische Steuerung Optional :spezielle Befestigungsvorrichtung
008.00.200	
10.25 149012	
10.25.149009	
10.266.449950	
100110	
100167	
100307	
100393	
104378	
104858	

105387
109068
110650
110674
110685
110729
148917
148950
149011
149012
149014
149024
151493
151877
156503
156570
156831
157187
158063
160336
160438
161014
166067
178835
181109
204909
205055
208696
210059
210573

[214387](#)

[215045](#)

[236411](#)

[244751](#)

[244914](#)

[244927](#)

[245864 \(grease\)](#)

[246566](#)

[257103](#)

[258007](#)

[258177](#)

[268139](#)

[275569](#)

[276070](#)

[276071](#)

[299364](#)

[310273](#)

[311775](#)

[311789](#)

[328984](#)

[330062](#)

[332490](#)

[338925](#)

[338926](#)

[340198](#)

[340214](#)

[340225](#)

[340370](#)

[340371](#)

[344226](#)

[346957](#)

347860	
41.25.149864	
421179	
438651	
439398	
445573	
50.25.257956	
51.25.258149	
HZ 5.01.200	
HZL11.101.030.00H	
Q-S 015.030.100.12	
Q-S 030.030.100.12	
S 08.30.050.06D	
S2.100.035.12-SP	
Typ Q-S 015.030.100.12	
X-103-T13-LEN200	
ZDO 01.400	
ZFE same as 245864 (grease)	
TYPE HZO 0/35/70/D/GL	
100110	446749 TOX power pack type Q-S 004.030.080.12H Pressing force 39.9 kN at 6 bar air pressure Total stroke 80 mm, of which Power stroke 12 mm max. - prepared for working piston stroke query ZHU (Sensors 180651 must be ordered separately) - including fixed stop in the pre-stroke with elastomer damping disc - TOX power package with hydraulic end position cushioning Return stroke type ZHD and integrated power bypass type ZLB. stroke shortened Basic device: Q-S 004.030.100.12
738027	TOX power pack type Q-S 004.030.50.12 Pressing force 39.9 kN at 6 bar air pressure Total stroke 50 mm, of which Power stroke 12 mm max. - prepared for working piston stroke query ZHU (Sensors 180651 must be ordered separately) - including fixed stop in the pre-stroke with elastomer damping disc - TOX power package with hydraulic end position cushioning Return stroke type ZHD and integrated power bypass type ZLB.
	446749 Pressing force 48.6 kN at 6 bar air pressure Total stroke 100 mm, of which Power stroke 5 mm max. - with

Typ Q-K 004.030.100.05	preparation for working piston position query (prepared for stroke query ZHU) - including fixed stop in the pre-stroke with elastomer damping disc - TOX power pack with hydraulic end position cushioning Return stroke type ZHD and integrated power bypass type ZLB. stroke shortened Basic device: Q-S 004.030.100.12
TOX-Kraftpaket Typ Q-K 004.030.100.05	561049 Pressing force 48.6 kN at 6 bar air pressure Total stroke 100 mm, of which Power stroke 5 mm max. - with preparation for working piston position query (prepared for stroke query ZHU) - including fixed stop in the pre-stroke with elastomer damping disc - TOX power pack with hydraulic end position cushioning Return stroke type ZHD and integrated power bypass type ZLB. Net weight per unit: 33 KG
843971	Powerhouse EK 08.31.060.06H Pressing force 74.4 kN at 10 bar air pressure Total stroke 60 mm, shortened stroke, of which Power stroke 6 mm max. - without power lift valve - without pressure regulator for air spring Basic device: EK 08.00.100.06 Device identical to old material number: EK 8.100.060.06-S (#218800) New number due to internal changes.
315885	Synchronmotor HLR 37140-R2 (EPMx 025)
258010	Matrize TOX 51.25.258010
81 Olstifl	
Tox-Die 10.154.387639 Matrix Runde 10.154.387639	
Zd0-01-400	
14.180.516.6201	
167282	
150359	
S 30.31.150.06 Zylinder Komplett	
10.221.521.1990	
161110 / Es250.10.172.43	
439470	
K120020	
S1.30.100.12 Pneumohydraulische Antrieb Typ S	
181170, S 08.30.100.06d	
158130	
Zfw 004.000 Handpresse	

100739s21506	
Hydraulik-Schlauch	
181109 Set	
439421	
490701	
Klinc Team Kit	
203525, K 50.30.100.10-U	
319835	
10.201 395317	
149011 Stempel Tox 10.25.149011	
10,25.149042 Provision For Punch 149691	
Zps-15	
239223 EI 08.160.050.06	
811112	
318306	
Matrize Tox 50.25.417704	417704
79 Olanzeigestift	
Hz501200	
Zp1/100	
51.25.258010	
S8.30.50.06d	
10.266.449950 Punch	
Ste 075-716-3/4	
10.191.521.2033	
Cmh 3.45 10	
149009	
276070 Matrize Tox 00.209.276070	
Hz-11-200	
101375zu03	
168519(Cmt173)	

Matrize Tox 10.25.257938
S02.30.050.12
Zdp50500
K215020
41.25. 159035
S04.140.100.24.04-677
Zd001-400
10.221.520.9291
149042
165405
Bes 125
214299 S 15.30.100.12d-Lf.Us
340359
S08m
156503 Matrize Tox 51.25.156503
244751 Stempel Tox 10.188.244751
239983
169947
340198 Q-S 002.030.100.12.00-998 Verschleissbg
S1505012
10.184.521.1989
Tox102508a54100
370054 Platte Mit Integriertem Controller
Tox-Die 10.25.148917 Matrix Runde 10.25.148917
K440050
245864
100110, Bs 08.30.100.12
S04.30.100.12.00-010
10.180.158822

340214 Q-S 004.030.100.12.00-998 Verschleissbg
Hz 11.1.100
14.210 395318
Tox Pressotechnik 160336 Reparatursatz
77 Dichtung
Tox142500bb8014+tox102508a54100
439422
227160, S 50.150.20d-Us
461118
438449
102337 D 70x338
Es16010008564
51.25.258149 Testreport
205595
1025149012+102515540
315904
181162
310273 Zak Force Transducer Zak 034.014.000
215724, S 30.30.150.12d-Us
S 4.32.6d
S 8.150.6d
Epw 400.002.10.00
S8.30.50.6d
S250.12
552821
Tox102508a40100
160388
10.25 Tox
208712

100110 Tox Handzange Typ Cmh
03_316_A_002
10.184.520.9990
Pfl 004 Pneumatic Press
41.25 Tox Matris
1025148915+1425149690
300108
Hz 11.01.50
100910
10.25. 801024
170711
Cmb 015.405
340214 Q-S 004.030.100.12.00-998 Verschleissbgnettogewicht: 0,365 Kg
Tox102500bb6010+tox102508a40100
S04.30.100.12.00-998
K4-00-300-50
80 Sicherungsring
100911
14.25.258104
10.25 Tox Zimba + 41.25 Tox Matris
315907
Tox-Punch 10.25.149011 Lochstempel Rund 10.25.149011
409 Bypassventil
Die 10.25.148917 Bowl
208 942
257103 Tox Distance Sensor Zw 080.000
01010155
148917 Matrize Tox 10.25.148917