



Tridelta

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Tridelta** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Tridelta T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
144 kV, 10 kA , ZnO, Sn: SM	BES 154 Kv TM parafudr
4*400V 3 Phase surge arrester 100kA B type	
4*574V 3 Phase surge arrester 100kA B type	
1*1150V Phase surge arrester 100kA B type	
36kV 10kA surge arrester (to be used in 31.5kV	system) 18 Pieces 6 Sets
Surge Arrester - SBKC 144/SM-II	PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2100.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
Surge Counter DCC-M 2	
Surge Arrester - SBKC 144/SM-II	PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2100.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
DCC-M 2	
SB 192/SH-A-I	
SBKC 120/10.3	
SBKC 144/SM-II	
SBKC 30/SH-II	
SBKC 48/SH-II	

SBK-I 9/10.1	
SBK-II 12/10.1	
SBK-II 36/10.1	
144 kV, 10 kA, ZnO, Sn: 3	
36 kV, 10 kA, ZnO, Sn:2	
Surge arrester - SBKC 144/SM-II	PH-A-45x45 - 60x60 (2100.PH-0001.00) Installation variant - Q (2100.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
Surge arrester - SBKC 36/SM-II	PH-A-45x45 - 60x60 (2100.PH-0001.00) Installation variant - Q (2100.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
Model: SBKC 144/SM-II	
VAN044426-2272.6-0024.01-F	Surge arrester - SBKC 24/SL-0 Voltage connection - A 45x45 - 60x60 (2200.PH-0001.00) Installation variant - Q (2200.AB-0001.00) Earth connection - X 45x45 - 60x60 (2200.ER-0001.00)
Surge Arrester with surge counter	
VAN045349-2313.6-0144.20-F	Surge Arrester - SBKC 144/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2100.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00) 1. TRIDELTA surge arresters are type tested and manufactured as per: IEC 60099-4, ISO 9001 as well as standard EN 50123-5 in case of DC arresters. 2. Repetition of type tests is not included in our offer. 3. Routine tests as per IEC 60099-4, cl. 9.1 are included. a) measurement of reference voltage on arrester units b) residual voltage test on resistor element (ZnO varistors) c) internal partial discharge test on arrester units d) leakage check (only applicable for SB, SBK and SBKT types) 4. Routine test certificates available on request. 5. Standard factory acceptance test (FAT) as per IEC 60099-4 cl. 9.2.1 or any other special test only on separate agreement.
VAN046722-3011.5-2036.362-F	Surge Arrester - SBK-II 36/10.1 Terminal - A (3011.4-1113.00) Terminal - A (3011.4-1113.00)
5100.5-0001.00	Surge Counter DCC 2
VAN049294-2313.6-0144.20-F	Surge Arrester - SBKC 144/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN049555-2313.6-0144.20-F	Surge Arrester - SBKC 144/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00) Technical conditions: 1. TRIDELTA surge arresters are type tested and manufactured as per: IEC 60099-4, ISO 9001 as well as standard EN 50123-5 in case of DC arresters. 2. Repetition of type tests is not included in our offer. 3. Routine tests as per IEC 60099-4, cl. 9.1 are included. a) measurement of reference voltage on arrester units b) residual voltage test on resistor element (ZnO varistors) c) internal partial discharge test on arrester units d) leakage check (only applicable for SB, SBK and SBKT types) 4. Routine test certificates available on request. 5. Standard factory acceptance test (FAT) as per IEC 60099-4 cl. 9.2.1 or any other special test only on separate agreement.
VAN050023-2313.6-0144.20-F	Surge Arrester - SBKC 144/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN050023-1213.6-0144.06-F	Surge Arrester - SB 144/SM-A-0 line terminal - A 45x45 - 60x60 (1200.PH-0011.00) variants of installation - Q (1200.AB-0011.00) earth terminal - X (M12) 45x45 - 60x60 (1200.ER-0002.00)
5100.5-0002.00	Surge Counter DCC-M 2
	Surge Arrester - SBKC 144/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00)

VAN050401-2313.6-0144.20-F	variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN050401-2313.6-0154.20-F	Surge Arrester - SBKC 154/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN050401-2272.6-0042.03-F	Surge Arrester - SBKC 42/SL-0 line terminal - A 45x45 - 60x60 (2200.PH-0001.00) variants of installation - Q insulated 160-260mm (2200.AB-0017.00) Earth terminal - X 45x45 - 60x60 (2200.ER-0001.00)
VAN051023-2313.6-0072.08-F	Surge Arrester - SBKC 72/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN051023-2313.6-0090.10-F	Surge Arrester - SBKC 90/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN051023-2313.6-0108.12-F	Surge Arrester - SBKC 108/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN051023-2313.6-0120.14-F	Surge Arrester - SBKC 120/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN051023-2313.6-0144.18-F	Surge Arrester - SBKC 144/SM-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN051023-2314.6-0225.30-F	Surge Arrester - SBKC 225/SH-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
VAN051023-2314.6-0276.41-F	Surge Arrester - SBKC 276/SH-II PH-A-45x45 - 60x60 (2100.PH-0001.00) variants of installation - Q (2300.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
Sbk-Ii 24/10.1	
Ansprechzö;Hler Dcc-M 2	
Sbk... 6/10.2	
136888-10	
Sbkc 144/10.3	
Sbkc 144/Sm-Ii	Surge arresters PH-A-45x45 - 60x60 (2100.PH-0001.00) Installation variant - Q (2100.AB-0002.00) Er-X-45x45 - 60x60 (2100.ER-0001.00)
Sbk 0 45/10.1	
77.287.136888-00.2 (12)	
Sbk-Iv 51/10.3	
Sbk-I 39/10.3	
Sbkc 138/10.3	
Sb 144/10.2-0	
Sbk-I 48/10.3	
Sbk-Ii 36/10.1	Surge Connection - A (3011.4-1113.00) Connection - A (3011.4-1113.00)
Sbkc 38/20.4	
Sb 28/20.4-0-	

Sbk-Iv 24/10.3
831400
77.287.136888-00.2
Sbkc48/20.4
Sb 360/20.3-1
170kv Parafudr-Kompozit Silikon - 144 Kv 10 Ka Zno Sn:3
136888 (12pcs)
136888
Sb 28/20.4-0-?
Varisil/He36 10ka/Class 1 /Opt
Sbkb 1/10/G
Sbk 144/10.3-I