

Tripp Lite

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Tripp Lite Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Tripp Lite T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
W02-Bw3-247	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
P502-001	
Ut1250ul	
N010-007-Gy	
Pr-15a	
Tlp2usbf	
N001-025-Rd	
Sudc208v42p	DISTRIBUTION CABINET, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:POWER DISTRIBUTION CABINET, ROHS COMPLIANT: YES
Smart2200rmxl2u	
Tlp61f	

Sr25ubsp1	IMPERIAL:49, EXTERNAL W
Ht850ups	
N318-15m	
B002-Dua2	
Wext5-Kvm-Cons	5-YR EXTENDED WARRANTY FOR CONSOLE KVM SWITCHES
N204-005-BI-La	
Super6omnib	
P560-006-A	
Osu51078	
Hcrk	MEDICAL GRADE INVERTER / CHARGER, 120VAC, 300W, NO. OF OUTPUTS:3 OUTPUT, INPUT VOLTAGE MAX:120VAC, OUTPUT POWER:300W, OUTPUT VOLTAGE:120VAC, LENGTH:-
P568-025	
P504-050	
N001-025-Gy	
N201-002-Yw	
Suint3000xl	UPS, 240V, 3000VA / 2100W, CAPACITY (VA / W):3KVA / 2.1KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Traveler3usb	
Su2200xlnafta	UPS, 120V, 2200VA / 1600W, CAPACITY (VA / W):2200VA / 1600W, NO. OF OUTLETS:7, INPUT VOLTAGE VAC:110V TO 120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL
Omnismart700	
U224-4r4-R	
N368-10m	
N002-005-Bk	
Apsx1250	
Smart1500crmxl	UPS, 120V, 1500VA / 1440W, CAPACITY (VA / W):1.5KVA / 1.44KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FU
B120-000-SI	
N002-015-BI	
	GSA/TAA-COMPLIANT 2200VA UPS, CAPACITY (VA / W):2200VA / 1600W, NO. OF OUTLETS:7, INPUT VOLTAGE

Smart2200sltaa	VAC:83V TO 145V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -F
U023-003	
Smart750slt	
Sr42ubsp1	IMPERIAL:78.5, EXTERNAL
N836-02m	
Smart3000rmxl2u	
N001-006-Bk	
B060-032	
Pr7b	
Ems1250ul	MEDICAL GRADE INVERTER / CHARGER, 12VDC / 120VAC, NO. OF OUTPUTS:2 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:1.25KW, OUTPUT VOLTAGE:120VAC, LENGTH
N201-125-Pu	
Pdu3mv6h50a	
Su8000rt3un50	UPS, 240V, 8000VA / 7200W, CAPACITY (VA / W):8000VA / 7200W, NO. OF OUTLETS:6, INPUT VOLTAGE VAC:208V / 240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL L
Smart700rm	
N201-014-Wh	
Lr1000	
N368-02m	
Sr48ubtaa	IMPERIA
Sr48ub	I
Su10000rt3ug	UPS, 240V, 10000VA / 9000W, CAPACITY (VA / W):10KVA / 9KW, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
N201-025-Gy	
Aps2012sw	INVERTER / CHARGER, 120VAC / 12VDC, 120 V, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:2KW, OUTPUT VOLTAGE:120VAC, LENGTH:225MM, WI
P566-006	
Su20krthw	
Pdumh20hvatnet	

Pduv15	
B042-008	
B132-002-1	
B004-Dua4-K-R	
N002-003-Gy	
P778-006	
Eco750ups	
Smart1500lcd	
N820-50m	
Bp24v28-2u	
P044-06i	
N320-04m	
Ib-3119	
Srwf2u	
Pv375	
N028-01k-Gy	
B020-U08-19-K	NETWORK SWITCH, KVM, 8PORT, 19 CONSOLE, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:8, INPUT CONNECTION:-, OUTPUT CONNEC
Su3000rtxr3u	UPS, 120V, 3000VA / 2400W, CAPACITY (VA / W):3KVA / 2.4KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL
N201-015-Rd	
W06-Scenh1-1b	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Su30k33xr5	UPS, 208V, 30000VA / 24000W, CAPACITY (VA / W):30KVA / 24KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL LOAD:
N424-01m	
Srw9u	
B095-004-1e	
Pdumnv30	
Pdu3vn10l1530	METRIC:1.778M, EXTERNAL WIDTH

N785-001-Lc-Mm Lc	
W06-Ew1-247	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Apsrmsw	
P580-015	
Aps3636vr	INVERTER / CHARGER, 36VDC / 120VAC, 3.6KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:36VDC, OUTPUT POWER:3.6KW, OUTPUT VOLTAGE:120VAC, LENGTH:412.8MM
B020-U16-19-K	NETWORK SWITCH, KVM, 16PORT, 19 CONSOLE, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:16, INPUT CONNECTION:-, OUTPUT CONN
Pv2400fc	
B126-1a0-Wp	
Pdumnh30	
Suint3000rtxl2u	UPS, 240V, 3000VA / 2500W, CAPACITY (VA / W):3KVA / 2.5KW, NO. OF OUTLETS:10OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
P568-012	
N201-015-Yw	
Sr2post25	
P753-010	
Sr42ubexp	IMPERIAL:78.5, EXTERNAL
P512-010	
0su52015	
P054-006	
N204-010-BI-Up	
Rbc54	
F007-015	
N320-21m	
U236-000-R	
Webcardlx	
Isobar8-Ultra	
Pdumh15atnet	

Omnivs1000	
Srw26us	METRIC:1262MM, EXTERNAL WIDTH
Rbc51	
Su40k	UPS, 208V, 40000VA / 32000W, CAPACITY (VA / W):40KVA / 32KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL LOAD:
Pr-25	
P604-006	
Su10krt3uhv	UPS, 240V, 10000VA / 9000W, CAPACITY (VA / W):10KVA / 9KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:4.
Pdumh15	
Avrx550ud	
Pduh20dv	
P572-006	
Sm1000rmnafta	UPS, 120V, 1000VA / 640W, CAPACITY (VA / W):1000VA / 640W, NO. OF OUTLETS:6, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:7MIN
Su10krt3u	
N506-10m	
N002-020-Gy	
P004-004	
S524-02m	
Suint3000rtxl3u	UPS, 240V, 3000VA / 2400W, CAPACITY (VA / W):3KVA / 2.4KW, NO. OF OUTLETS:10OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Plc13bl (Pack Of 100 Pcs)	
B119-303-R	
P774-006	
U206-006-R	
Pk3021li	
N318-07m	
N518-01m	
N201-007-Or	

P502-003	
N201-004-Yw	
Eza-035	
Ps712b	
B021-02r-17	CONSOLE KVM SWITCH W/ LCD, 1U, BLACK, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:0, INPUT CONNECTION:USB, OUTPUT CONNEC
P060-006	
P410-007-Sr	
Sk3-0	
N001-100-Gy	
Super6omnid	
Sr42ubcl	IMPERIAL:78.5, EXTERNAL
N352-03m	
B123-001	
Tlm615nc20	
P039-001-2	
Internet-350u	
Pv700hf	
P941-19i	
Is500hg	
Av1210satg	
P580-010	
U026-016	
Su40kmbpk	BYPASS PANEL, FOR USE WITH:SU40K THREE PHASE UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, PRODUCT RANGE:-, ROHS COMPLIANT: YES
N302-08m	
Rbc24-Sutwr	
N002-015-Yw	
N201-007-Gn	
	UPS, 240V, 6000VA / 5400W, CAPACITY (VA / W):6KVA /

Su6000rt4uhv	5.4KW , NO. OF OUTLETS:4OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Su1000rtxl2ua	
F017-006	
N304-05m	
P516-001	
Rbc5a	
P142-000-Ud	
Su40kx Obsolete, Replaced By Sutx40k	
Ib8rm	
N201-003-Gn	
N320-30m	
Tlp606	
Rbc69-1u	
P500-006	
Su20kmbpk	BYPASS PANEL, FOR USE WITH:SU20K3/3, SU20K3/3XR5 UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, PRODUCT RANGE:-, ROHS COMPLIANT: YES
Pdu1215	
Smx1500xlr2u	UPS, 230V, 1500VA / 1000W, CAPACITY (VA / W):1.5KVA / 1KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL
Su5000xfmrt2u	ISOLATION TRANSFORMER, 1 X 120V, 5KW, POWER RATING:5KW, ISOLATION TRANSFORMER PRIMARY VOLTAGES:1 X 208V, SECONDARY VOLTAGES:120V, CURRENT RATING:30A
N022-01k-Gy	
N002-010-Yw	
Pv1800hf	
Mt-6plus	
N001-007-Bk	
U207-006	
Sm500rmnafta	
U219-000-R	

Sps-615-Hg	
Smart750	
Ultrablok428	
Su750rtxl2u	
Eco35oups	
N001-003-Wh	
N201-006-Bk	
Smart1500lcdxl	
Sr42ubwdtaa	IMPERIAL:78.5, RACK U HEIGHT:42
Ht810isoctr	
TI-Dnet1	
N002-001-BI	
N202-050-BI	
Nb1003bk	
B004-Vpa2-K-R	
N836-10m	
Blkf4f198	
Smart1000rm1u	
N201-003-BI	
Rbc4a	
Su1500xl	
B130-101	
P036-002-20ra	
N320-61m	
Omni900lcd	
Pdu1220	
N201-025-Rd	
P040-010	
Super6tel12	
N816-02m	
Srw6u	

N314-05m	
N201-010-Yw	
F007-003	
Omni1200	
81c9215	
Pdumh30	
Pdumh32hvnet	PDU SWITCHED 230V 32A 7.3KWA IEC-309 16 C13 OUTLET 2U RM
N105-007-Gy	
Sr42ubwd	IMPERIAL:78.5, EXTERNAL WI
Smart750xla	
N306-04m	
Su2200rmnafta	UPS, 120V, 2200VA / 1600W, CAPACITY (VA / W):2200VA / 1600W, NO. OF OUTLETS:7, INPUT VOLTAGE VAC:100V / 110V / 120V, OUTPUT VOLTAGE:120V, BACKUP TIME
P500-100	
Sr48ubcl	IMPERIAL:89, EXTERNAL W
Su3000rtxlcd3u	UPS, 120V, 3KVA / 2.7KW, RACK MOUNT, CAPACITY (VA / W):3KVA / 2.7KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:127V, OUTPUT VOLTAGE:120V, BACKUP TIME -FU
Rbc6a	
N320-01m-Rd	
Smartint2200vs	UPS, 230V, 2200VA / 1600W, CAPACITY (VA / W):2.2KVA / 1.6KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FUL
N042-001-04-Wh	
Ps410	
Su30k33	UPS, 208V, 30000VA, CAPACITY (VA / W):30KVA / 24KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:250V, OUTPUT VOLTAGE:208VAC, BACKUP TIME -FULL LOAD:5MIN, L
N302-006	
A102-04m	
Tlp82nsatd	
Tlm626ns	

Nb1002el	
B126-1p0	
F007-006	
P004-004-BI	
P568-050-Ez	
W02-Ew1-1bd	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Bp480v40c	EXTERNAL BATTERY PACK, BATTERY VOLTAGE:240V, EXTERNAL HEIGHT:1699.26MM, EXTERNAL WIDTH:520.7MM, EXTERNAL DEPTH:855.98MM, WEIGHT:727.8KG, ACCESSORY TYP
Pv3000gfcı	
Smx750slt	
P136-000	
W05-Scbas1-1b	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
D10b2	
P005-006-Rd	
N230-100	
Odt60001	
Omnismart300pnp	
B202-150	
N356-01m	
S7+tel	
Sps606hgra	
Omni500iso	
P500-600	
Apsx750	
Smart1200xlhg	
Sm2200rmnafta	UPS, 120V, 2200VA / 1600W, CAPACITY (VA / W):2200VA / 1600W, NO. OF OUTLETS:8, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:6MI
Tlm626	

Omnivsint1000	
P036-002	
N201-025-Gn	
P568-050-P	
Osu52091	CONSOLE KVM SWITCH W/ LCD, CAT5, BLACK, EXTENDER TYPE:-, PRODUCT RANGE:-, COMPUTER SWITCH TYPE:KVM, NO. OF WAYS:16, OUTPUT CONNECTION:USB
Sr48ubsp1	IMPERIAL:89, EXTERNAL HE
Su8000rt4u	UPS, 240V, 8000VA / 5600W, CAPACITY (VA / W):8KVA / 5.6KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Su16krthw	
W02-Bw2-1bd	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
N806-03m	
Srw12usnema	12U WALL MOUNT RACK ENCLOSURE HINGED WALLMOUNT INDUSTRIAL NEMA
Tlp608tel	
N356-03m	
Ls-604	
N320-405	
Sk66spikebar	
N457-001-62	
Smx1200xlhg	UPS, 230V, 1000VA / 750W, CAPACITY (VA / W):1KVA / 750W, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL LO
N001-025-Yw	
N002-020-Bk	
Pdumv20hvnet2	
S052-21i	
Smart2200net	
Suint2000xl	UPS, 240V, 2000VA / 1400W, CAPACITY (VA / W):2KVA / 1.4KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
P311-006	

6nx6	
Smart2200vs	
0dt23008	
Pv1200fc	
U244-001-R	
Su6000rt4uhvhw	UPS, 240V, 6000VA / 5400W, CAPACITY (VA / W):6KVA / 5.4KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:2M
N836-01m	
P006-006-13la	
Pr-Us2	
N001-006-Gy	
N320-15m	
N204-003-BI-Ra	
P156-000	
2postrmkithd	
N366-25m	
B140-002	
Supdm710hw	
Sm1500rmxl2utaa	1500VA UPS, GSA, CAPACITY (VA / W):1.5KVA / 1KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:147V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -FULL LOAD:7.5
Su16krt-1tf	UPS, 120/208/240VAC, 16KVA/14.4KW, CAPACITY (VA / W):16KVA / 14.4KW, NO. OF OUTLETS:22OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP
N836-03m	
EvnsI0502a-1000	
U222-007-R	
Sm2200rmxl2utaa	2200VA UPS, GSA, CAPACITY (VA / W):2.2KVA / 1.6KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:145V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -FULL LOAD:6
B020-U08-19-İp	8-PORT CONSOLE IP KVM SWITCH 1U RM W/ 19 LCD
P776-010	
P930-261	

Su5000rt4u	UPS, 240V, 5000VA / 3800W, CAPACITY (VA / W):5KVA / 3.8KW, NO. OF OUTLETS:12OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
P222-050	
N366-05m	
Sutx40k	
B122-000	
W02-Ew2-1bd	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Lr604	
P512-006	
P019-008	
Sr42ubsd	
P570-003-Micro	
N306-05m	
Ibar4-6d	
Pdumh30hvatnet	PDU SWITCHED ATS 208/240V 30A 16 C13, 2 C19, 1 L6-30R 2U RM
Suint2200lcd2u	
Su2200rtxlcd2u	UPS, 120V, 2.2KVA / 1.8KW, RACK MOUNT, CAPACITY (VA / W):2.2KVA / 1.8KW, NO. OF OUTLETS:7OUTLETS, INPUT VOLTAGE AC MAX:127V, OUTPUT VOLTAGE:120V, BACK
Relayiocard	
N314-15m	
N001-010-Yw	
Ps-615-Hg-Oem	
Ns2002bk	
N201-050-Yw	
Su40kx	UPS, 415V, 40000VA / 32000W, CAPACITY (VA / W):40KVA / 32KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:415V, OUTPUT VOLTAGE:415V, BACKUP TIME -FULL LOAD:
Rbc94-3u	
Su5000rt4uhv	UPS, 240V, 5000VA / 4500W, CAPACITY (VA / W):5KVA / 4.5KW, NO. OF OUTLETS:4OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL

Smx5000xlr3u	UPS, 230V, 5000VA / 3750W, CAPACITY (VA / W):5KVA / 3.75KW, NO. OF OUTLETS:11OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FUL
W06-Scbas1-1b	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Su8000rt3u	UPS, 240V, 8000VA / 7200W, CAPACITY (VA / W):8000VA / 7200W, NO. OF OUTLETS:6, INPUT VOLTAGE VAC:200V / 208V / 220V / 230V / 240V, OUTPUT VOLTAGE:240V
P005-006-BI	
N516-50m	
N310-003	
N030-010	
B040-008-19	KVM SWITCH, 8PORT, 1U, BLACK, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:8, INPUT CONNECTION:USB, OUTPUT CONNECTION:8 X
N201-014-Gn	
Smx1000lcd	
N002-007-BI	
P006-004	
Sec4002rf	
Pdumv20net	
Pv1800gfci	
Su80kmbpk	BYPASS PANEL, FOR USE WITH:TRIPP LITE SU80K THREE PHASE UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, PRODUCT RANGE:-, ROHS COMPLIANT: YES
N007-025-Gy	
N201-007-W h	
Su10k31x	UPS, 240V, 10000VA / 8000W, CAPACITY (VA / W):10KVA / 8KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:415V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:4M
N518-03m	
Su6000rt3uhv	UPS, 240V, 6000VA / 4200W, CAPACITY (VA / W):6KVA / 4.2KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:8M
Ps-415-Hg-Oem	

N370-03m	
N201-015-BI	
W02-Bw1-1bd	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
N420-03m	
Omnix350hg	
W05-Bw1-247	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:20 TO 40KVA UPS, ACCESSORY TYPE:SERVICE AND WARRANTY, PRODUCT RANGE:-, ROHS COMPLIANT: NA
Nb1001bk	
Isobarultrafax	
P944-06i	
N320-20m	
N201-004-BI	
N806-05m	
P781-010	
N002-007-Bk	
N250-024-Lp	
P005-010	
503ku5336028002	
Su12000rt4uhw	UPS, 240V, 12000VA / 8400W, CAPACITY (VA / W):12000VA / 8400W, INPUT VOLTAGE VAC:120V / 208V / 240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:7MIN
N308-05m	
B130-111a	
N001-030-Gy	
Su60kmbpk	BYPASS PANEL, FOR USE WITH:TRIPP LITE SU60K THREE PHASE UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, ROHS COMPLIANT: YES
Bp48v48rt4u	EXTERNAL BATTERY PACK , 48 V, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:48V, BATTERY SIZE CODE:-, BATTERY TERMINALS:CONNECTOR, EXTERNA
Sr42ubexpnd	METRIC:1994MM, EXTERNAL WIDTH
N520-10m	
	TRIPP-LITE, UPS SMARTONLINE 10KVA ON-LINE, DOUBLE-

Su10krt31x	CONVERSION, 6U RACK/TOWER, 3-PHASE INPUT, 1-PHASE OUTPUT
N002-050-Bk	
P502-006-Sm	
N304-06m	
N320-15m-Rd	
N238-001-Wh	
P311-025	
N001-010-Gn	
Suint1500rtxl2u	UPS, 240V, 1500VA / 1200W, CAPACITY (VA / W):1.5KVA / 1.2KW, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FUL
P581-010	
P006-010	
Bp24v70-3u	LEAD ACID BATTERY, 24 V, CONNECTOR, BATTERY TECHNOLOGY:LEAD ACID, BATTERY CAPACITY:-, BATTERY VOLTAGE:24V, BATTERY SIZE CODE:-, BATTERY TERMINALS:CONN
N001-020-Gn	
Aps-1250	
N316-15m	
Pdunv	
B125-101-60	
N001-003-BI	
W05-Scenh1-1b	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
UI800cb-15	
N201-010-Rd	
Smart550usbwd	
U028-006	
N033-001	
Smx700hg	
Smx1000rt2u	

Ul17cb-15	
B055-001-Ps2	
N105-010-Gy	
Sr42ubeis	IMPERIAL:79.8, EXTERNAL
W06-Bw1-247-1b	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Aps2424	
Sm3000nafta	UPS, 120V, 3000VA / 2400W, CAPACITY (VA / W):3KVA / 2.4KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL
Su40kmbpkx	BYPASS PANEL, FOR USE WITH:TRIPP LITE SU40KX THREE PHASE UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, ROHS COMPLIANT: YES
U209-004	
Super6omni	
Smart1000lcd	
Pdu1230	
N002-003-Gn	
P568-006-Ra	
P450-000	
N252-048-1u	
N846-02m-24-P	
U022-006	
Ls604wm	
Apsx3024sw	INVERTER / CHARGER, 24VDC / 230VAC, 3KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:24VDC, OUTPUT POWER:3KW, OUTPUT VOLTAGE:230VAC, LENGTH:314.96MM, W
N201-003-Gy	
B055-001-Usb-V2	
N784-001-Sc	
N201-005-Rd	
W02-Ew3-1bd	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA

N520-05m	
Tlp82nsatf	
P569-016	
N368-01m	
Osu52016	
Srxcool12k	METRIC:778MM, EXTERNAL WIDTH
Avrx550u	
P568-100-Ez	
Envirosense	
N366-02m	
N002-002-Bk	
N201-010-BI	
B096-016	
N820-05m	
N306-100m	
P571-006-Mini	
Relayiomini	
N266-010	
Omnismart1050	
N806-10m	
Omnipro450	
U007-40m	
N201-001-Gy	
Smx2200rt2utaa	UPS, 240V, 2200VA / 1600W, CAPACITY (VA / W):2200VA / 1600W, NO. OF OUTLETS:8, INPUT VOLTAGE VAC:220V / 230V / 240V, OUTPUT VOLTAGE:240V, BACKUP TIME
P500-010	
Bc-Pro1400	
N001-010-Gy	
W06-Scbas1	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA

Smart700ser	
B114-004-R	
Sps415hgultra	
Omnivs1500xl	
Su30kmbpk	BYPASS PANEL, FOR USE WITH:SU30K3/3, SU30K3/3XR5 UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, PRODUCT RANGE:-, ROHS COMPLIANT: YES
Pr-60a	
Lc-2400	
W05-Ew1-247	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Swivel6	
P047-006	
P571-003-Mini	
P502050p	
P456-006	
Tlp808tel	
P032-002-2c13	
N201-020-Gy	
Rv3012oem	
Smart750rmxl2u	
B062-002-Ps2	
Surbc2030	EXTERNAL BATTERY PACK , 240 V, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:240V, BATTERY SIZE CODE:-, BATTERY TERMINALS:CONNECTOR, EXTER
B126-004	
Su30k333x	UPS, 415V, 30000VA / 24000W, CAPACITY (VA / W):30000VA / 24000W, INPUT VOLTAGE VAC:220V/380V / 230V/400V / 240V/415V, OUTPUT VOLTAGE:415V, BACKUP TIME
N320-06m	
Internetoffic700	
Subf2030	EXTERNAL BATTERY FRAME, FOR USE WITH:SMARTONLINE UPS SYSTEMS, THREE PHASE, 20KVA 30KVA, ACCESSORY TYPE:EXTERNAL BATTERY FRAME, PRODUCT RANGE:-, ROHS

P004-002-13la	
B125-150	
N201-002-Rd	
Apsint2424	INVERTER / CHARGER, 24VDC / 230VAC, 2.4KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:24VDC, OUTPUT POWER:2.4KW, OUTPUT VOLTAGE:230VAC, LENGTH:412.75M
N125-025-Gy	
Osu51068	
Ps-415-Hg	
P120-001-2	
Su20kx	UPS, 415V, 20000VA / 16000W, CAPACITY (VA / W):20KVA / 16KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:415V, OUTPUT VOLTAGE:415V, BACKUP TIME -FULL LOAD:
B130-111	
P758-006	
N002-014-Gn	
Bp480v26b	EXTERNAL BATTERY PACK, 240 V, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:240V, BATTERY SIZE CODE:-, BATTERY TERMINALS:-, EXTERNAL DIAME
Su20k33xr5	UPS, 208V, 20000VA / 16000W, CAPACITY (VA / W):20KVA / 16KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL LOAD:
TIm609ns	
W06-Ew1-247-1b	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Isobar6db	
N316-01m	
Sm3000rmxl2utaa	3000VA UPS, GSA, CAPACITY (VA / W):3KVA / 2.88KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -FULL LOAD:3M
N204-005-BI-Ra	
P504-15	
P568-006-Ra2	
Pdumh30hvnet	
W02-Ew3-247	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA

U124ra-15	
Sm1000rm2utaa	
Su2200rtxl2ua Usv	
1050pnp	
Bp36v42-3u	BATTERY PACKET, 36 V, CONNECTOR, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:36V, BATTERY SIZE CODE:-, BATTERY TERMINALS:CONNECTOR, EXTE
B070-016-19	KVM SWITCH W/ LCD, CAT5, 16P, 1U, BLACK, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:16, INPUT CONNECTION:-, OUTPUT CONN
Is1000	
Rbc11a	
Su10000rt3u	UPS, 240V, 10000VA / 9000W, CAPACITY (VA / W):10KVA / 9KW, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Sr42ubdp	IMPERIAL:78.5, EXTERNAL
Ls600	
N516-02m	
Nc2003sr	
N308-08m	
P606-015	
N306-30m	
B020-016-17-1p	
Pv2000fc	PowerVerters/DC Power Supply
N201-050-Gn	
Sr42ubtaa	IMPERIAL:78.5, EXTERNAL WIDTH -
P906-18i	
B140-1a0-W p	
Su80k	UPS, 208V, 80000VA / 64000W, CAPACITY (VA / W):80000VA / 64000W, INPUT VOLTAGE VAC:120V / 208V, OUTPUT VOLTAGE:208V, LENGTH:37.7, WIDTH:20.5, HEIGHT
P019-004	
B132-100-W p-1	

500-Lp-Ups	
Tlp604	
B055-001-Uv2cac	
N002-006-W h	
N318-09m	
Omnismart1400	
N002-014-Bk	
Eza-Vgaaf-2	
N001-005-Bk	
Su2200rt2u	
Isobar4	
P561-100-Ez	
N320-03m-Rd	
B051-000	
Bp240v1407c-1ph	BATTERY PACK ETERNAL, WITH BUILT-IN 7A CHARGER
Pdu40tdual	
Su750rtxlcd2u	
Sk6-0b	
P315-006	
Bp192v18-4u	EXTERNAL BATTERY PACK, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:192V, BATTERY SIZE CODE:-, BATTERY TERMINALS:-, EXTERNAL DIAMETER:-
Su80kx	UPS, 415V, 80000VA / 64000W, CAPACITY (VA / W):80KVA / 64KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:415V, OUTPUT VOLTAGE:415V, BACKUP TIME -FULL LOAD:
B119-2x2-Nd	
N031-050	
Bc350	
73-0745	
Rbc5-192	
P046-06n	
Apsx6048vrnet	

W02-Bw1-247	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
N001-001-Yw	
Urm-15t	
P940-08i	
Pdu3mv6l2130	
Su1000xla	
N001-050-Gn	
Pr-15	
Pr-25b	
P030-002-5	
Su8000rt3uhw	UPS, 240V, 8000VA / 7200W, CAPACITY (VA / W):8KVA / 7.2KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:5.
Isobar6-Ultra	
Aps2448ul	INVERTER / CHARGER, 48VDC / 120VAC, 2.4KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:48VDC, OUTPUT POWER:2.4KW, OUTPUT VOLTAGE:120VAC, LENGTH:425.45M
P164-000	
N785-001-Sc	
S522-01m	
N261-007-Aq	
Tlp808netg	
N261-014-Aq	
P710-006	
N001-006-BI	
W02-Bw2-247	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Smart3000slt	UPS, 120V, 3000VA / 2250W, CAPACITY (VA / W):3000VA / 2250W, NO. OF OUTLETS:7, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:3.5
Smart3000crmxl	UPS, 120V, 3000VA / 2880W, CAPACITY (VA / W):3KVA / 2.88KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL

Su6000rt4utfhw	UPS, 240V, 6000VA / 5400W, CAPACITY (VA / W):6KVA / 5.4KW, NO. OF OUTLETS:13OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
N318-06m	
N306-001	
Bp48v60-3unafta	EXTERNAL BATTERY PACK, BATTERY VOLTAGE:48V, EXTERNAL HEIGHT:133.35MM, EXTERNAL WIDTH:444.5MM, EXTERNAL DEPTH:635MM, WEIGHT:74KG, BATTERY TERMINALS:CON
Pr3a	
P032-007	
N844-05m-12-P	
N010-010-Yw	
Ps6	
N002-006-Yw	
6spdx	
Suint1000xl	
P142-000-Up	
N306-003	
N820-05m-Om4	
Su10000rt3u2tf	UPS, 208V, 10000VA / 9000W, CAPACITY (VA / W):10KVA / 9KW, NO. OF OUTLETS:30OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL
Tlp82masf	
N320-01m	
Htpowerbar10	
Pdumh30atnet	METRIC:302MM, EXTERNAL WIDTH
P606-010	
Su5000rt3uhv	
N201-003-Or	
N002-075-Gy	
Tlp806tel	
P772-002	
N368-05m	

W02-Bw3-1bd	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
B116-002a	
Tripp Lite Smart Lcd 1500va Tower	
Sk60spikeblok	
P510-010	
Pv300	
P502-003-Sm	
Srcableduct1u	
P504-003-Sm	
U024-006	
B002-Dua4	
Avrx550utaa	
B126-002	
P778-010	
Rbc52	
B070-008-19	KVM SWITCH W/ LCD, CAT5, 8P, 1U, BLACK, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:8, INPUT CONNECTION:-, OUTPUT CONNEC
Is-500	
Ht1210isoctr	
N452-000	
Su12000rt4u	UPS, 240V, 12000VA / 8400W, CAPACITY (VA / W):12KVA / 8.4KW, NO. OF OUTLETS:13OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FU
Rbc49-2u	
Omnismart 1400pnp	Uninterruptible Power Supply, 1400 VA, 6 Outlets
S142-000	
Su20k33	UPS, 208V, 20000VA, CAPACITY (VA / W):20KVA / 16KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:250V, OUTPUT VOLTAGE:208VAC, BACKUP TIME -FULL LOAD:5MIN, L
B022-004-R	

B054-001-Ps2	
N352-01m	
Su3000rtxl2u	UPS, 127V, 3000VA / 2500W, CAPACITY (VA / W):3KVA / 2.5KW, NO. OF OUTLETS:7OUTLETS, INPUT VOLTAGE AC MAX:127V, OUTPUT VOLTAGE:127V, BACKUP TIME -FULL
P036-006-2c19	
P560-003	
N252-024-Hu	
Su6000rt4uhvg	UPS, 240V, 6000VA / 5400W, CAPACITY (VA / W):6KVA / 5.4KW, NO. OF OUTLETS:4OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
P130-000	
Osu51012	
P047-004	
Tlp76msg	
Pr101310	
P450006 6-Ft	
Hcrk-36	
B020-U08-19ktaa	KVM SWITCH, 8PORT, 1U, BLACK, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:8, INPUT CONNECTION:USB, OUTPUT CONNECTION:8 X
N002-002-Gy	
Smart2200rm2u	UPS, 120V, 2200VA, CAPACITY (VA / W):2.2KVA / 1.92KW, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:
Tlm606hj	
Eza-035-P	
Bcpro1050	
Apsx2012sw	INVERTER / CHARGER, 230VAC / 12VDC, 230 V, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:2KW, OUTPUT VOLTAGE:230VAC, LENGTH:225MM, WI
Tlp606taa	
Srw18us	
P759-010	

Su6000rt4u	UPS, 240V, 6000VA / 4200W, CAPACITY (VA / W):6KVA / 4.2KW, NO. OF OUTLETS:12OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
P560-100	
Tlp82f	
B013-330	
N201-025-BI-FI	
Su3000rmnafta	UPS, 120V, 3000VA / 2400W, CAPACITY (VA / W):3000VA / 2400W, NO. OF OUTLETS:9, INPUT VOLTAGE VAC:100V / 110V / 120V, OUTPUT VOLTAGE:120V, BACKUP TIME
B070-016-19-IP	TRIPP-LITE, NETCOMMANDER CAT5 CONSOLE KVM IP 16PORT
Bp48v60rt3utaa	ALKALINE BATTERY PACK, GSA, FOR USE WITH:UNINTERRUPTIBLE POWER SUPPLY (UPS), ACCESSORY TYPE:EXTERNAL BATTERY PACK AND CABLE, PRODUCT RANGE:-, ROHS COM
Su10000rt3upm	UPS SPARE REDUNDANT POWER MODULE 200-240V 10KVA
N002-006-BI	
Ibar12-20t	
Pr-Pro3	
P022-025	
Apsx1012sw	INVERTER / CHARGER, 230VAC / 12VDC, 230 V, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:1KW, OUTPUT VOLTAGE:230VAC, LENGTH:225MM, WI
Su60k	UPS, 208V, 60000VA / 48000W, CAPACITY (VA / W):60KVA / 48KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL LOAD:
Control Module For Ups Model:Tripp Lite Cu40kx By Webcardlx	
W06-Scenh1	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
N846-10m-24-P	
N354-03m	
P750-015	
0su70068	TRIPP LITE MINICOM PX USB REMOTE KVM ACCESS W POWER ON CABLE TAA GSA
P500-050	
	2200VA UPS SYSTEM, CAPACITY (VA / W):2.2KVA / 1.6KW,

Smart2200sIt	NO. OF OUTLETS:7OUTLETS, INPUT VOLTAGE AC MAX:145V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -FULL LOAD
N002-005-Yw	
N001-030-Bk	
Apsint2012	INVERTER / CHARGER, 12VDC / 230VAC, 2KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:2KW, OUTPUT VOLTAGE:230VAC, LENGTH:355.6MM, WI
Su6000rt4utf	UPS, 240V, 6000VA / 5400W, CAPACITY (VA / W):6KVA / 5.4KW, NO. OF OUTLETS:16OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Tlp707tel	
Smart5000rt3u	
N263-01m	
Ps7224-20t	
N001-050-BI	
B090-A9m	
N846-05m-24-P	
P560-020	
Smart700dv	700VA UPS SYSTEM, CAPACITY (VA / W):700VA / 450W, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:282V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -FULL LOAD:22
N838-03m	
N201-010-Or	
Su8000rt3ug	UPS, 240V, 8000VA / 7200W, CAPACITY (VA / W):8KVA / 7.2KW, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL
Tlm626tel15	
P561-006	
U032-004-R	
Isoblok2-0	
Super60mnid	
Pvint375	
N032-001	
Sr42side	

Tmc-6	
Sr42ub	
Rbc58-2u	
N806-15m	
Su16000rt4u	UPS, 240V, 16000VA / 11200W, CAPACITY (VA / W):16KVA / 11.2KW, NO. OF OUTLETS:13OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -
Upshdearkit	
N265-003	
Ps3612	
Su20k33x	UPS, 415V, 20000VA / 16000W, CAPACITY (VA / W):20000VA / 16000W, INPUT VOLTAGE VAC:220V/380V / 230V/400V / 240V/415V, OUTPUT VOLTAGE:415V, BACKUP TIME
W05-Scbas1	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Pdumh20-At	
N238-001-Gn	
Su3000xl	
U239-Ue1	
Smx1500lcd	
N306-46m	
P520-006	
Aps1012sw	INVERTER / CHARGER, 120VAC / 12VDC, 120 V, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:1KW, OUTPUT VOLTAGE:120VAC, LENGTH:225MM, WI
N204-010-BI-Dn	
B090-A9f-X	
Su5000rt3u	UPS, 208V, 5000VA / 3500W, CAPACITY (VA / W):5KVA / 3.5KW, NO. OF OUTLETS:16OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL
B021-000-19-Sh	CONSOLE KVM SWITCH W/ LCD, 1U, BLACK, COMPUTER SWITCH TYPE:KVM, COMPUTER SWITCH FUNCTION:AUTOMATIC, NO. OF WAYS:0, INPUT CONNECTION:USB, OUTPUT CONNEC
Rbc64-1u	

Su6000rt3u	UPS, 208V, 6000VA, CAPACITY (VA / W):6KVA / 4.2KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:208VAC, BACKUP TIME -FULL LOAD:8MIN, LE
W05-Bw1-247-1b	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
P500-025	
N001-007-BI	
N052-012	
Tlp74r	
N001-005-Rd	
Bp72v28rt-3u	BATTERY PACK , 72 V, CONNECTOR, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:72V, BATTERY SIZE CODE:-, BATTERY TERMINALS:CONNECTOR, EXTER
S442-006	
P581-006	
Bcpro450	
Pr-7	
P040-014	
Eza-Vgax-2	
Ibar6	
Omni1000iso	
N304-003	
U030-06n-Hub	
B020-008-17	NETWORK SWITCH, KVM, 8PORT, 17 CONSOLE, PRODUCT RANGE:-, NO. OF PORTS:8, SWITCH MOUNTING:RACK, ROHS COMPLIANT: YES
Rbc9-192	BATTERY CARTRIDGE KIT, 192 V, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:192V, BATTERY SIZE CODE:-, BATTERY TERMINALS:-, EXTERNAL DIAME
N785-001-Sc-Mm Sc	
Sr4post13	
N312-01m	
N201-005-Gy	
Wext3-500-1500	

Su16000rt4uhw	UPS, 240V, 16000VA / 11200W, CAPACITY (VA / W):16000VA / 11200W, INPUT VOLTAGE VAC:120V / 208V / 240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FULL LOAD:5MI
P516-001-Hr	
N252-024	
P772-015	
B072-008-1	
N201-020-Rd	
U222-004-R	
Rbc36-Slt	
Pdu1415	
W05-Scenh1	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
B122-000-60	
P450-010	
Smart3000net	UPS, 120V, 2400W, CAPACITY (VA / W):3KVA / 2.4KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:140V, OUTPUT VOLTAGE:120VAC, BACKUP TIME -FULL LOAD:7M
Ss7619-15	
Srcombo	
Tr-6fm	
Bc-1200	
B020-U08-19-1p	NETDIRECTOR 19IN CONSOLE KVM WIITH BUILT-IN IP ACCES- 8 PORT
Bp72v18	
Sm2200rmdvtaa	UPS, 120V, 2200VA / 1920W, CAPACITY (VA / W):2.2KVA / 1.92KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:120V, BACKUP TIME -FU
Smx2200xlr2u	UPS, 240V, 2200VA / 1600W, CAPACITY (VA / W):2.2KVA / 1.6KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:240V, OUTPUT VOLTAGE:240V, BACKUP TIME -FUL
Bp192v12-3u	EXTERNAL BATTERY PACK , 192 V, BATTERY TECHNOLOGY:-, BATTERY CAPACITY:-, BATTERY VOLTAGE:192V, BATTERY SIZE CODE:-, BATTERY TERMINALS:-, EXTERNAL DIAM
Tlp404	
UI7610-6	

B055-001-Ser	
Srsshelf4psl	
Su2200xla	
U326-010	
N302-003	
P502-010	
W02-Ew0	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Smart2200vsxl	
N002-050-Yw	
Bcpro600	
B140-004	
P781-016	
N520-08m	
W02-Ew2-247	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
N204-010-BI-La	
Tr6terminator	
P036-002-20la	
Bc3339	
Tem-711	
P584-003	
Srsshelf2p	
N001-003-Gy	
N001-012-Gy	
N784-001-St	
N001-025-W h	
Hc150sl	INVERTER AC/DC
Mv-Ind-48dc	
N002-002-BI	

Pdu3mv6l2120lv	
U209-000-R	
Eco850lcd	
Pdumh15net	
Sm5000rt3utaa	UPS, 208V, 5000VA / 4000W, CAPACITY (VA / W):5KVA / 4KW, NO. OF OUTLETS:14OUTLETS, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL L
N490-016-Scsc	
Sm1500rmnafta	UPS, 120V, 1500VA / 940W, CAPACITY (VA / W):1500VA / 940W, NO. OF OUTLETS:8, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:7.5MI
Hcrk-54	MEDICAL GRADE INVERTER / CHARGER, 120VAC, 300W, NO. OF OUTPUTS:3 OUTPUT, INPUT VOLTAGE MAX:120VAC, OUTPUT POWER:300W, OUTPUT VOLTAGE:120VAC, LENGTH:-
P018-006	
Tlp78tusbq	
B132-004-Rb	
Su8000rt3un50tf	UPS, 208V, 8000VA / 7200W, CAPACITY (VA / W):8KVA / 7.2KW, NO. OF OUTLETS:18OUTLETS, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL
N201-007-Pu	
N201-020-Gn	
Smx5000rt3utaa	TAA / GSA 5000VA INTERNATIONAL UPS SMARTPRO RACK/TOWER LINE-INTERACTIVE 5KVA 230V 11 OUTLET USB, DB9 (SERIAL CONTACT CLOSURE), SNMPWEBCARD SLOT, ROH
05r5133	
N201-015-Gn	
N316-13m	
B004-Dua2-K-R	
Su1000rtxlcd2u	UPS, 120V, 1000VA/900W, RACK MOUNT, CAPACITY (VA / W):1KVA / 900W, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIM
7850	
Su1500rmnafta	UPS, 120V, 1500VA / 1200W, CAPACITY (VA / W):1500VA / 1200W, NO. OF OUTLETS:6, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:5MI

Pduumv30	
Tlp825	
Avr700u	
Ls-600b	
Bpv36v14-2u	
N520-07m	
Su60kmbpkx	BYPASS PANEL, FOR USE WITH:TRIPP LITE SU60KX, SU60KTV THREE PHASE UPS SYSTEMS, ACCESSORY TYPE:BYPASS PANEL, ROHS COMPLIANT: YES
Osu22081	
Sm2200nafta	UPS, 120V, 2200VA / 1700W, CAPACITY (VA / W):2200VA / 1700W, NO. OF OUTLETS:6, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:11M
Internetoffice700	
Srw12usg	
Suint2200rtxl2u Replaced By Suint2200lcd2u	
U042-036	
Apsint3636vr	INVERTER / CHARGER, 36VDC / 230VAC, 3.6KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:36VDC, OUTPUT POWER:3.6KW, OUTPUT VOLTAGE:230VAC, LENGTH:355.6MM
B072-016-1	
N201-010-Gn	
U324-006	
N238-001-BI	
Su60kx	UPS, 415V, 60000VA / 48000W, CAPACITY (VA / W):60KVA / 48KW, NO. OF OUTLETS:-, INPUT VOLTAGE AC MAX:415V, OUTPUT VOLTAGE:415V, BACKUP TIME -FULL LOAD:
Supdmb710iec	OUTLET KIT, FOR USE WITH:UPS SYSTEMS, ACCESSORY TYPE:OUTLET KIT, ROHS COMPLIANT: YES
B165-101	
Internetoffice500	
W05-Ew1-247-1b	UPS SERVICE WARRANTY, 20-40KVA, FOR USE WITH:TRIPP LITE 20-40KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
N316-10m	
Mv-Ind-12dc	

N002-005-W h	
Tlp712b	
Smart3000rmod2u	UPS, 127V, 3000VA / 2880W, CAPACITY (VA / W):3000VA / 2880W, NO. OF OUTLETS:7, INPUT VOLTAGE VAC:110V / 120V / 127V, OUTPUT VOLTAGE:127V, BACKUP TIME
N516-30m	
Smx3000rt2utaa	UPS, 230V, 3000VA / 2250W, CAPACITY (VA / W):3KVA / 2.25KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL
W 02-Ew1-247	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
Tlp712	
N001-014-Yw	
N002-050-BI	
Osu22091	KVM SWITCH, 32PORT, CAT5, 1U, BLACK, EXTENDER TYPE:-, PRODUCT RANGE:-, COMPUTER SWITCH TYPE:KVM, INPUT CONNECTION:2 X HD15 / 4 X USB A, NO. OF WAYS:32
B125-101-60-Wp	
W 06-Bw1-247	UPS SERVICE WARRANTY, 60-80KVA, FOR USE WITH:TRIPP LITE 60-80KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
P560-025	
Isobar6ultrahg	
Su3000rtxl3u	
W 02-Bw0	UPS SERVICE WARRANTY, 5-16KVA, FOR USE WITH:TRIPP LITE 5-16KVA UPS, ACCESSORY TYPE:UPS SERVICE AND WARRANTY, ROHS COMPLIANT: NA
B020-016-17	NETWORK SWITCH, KVM, 16PORT, 17 CONSOLE, PRODUCT RANGE:-, NO. OF PORTS:16PORTS, SWITCH MOUNTING:RACK, ROHS COMPLIANT: YES
N318-10m	
P568-003-Sw	
Tlp51f	
Pdumv15net	
N252-024-V	
P164-000-Kj-W h	

Sr48ubexp	IMPERIAL
N201-015-Gy	
Super6tel	
N455-000-Pm	
N002-003-BI	
N844-10m-12-P	
N001-007-Rd	
P560-050	
P070-010	
P450-006	
P750-006	
P503-100	
Super7b	
Su5000rt4utf	UPS, 208V, 5000VA / 4500W, CAPACITY (VA / W):5KVA / 4.5KW, NO. OF OUTLETS:16OUTLETS, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL
Smartint3000vs	UPS, 230V, 3000VA / 2250W, CAPACITY (VA / W):3KVA / 2.25KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL
B078-101-Usb2	
Pr45	
N201-020-Wh	
N202-175-BI	
Ib1984	
Rv30120em	RV INVERTER
Pv-200	
P570-006-Micro	
Eza-Vgaam-2	
Pdu1220t	
U244-001-Hdmi-R	
N201-100-Gy-P	
P041-001-2	

S455-010	
Sr25ubtaa	I
N001-007-Or	
N816-10m	
Sm3000rmnafta	UPS, 120V, 3000VA / 2250W, CAPACITY (VA / W):3000VA / 2250W, NO. OF OUTLETS:9, INPUT VOLTAGE VAC:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL LOAD:4MI
N125-050-Gy	
U029-006	
Supdm12	
P004-002-5	
Isobar12-Ultra	
N302-30m	
N318-01m	
N201-100-Bk	
F005-006	
N002-100-Bk	
S054-45i	
P568-003	
B136-004	
Eza-Vgam-2	
Su1000rtxl2u	
N001-014-Wh	
Su3000xlnafta	UPS, 120V, 3000VA / 2400W, CAPACITY (VA / W):3000VA / 2400W, NO. OF OUTLETS:9, INPUT VOLTAGE VAC:110V TO 120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FULL
Isotel-6-Ultra	
Sr42ubdpwd	IMPERIAL:78.5, EXTERNAL
Omni750iso	
Ib2-P	
B140-1p0	
N316-03m	
P940-39i	

In3005kb	
N002-003-Rd	
N518-02m	
Su3000rtxl3uhv	
Bcpr01400	POWER SUPPLY 120V 60HZ 9.2AMP
B132-110	
N001-007-Gn	
N261-025-Aq	
N204-010-BI-Ra	
Mrv2012ul	INVERTER / CHARGER, 12VDC / 120VAC, 2KW, NO. OF OUTPUTS:1 OUTPUT, INPUT VOLTAGE MAX:12VDC, OUTPUT POWER:2KW, OUTPUT VOLTAGE:120VAC, LENGTH:444.5MM, WI
N820-10m	
P058-006	
Isotel4ultra	
Smart2600rm2u	UPS, 120V, 2600VA / 2100W, CAPACITY (VA / W):2.6KVA / 2.1KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FUL
P005-006-Yw	
U322-006	
Smart1050	
B015-000	
Ibrm8/20a-L20p	
Rv1012ulhw	
N002-030-BI	
Deu2tel	
Super7tel	
Smx3000xlr2u	UPS, 230V, 3000VA / 2250W, CAPACITY (VA / W):3KVA / 2.25KW, NO. OF OUTLETS:9OUTLETS, INPUT VOLTAGE AC MAX:230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL
P566-016	
N820-07m	
	UPS, 120V, 1500VA/1350W, RACK MOUNT, CAPACITY (VA /

Su1500rtxlcd2u	W):1.5KVA / 1.35KW, NO. OF OUTLETS:6OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKU
P134-000	
Smart2200crmxl	UPS, 120V, 2200VA / 1900W, CAPACITY (VA / W):2.2KVA / 1.9KW, NO. OF OUTLETS:8OUTLETS, INPUT VOLTAGE AC MAX:120V, OUTPUT VOLTAGE:120V, BACKUP TIME -FUL
Su8000rt3u1tf	UPS, 208V, 8000VA / 7200W, CAPACITY (VA / W):8KVA / 7.2KW, NO. OF OUTLETS:18OUTLETS, INPUT VOLTAGE AC MAX:208V, OUTPUT VOLTAGE:208V, BACKUP TIME -FULL
Suint1500rtxl2ua	
P502-010-Ra	
N202-125-BI	
P569-010	