

Tti

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Tti Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Tti T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Psa1302	SPECTRUM ANALYZER, HAND HELD, 1MHZ TO 1.3GHZ, SPECTRUM ANALYZER TYPE:HANDHELD, TEST FREQUENCY RANGE:1MHZ TO 1.3GHZ, SENSITIVITY DBM:-, EXTERNAL HEIGHT
Sm300	Two-Channel Precision Thermometer
Fsveyy11-Syyyb-N	Fixed Transit Time Flowmeter Converter
Plh120p	PSU 120V 0.75A PROG, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:120V, OUTPUT CURRENT:750MA, POWER RATING:90W, INPUT VOLTAGE
Mx07r-20-A11b	PolyScience MX Circulating Water Bath 7 Liter -4F(-20C)
Pc705m	IS Pressure Calibrator, 700 bar
Fsd41	Transducer for 8 to 48" pipes
Cpx400dp	PSU DUAL 60V MAX 20A MAX PROG, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:60V, OUTPUT VOLTAGE 2:60V, OUTPUT

	CURRENT:20A, OU
Phl-11b12-E10ev	9-Channel Videographic Recorder
Phc33003-Aaoyv	Recorder, 3-Channel, 6-color Ink Jet
Bs407	MICRO OHM METER, RESISTANCE MEASURING RANGE:1 OHM TO 20KOHM, RESOLUTION (OHM) :1 OHM, TEST CURRENT:250MA, EXTERNAL HEIGHT:82MM, EXTERNAL WIDTH:220MM
Tg5011	FUNCTION GENERATOR 50MHZ, SIGNAL GENERATOR TYPE:ARBITRARY / FUNCTION / PULSE, BANDWIDTH:50MHZ, MODULATION TYPE:AM / FM / FSK / PM / PWM, SUPPLY VOLTAG
Lc-3as-As	Ultrasonic Level Meter
Phl21b12-E10wv	18 Channel PHL Paperless Recorder
Phe1vy32-5y0ev	PHE Strip Chart Recorder
Phu20001-E12yy	PHU Paperless Recorder
Phc660003-Ea0yv	Recorder, 6-Channel, 150-300V AC 50/60 HZ
M482 4932 4300 98	
Fscs10a2-00y	Portaflow-C Transit Time Flowmeter
Lc-8as-As	Ultrasonic Level Meter
Phe1by32-5y0ev	PHE Strip Chart Recorder
Phe2bb32-550ev	Strip Chart Recorder, 2 continuous recording
Fssd1cc1-Yy	Transducer for 0.5 to 4" pipes
Plh250p	PSU 250V 0.36A PROG, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:250V, OUTPUT CURRENT:360MA, POWER RATING:94W, INPUT VOLTAGE
Phl-11b12-E11rv	Compact Recorders Display
Fsv-Kit1-2	Kit for Pipes 0.5 to 4"
Phe2kb32-550ev	PHE Strip Chart Recorder
Phe1jy32-5y0ev	PHE Strip Chart Recorder, 100mm
Phl-11b12-E11ev	Electric PHL Paperless Recorder
Qpx1200s	POWER SUPPLY, SINGLE, 1.2KW 60V 50A MAX, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V, OUTPUT CURRENT:50A, POWER RATING:1
Iprober520	PROBE, CURRENT, POSITIONAL, ON PCB TRACK, LEAD LENGTH:2M, BANDWIDTH:5MHZ, SVHC:NO SVHC (20-JUN-

	2011), ROHS COMPLIANT: NA
Flw12	Sensor, 2" to 12", -40F to 176F
Phc66003-Aa0rv	PHC Strip Chart Recorder
Tc65m-110v	Temperature Calibrator 30 to 650C
Ha1-Ac115v	
Fsgb41y1-Yyycc1	Transducer for 8 to 48" Pipes
Phe2mf32-550ev	PHE Strip Chart Recorder, 2 Channel
Pm305-0040-K	Pressure Calibrator Kit
Pm305-0550-K	Pressure Calibrator Kit
Fdtw	Wetted Detector Set
Flvs-12	Portable Flowmeter
Pm305-0060	IS Pressure Calibrator 900 PSI
Ex354rt	
Pm305-1000	Pressure Calibrator 15, 000 PSI
Pha98004-Ea2yv	Recorder, 12-Channel Ink Jet
S2-L2-12v	
Psa2702usc	USC KIT, SPECTRUM ANALYZER, HAND HELD, 1MHZ TO 2.7GHZ, SPECTRUM ANALYZER TYPE:HANDHELD, TEST FREQUENCY RANGE:1MHZ TO 2.7GHZ, SENSITIVITY DBM:-, EXTERN
Fsv-Kit3-2	Kit for Pipes 8 to 48"
Phu20011-E11yy	PHU Paperless Recorder
1109 1745083-1	
Fdpp	Compu-Flow Portable Doppler Flow Meter Converter
Phe2ff32-550ev	PHE Strip Chart Recorder
Phl-11b12-E11yy	9-Channel Videographic Recorder
Phl-21b12-E10wv	PHL Paperless Recorder
Tx-1000u	
Fsc-Kit5-2	Fuji Electric Portaflow-C Kit
Tg5011g	GENERATOR, FUNCTION, 50MHZ INCL. GPIB, SIGNAL GENERATOR TYPE:ARBITRARY / FUNCTION / PULSE, BANDWIDTH:20KHZ, MODULATION TYPE:AM / FM / FSK / PM / PWM

Pm305-0010-K	Portable Pressure Calibrator
Qpx1200sp-Usa	1200W POWERFLEX MAX 60V OR 50A, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V DC, OUTPUT CURRENT:50A, POWER RATING:1.2KW
Tg550	
Phi21-B12-E10wv	PHL Paperless Recorder
Vg18-4d00-010-110	18 Channel Recorder
Tgr6000	GENERATOR, RF SIGNAL, 6GHZ, SIGNAL GENERATOR TYPE:RF, BANDWIDTH:6GHZ, MODULATION TYPE:FM, SUPPLY VOLTAGE RANGE:110V TO 240V, EXTERNAL HEIGHT:86.5MM, E
Fsc-Kit4-2	Fuji Electric Portaflow-C Kit
Phi11b12-E11ev	9 Channel Paperless Recorder
Phc66003-Aboyv	Recorder, 6-Channel, 6-color Ink Jet With Chart Illumination
Fsd12	Transducer for 2. to 16" pipes
Qpx600dp	POWER SUPPLY, BENCH, ADJ, 2 O/P, 50A, 1.2KW, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MAX:8
Vg18-4d00-110-120	18 Channel Recorder
Psa2701trefurb	TTI ANALYZER, SPECTRUM, 1MHZ TO 2700MHZ REFURBISHED
Phu20011-E11ey	PHU Paperless Recorder
Cpx400sp	PSU, SINGLE, 420W, 60V MAX, 20A MAX PROG, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V, OUTPUT CURRENT:20A, POWER RATING:
Fdtc	Clamp-on Detector Set
Phi-11b12-E11wv	Compact Recorders Display
Rs-L2-24v	
Flw41	Transducer for pipes from 8 to 48" in diameter
Phi-12b12-E10yv	9-Channel Videographic Recorder, Portable
Fsv-Kit2	Kit for Pipes 2 to 12"
Pc705-5k	IS Pressure Calibrator 5000PSI
Tc65m-220v	Temperature Calibrator 30 to 650C
Phc66003-Aaoyv	Recorder, 6-Channel, 6-color Ink Jet
	DUAL 600W POWERFLEX MAX 80V OR 50A, POWER SUPPLY

Qpx600d	OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MAX:80V, OUTPU
Pha98004-Eboyv	Recorder, 12-Channel, Ink Jet With Chart Illumination
Phl-11b12-E10wv	Compact Recorders Display
Fsc2-Kit3	Fuji Electric Portaflow-C Ultra Flowmeter Kit(0.5 to 48" pipes)
Fsgb31	Transducer for 2. to 12" pipes
Pm305-0700	Pressure Calibrator 10, 000 PSI
Ld300 29701	
Fsc2-Kit1	Fuji Electric Portaflow-C Ultra Flowmeter Kit(0.5 to 4" pipes)
Lcr400	LCR METER 0.1% BASIC ACCURACY, LCR TYPE:BENCH, TEST FREQUENCY MAX:10KHZ, INDUCTANCE MEASURE MAX:9900H, CAPACITANCE MEASURE MAX:99000 F, RESISTANCE MEA
Tc15m	Temperature Calibrator -40Cto150C, 110/220VAC
Phc33003-Ab0yv	Recorder, 3-Channel, 6-color Ink Jet With Chart Illumination
Fdpd	Compu-Flow Fixed Doppler Flow Meter Converter
Ql355tp.	PSU, PROG TRIPLE 35V 5A + 5V 1A P, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:3, POWER RATING:228W, INPUT VOLTAGE:115V AC , 230V AC, LOAD REG
Mb-2000slpm-D/5m, Gas:Air	Alicat Scientific MB Series Mass Flowmeter
Flw11	Sensor, 2" to 12", -40F to 176F
Fsgb50	Transducer for 8 to 235" Pipes
Pc705-10k	Pressure Calibrator, 10, 000 PSI
Fs200	Fuji Electric Ultrasonic Thickness Gauge
Pha98004-Eb2yv	PHA Strip Chart Recorder
Fsc-Kit1-2	Fuji Electric Portaflow-C Kit
Phl11b12-E10rv	9 Channel Paperless Recorder
Pm305-1000-K	Pressure Calibrator Kit
Ql564tp	PSU, TRIPLE 35V 5A + 6V 3A P, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:3, POWER RATING:242W, INPUT VOLTAGE:115V AC , 230V AC, LOAD REGULATI
Ha1600a	ANALYSER, HARMONIC, UK FRONT, ANALYZER FUNCTIONS:CURRENT / PHASE ANGLE / POWER / VOLTAGE, VOLTAGE RANGE RMS:115V / 230V, BANDWIDTH:67HZ, ACCURACY: 0.2

Phl21b12-E10rv	PHL Paperless Recorder, 18 input points
Rs-12v	
Pc705-3k	Pressure Calibrator 3000PSI
Vg18-4600-121-310	6 Channel Recorder
Ql355t.	PSU, TRIPLE 35V 5A + 6V 3A, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:3, POWER RATING:228W, INPUT VOLTAGE:115V AC , 230V AC, LOAD REGULATION
Phl-11b12-E10yv	9-Channel Videographic Recorder
Pha98004-Eaoyv	Recorder, 12-Channel, Ink Jet
Phu20001-E12ey	PHU Paperless Recorder
Cpx400s	PSU, SINGLE 420W 60V MAX 20A MAX, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V, OUTPUT CURRENT:20A, POWER RATING:420W, IN
Phl-22b12-E10yv	18 Channel PHL Paperless Recorder
851-9432	
Fsvey11-Syyyb-N	Time Delta-C Ultrasonic Flow Meter
St265	POWER METER, USB, 26.5GHZ, FREQUENCY MEASURING RANGE:10MHZ TO 26.5GHZ, POWER MEASURING RANGE:-50DBM TO +20DBM, STANDING WAVE RATIO:1.35:1, CONNECTOR T
Phe1by1-550ev	PHE Strip Chart Recorder
Phl-22b12-E10rv	18-Channel Videographic Recorder
Cpx400sa	PSU, SINGLE, 420W 60V MAX 20A MAX ANALOG, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:60V, OUTPUT CURRENT:20A, POWER RATING:
Phl-21b12-E10yv	PHL Paperless Recorder
Psa2702	SPECTRUM ANALYZER, HAND HELD, 1MHZ TO 2.7GHZ, SPECTRUM ANALYZER TYPE:HANDHELD, TEST FREQUENCY RANGE:1MHZ TO 2.7GHZ, SENSITIVITY DBM:-, EXTERNAL HEIGHT
Psa1302usc	USC KIT, SPECTRUM ANALYZER, HAND HELD, 1MHZ TO 1.3GHZ, SPECTRUM ANALYZER TYPE:HANDHELD, TEST FREQUENCY RANGE:1MHZ TO 1.3GHZ, SENSITIVITY DBM:-, EXTERN
Fsgb31y1-Yyyb1	Transducer for 2 to 12" Pipes
	POWER SUPPLY, DUAL 60V MAX, 20A MAX, POWER SUPPLY

Cpx400d	OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:60V, OUTPUT VOLTAGE 2:60V, OUTPUT CURRENT:2
Fscs-Printer	Thermal Printer for PORTAFLOW -C
Pm305-1200-K	Pressure Calibrator Kit 17, 500 PSI
Phi-21b12-E10ev	18-Channel videographic Recorder, Ethernet
Pm305-0350-K	Pressure Calibrator 5000psi / 350bar
Flw32	Sensor 2 -12" -40 to 176F
Qpx1200sp	POWER SUPPLY, BENCH, ADJ, 10/P, 60V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MAX:60V, OUTP
Ld300	DC ELECTRONIC LOAD, DC LOAD TYPE:FIXED, OPERATING VOLTAGE RANGE:0V TO 80V, OPERATING CURRENT RANGE:0A TO 80A, POWER RATING:320W, METER DISPLAY TYPE:LE