

## Turian

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Turian** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Turian Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">TUR-GR20KIT-A837</a>	GR20 A837-KIT G3/4
<a href="#">A837 (Complett)</a>	
<a href="#">A837 (repair set)</a>	
<a href="#">TUR-GR50R-RH</a>	GR50R-RH G2 TYPE R
<a href="#">GR 32 RH</a>	One-way rotary feedthrough DN32 with silicon carbide / hard carbon Seals, roller bearings and rotor thread G1 1/4 "RH, according to TURIAN drawing no. 7007A. Unit weight 3.6 kg net
<a href="#">20-RH 3/4</a>	
<a href="#">7817</a>	
<a href="#">96124</a>	
<a href="#">for GH 100 2U</a>	
<a href="#">for GHR 34 2U/SP</a>	

<a href="#">G-3V-14</a>	
<a href="#">GD 06 2U/acq</a>	
<a href="#">GD 10 2U - SAM</a>	
<a href="#">GD 10 LH 3500RPM</a>	
<a href="#">GH-34-2U</a>	
<a href="#">GH-34-2U/LAT</a>	
<a href="#">GH 34 2U/Sp</a>	Two-channel rotary union DN8 for use with air or hydraulic oil, with G1" rotor thread, (2x)G1/4" connections on the housing and (1x)G1/4" on the rotor hexagon, reference no. 5848-B.
<a href="#">GH-34-2U-SP</a>	
<a href="#">GHR 100-B955</a>	
<a href="#">GHR 34 2U/Sp</a>	
<a href="#">GR 08-050 LH</a>	
<a href="#">GR 08-050-RH</a>	
<a href="#">GR 08-100 RH</a>	
<a href="#">GR 10 LH</a>	
<a href="#">GR 10 RH</a>	
<a href="#">GR 100</a>	
<a href="#">GR 10-050 LH</a>	
<a href="#">GR 10-050 RH</a>	
<a href="#">GR 10-100 RH</a>	
<a href="#">GR 10-200 LH</a>	
<a href="#">GR 10-250 RH</a>	
<a href="#">GR 10-400 LH</a>	
<a href="#">GR 10-400 RH</a>	
<a href="#">GR 10-401 LH</a>	
<a href="#">GR 10-451 LH</a>	
<a href="#">GR 10-451 RH</a>	
<a href="#">GR 15-050 LH</a>	
<a href="#">GR 15-100 LH</a>	
<a href="#">GR 15-200 RH</a>	

[GR 15-201 LH](#)

[GR 15-201 RH](#)

[GR 15-251 RH](#)

[GR 15-400 LH](#)

[GR 15-401 RH](#)

[GR 15-450 RH](#)

[GR 15-451 LH](#)

[GR 20](#)

[GR 20 F LH](#)

[GR 20 F LN](#)

[GR 20 R-050 RH](#)

[GR 20 RH](#)

[GR 20-050 RH](#)

[GR 20-200 RH](#)

[GR 20-250 LH](#)

[GR 20-400 RH](#)

[GR 20-402 RH](#)

[GR 20-451 LH](#)

[GR 20-451 RH](#)

[GR 20-452 RH](#)

[GR 25 LH](#)

[GR 25-050 RH](#)

[GR 25-051 RH](#)

[GR 25-100 RH](#)

[GR 25-250 LH](#)

[GR 25-250 RH](#)

[GR 25-400 LH](#)

[GR 25-450 LH](#)

[GR 25-450 RH](#)

[GR 32 R LH](#)

<a href="#">GR 32 R LH - 7817</a>	
<a href="#">GR 40 LH</a>	
<a href="#">GR 40-RH</a>	
<a href="#">GR 65 F LH</a>	
<a href="#">GR 65 F RH</a>	
<a href="#">GR 65 R RH</a>	
<a href="#">GR 80 R RH</a>	
<a href="#">GR 90 R RH</a>	
<a href="#">GR10-3/8 RH</a>	
<a href="#">GRF 10</a>	
<a href="#">GRF 65 R</a>	
<a href="#">GRF-125</a>	
<a href="#">GSN 40 (A=11/2"BSP)</a>	
<a href="#">GSN-13-7708</a>	
<a href="#">HTF25</a>	
<a href="#">KIT-9310</a>	
<a href="#">KIT-GH 112 2U</a>	
<a href="#">KIT-GR25</a>	
<a href="#">Kit-5V-6066</a>	
<a href="#">GH 100 2U</a>	Two-channel rotary union DN10 for use with air or Hydraulic oil, with G1" thread on rotor and (2x) G3/8" Connections on the housing, according to TURIAN drawing no. 8633
<a href="#">GH 114 2U</a>	Two-channel rotary union DN15 for use with air, Hydraulic or argon, with G1 1/4" thread on the rotor and (2x) G1/2" connections on the housing, TURIAN model no. 7424 Unit weight = 4.1 kg
<a href="#">GR 25 LH</a>	Disposable rotary union DN25 with silicon carbide/hard carbon Seals and rotor thread G1" LH, according to TURIAN Zg-No. 7125B.
<a href="#">GH 112-9317</a>	Two-channel rotary union DN19 for use with air or hydraulics, G1 1/2" thread on the rotor and (2x) G3/4" connections on the housing (1x) G3/4" on the rotor hexagon and offset 1/8" drainage, according to TURIAN drawing no. 9317
<a href="#">GH 114 2U</a>	Two-channel rotary union DN15 for use with air, Hydraulic or argon, with G1 1/4" thread on the rotor and (2x) G1/2" connections on the housing, according to TURIAN Zg# 7424. Unit weight = 4.1 kg

<a href="#">G-4V-120</a>	Four-channel rotary union DN13(G1/2") for hydraulics, air and vacuum (with support tube), aluminum housing and hardened
<a href="#">Stainless Steel Sleeve For Gr 32-9750-Rh</a>	
<a href="#">Gh - 112 - 2u</a>	
<a href="#">Gc-38-9973-R</a>	
<a href="#">Gr25 F Rh Rotating Clutch</a>	
<a href="#">Gr 08-050 Rh/2rs</a>	
<a href="#">Gr 10 Lf Rh</a>	
<a href="#">Gh - 100 - 2u</a>	
<a href="#">Gh - 012 - 2u -18</a>	
<a href="#">Ghr-112-2u</a>	
<a href="#">Wh.990367 (*)</a>	
<a href="#">Gr 10 B Lh</a>	
<a href="#">G-4v-120/Aria</a>	
<a href="#">Gsn 18</a>	
<a href="#">Gsn10-Rh</a>	
<a href="#">Gr40-050 Rh</a>	
<a href="#">Turian Repair Kit For Rotary Joint Gr 65 Rh</a>	
<a href="#">Gr 20 F Rh</a>	
<a href="#">Ghr-012-2u-18</a>	
<a href="#">Htp 50/Sr Rh</a>	
<a href="#">Rotary Joint Gr 08 1/4"rh G</a>	
<a href="#">Ghr 34-Sp-7750</a>	
<a href="#">Gh 112</a>	
<a href="#">Gr 32 Rh</a>	
<a href="#">Gr20rh</a>	
<a href="#">I-21053 Rotating Unioncastellanza Gr 20 F Lh 40bar 3000rpm 170c</a>	
<a href="#">Gr 08 Rh</a>	
<a href="#">Ghr-100-2v</a>	

<a href="#">Seal Kit Gd40frh , By Kit-Gr 40</a>
<a href="#">Gr 25 Rh</a>
<a href="#">Gc-38-7250-R</a>
<a href="#">Gr 25 F Rh Turian Rotary Joint</a>
<a href="#">Kit-Gh 112 2u</a>
<a href="#">Gd 14 Ap/Acq</a>
<a href="#">Gd 40 R Rh</a>
<a href="#">G-2v-A881</a>
<a href="#">Gsn 13</a>
<a href="#">Gsn 04</a>
<a href="#">Gh - 34 - 2u/Sp</a>
<a href="#">Gr 10 B Rh</a>
<a href="#">Gr32-050 Rh</a>
<a href="#">Gsn 40</a>
<a href="#">Gc-14-7250-A</a>
<a href="#">Gh - 012 - 2u - 14</a>
<a href="#">Gsn 25 T</a>
<a href="#">Gc-38-9960-R</a>
<a href="#">Gc-14-9960-R</a>
<a href="#">Kit-Gr 40</a>
<a href="#">Gh112-U2</a>
<a href="#">Gc-38-9923-R</a>
<a href="#">Gr 40-Rh Drehkupplung</a>
<a href="#">Gr25</a>
<a href="#">Gh 114 2u</a>
<a href="#">Gh - 34 - 2u</a>
<a href="#">Gr 15 F Rh</a>
<a href="#">Gc-38-7550-R</a>
<a href="#">Gd 15 Rh Spare Part16 Bar 3500 Rpm 35/15</a>
<a href="#">Gsn 10</a>

<a href="#">Gc-14-9973-R</a>
<a href="#">Gsn 06 Rh</a>
<a href="#">Gh-342u/Sp 300bar</a>
<a href="#">Gr 25 F Rh</a>
<a href="#">Ghr 34-2u Rotary Union</a>
<a href="#">Gr32 R Lh Rotary Coupling</a>
<a href="#">Kit-Gr 50</a>
<a href="#">Gc-38-9965-R</a>
<a href="#">Gsn 18 T</a>
<a href="#">Ghr-34-2u-Sp</a>
<a href="#">Gr 32 R Rh</a>
<a href="#">Ghr-34-2u</a>
<a href="#">Gd40frh , By Gr 40 F Rh</a>
<a href="#">Gd 10 2u/Sam V300m</a>
<a href="#">Kit-Gr 20</a>
<a href="#">Ghr-114-2u</a>
<a href="#">Gr 40 Lh Rotary Joint</a>
<a href="#">Ghr34-2u-Sp</a>
<a href="#">Bearings For Grf-125</a>
<a href="#">Gr 15 Lh</a>
<a href="#">Ghr-100-2u</a>
<a href="#">Gc-38-7550-A</a>
<a href="#">Ghr 012 2u -14</a>
<a href="#">Gr 20 Rh Verbindung Rotations-Turian</a> <a href="#">Gr-20-Rh.3/4d (10505)</a>
<a href="#">Gd 14 Ap Rh</a>
<a href="#">Gh - 34 - 2u Rotating Joint</a>
<a href="#">Gr50rrh</a>
<a href="#">I-21053 7817 Gr32 L</a>
<a href="#">Gr 15 Rh</a>
<a href="#">Gd 06 2u</a>

<a href="#">Gsn 25</a>
<a href="#">Gh-100-2u Turian Rotary Joint</a>
<a href="#">Gsn 13 T</a>
<a href="#">Kit-9310</a>
<a href="#">Gd 10 2u</a>
<a href="#">Gr 40 F Lh</a>
<a href="#">Vm 15/15 1?</a>
<a href="#">Gr25rh</a>
<a href="#">Turian-Gr-20-Lh-Einweg- Drehdurchf3;Hrung-Dn20g34-Mit- Siliciumcarbid-Istanbul-Turkiye</a>
<a href="#">Gh 112 2u</a>
<a href="#">Ghr 34 2u</a>
<a href="#">Mechanical Seal For Gr 32-9750-Rh</a>
<a href="#">Ghr114</a>
<a href="#">Gh 34 2u/Sp</a>
<a href="#">Gsn 10 3/8 Gas</a>
<a href="#">Kit-Gr 32</a>
<a href="#">Grf-125 Rotating Joint Grf-125 Turian (  Joint Gd 125 Is Obsolete And Replaced  By Grf-125 )</a>
<a href="#">Gd38ap-90</a>
<a href="#">Ghr-34-2u/Sp Rotations-Verbindung 250  (Bar)</a>
<a href="#">Gr 40 F Rh</a>
<a href="#">Htp 50/Sr Lh</a>
<a href="#">G-8v-7613</a>
<a href="#">Gh100-2u-1</a>
<a href="#">Grf 100 R Two-Way Rotary Feedthrough</a>
<a href="#">Gd 13 2u</a>
<a href="#">Ghr-34-2u Kupplung</a>
<a href="#">Gr 32 F Rh</a>
<a href="#">Gh -114 - 2u</a>



<a href="#">Gd-14-Ap-6461a</a>
<a href="#">Gr25r-Rh</a>
<a href="#">Gr 50 R Rh</a>
<a href="#">Gr32rh</a>
<a href="#">Gr 32 R Lh</a>
<a href="#">Gc-14-9965-R</a>
<a href="#">Gc-14-7250-R</a>
<a href="#">Gh 100 2u</a>
<a href="#">Gh-012-2u-18</a>
<a href="#">Ghr-012-2u-14</a>
<a href="#">Gc-14-7550-A</a>
<a href="#">Gc-38-7250-A</a>
<a href="#">Gr 40 Rh</a>
<a href="#">Gsn 32</a>
<a href="#">Gr-20-B-7406</a>
<a href="#">Gr 10 Rh Turian Rotary Joint</a>
<a href="#">Gr 25 R Rh</a>
<a href="#">Gr 10 R Rh</a>
<a href="#">Gr 15 Rh Rotations-Verbindung</a>
<a href="#">Gc-14-9923-R</a>
<a href="#">Gh-112-2u/Sp</a>
<a href="#">Gh-100-2u</a>
<a href="#">Grf 65 R-Db- 9310</a>
<a href="#">Gr 25 Rh Verbindung Rotations-Turian</a> <a href="#">Gr-25-Rh.1d</a>
<a href="#">G-4v-120acq</a>
<a href="#">Ghr34 2u</a>
<a href="#">Ghr-34-Sp</a>
<a href="#">Gc-14-7550-R</a>
<a href="#">Gsn 06</a>
<a href="#">Gh-34-2u Verbindung Rotations</a>