



Twiflex

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Twiflex** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Twiflex Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
30106211	T6780413 Brake caliper "MR-13Z-LH" T6780413 Brake caliper "MR-13Z-LH" (mounted on the left), including two Z friction linings T0780123-Z, for slice thickness 1/2 "(6.5 kg), data sheet DS2000

30106733	T7200654 actuator "K-Full-SA" T7200654 Actuating element "K-Full-SA" (Full Rate = 100%) with automatic Wear adjustment, weight 3.7 kg / each, data sheet DS2007 & DS2507
MRK-Spring Applied-Pneumaticly released	Nur Bremssystem
30106211	T6780413 Brake caliper "MR-13Z-LH" T6780413 Brake caliper "MR-13Z-LH" (mounted on the left), including two Z friction linings T0780123-Z, for slice thickness 1/2 "(6.5 kg), data sheet DS2000 + Right-left-mounted version of the brake calliper must be checked according to definition sheet LH / RH, price for RH or LH is identisc
30359835	T7201408 actuator "K-Full-SA-MoU1" T7201408 Actuating element "K-Full-SA-MoU1" (100%) consists of actuating element T7201454 and monitoring unit T7701705 (one sensor); according to data sheet DS2007 & drawing 7201408; Weight 4.5 kg / pc.
T99999-106 Twiflex Artikel	T99999-106 +++ T7500163 / 30107289 Actuating element "XSH-4.6-SA" (6.8 kN) - SA / HR for MR / MX / GMX ", weight 11.00 kg / each, Data sheet DS2610 + Old no. 12812
T6780689	Brake caliper "MR-13W-LH" (mounted on the left), including two W friction linings T0780123-W, for slice thickness 1/2 "(6.5 kg); data sheet DS2000
T6780689/BA73	Brake calliper MR-13W-RH (mounted on the right) including two W friction linings T0780123-W, for slice thickness 1/2 "(6.5 kg); data sheet DS2000
T6780413	Brake caliper "MR-13Z-LH" Brake caliper "MR-13Z-LH" (mounted on the left), including two Z friction linings T0780123-Z, for slice thickness 1/2 "(6.5 kg), data sheet DS2000
T7200654	Actuating element "K-Full-SA" (Full Rate = 100%) with automatic Wear adjustment, weight 3.7 kg / piece, data sheet DS2007 & DS2507
T0780123-Z	Friction segment for MR/MS Friction segment "Z" for brake caliper MR & MS, weight 0.15 kg/pc. (single piece EA) + T0780123-Z-SS4 = 4 individual pieces T0780123-Z
T6780277	Brake caliper "MS-13Z" - aluminum Brake caliper "MS-13Z" with Z friction linings, with fixed aluminum jaws, for actuating elements A/D/E/F/G and H (not for K and L), data sheet DS1500, weight 1.5 kg/pc.
T7200276	operating element A (4") for "MS" Actuating element "A" (4") - pneumatically actuated for brake caliper "MS", Weight 1.4 kg/piece, data sheet DS1501
T7200865	Operating element D (3") for MS Actuating element "D" (3") - pneumatically actuated for brake caliper "MS", Data sheet DS1502, weight 1.1 kg/pc.
T7200654	Actuator "K-Full-SA" T7200654 Actuator "K-Full-SA" (Full Rate = 100%) with automatic Wear adjustment, weight 3.7 kg/pc., data sheet DS2007 & DS2507
T7200770	Actuator "K-2/3-SA" Actuating element "K-2/3-SA" self-adjusting, data sheet DS2007 / DS2507, weight 3.4 kg/pc.
T7902804	Diaphragm repair kit for BTE "K" Diaphragm repair kit for actuator "K", including one Membrane, O-ring (115 x 120 x 3) and 12 hex. screws and nuts M5 Weight 0.1kg/set
T7902811	Spring set for "MR" Set of springs (1 x T2400020 + 2 x T2400035) for brake caliper "MR"

T7080134-Z	Friction segment for T20 Friction segment "Z" for hydraulically operated brake caliper "T20"; weight 150 g/pc. (single piece EA)
T7080118-Z-SS2	Set of friction segments for "MX" 30106615
T6780710/AJ81	Brake caliper "MX-25Z-LH" 20025346
T7201046	Actuator "XS-7.5-SA"
T6780413	T6780413 Caliper "MR-13Z-LH" T6780413 Brake caliper "MR-13Z-LH" (mounted on the left), incl. two Z friction linings T0780123-Z, for disc thickness 1/2" (6.5 kg), data sheet DS2000
T7080118-Z	Friction segment "Z" for "MX" T7080118-Z Friction segment "Z" for brake caliper "MX", weight 0.17 kg/pc. (single piece EA)
DISC BRAKE CALIPER	
T7902804 Diaphragm repair kit for BTE "K"	30108508 Diaphragm repair kit for actuator "K", including one Membrane, O-ring (115 x 120 x 3) and 12 hex. screws and nuts M5 Weight 0.1kg/set
T7200654 Actuator "K-Full-SA"	30106733 Actuator "K-Full-SA" (Full Rate = 100%) with automatic Wear adjustment, weight 3.7 kg/pc., data sheet DS2007 & DS2507
TYPE 'A'(MS) THRUSTER	7200276 PART NO
T7080080-W Friction segment for GMR	30347590 Friction segment "W" for brake caliper "GMR", weight 0.85 kg/pc. (single pieceEA)
5500514	T99999-106 +++ T7500163 / 30107289 Actuating element "XSH-4.6-SA" for MR/MX /GMX brake calipers, weight 11.00 kg/pc., Datasheet DS2510
T7080134-Z friction segment for T20	T7080134-Z friction segment for friction segment "Z" for hydraulically actuated brake caliper "T20"; weight 150 g/pc. (single piece EA) ++ Two (2) pieces of friction linings are required per brake
T6780413 Caliper "MR-13Z-LH"	T6780413 Brake caliper "MR-13Z-LH" (mounted on the left), incl. two Z friction linings T0780123-Z, for disc thickness 1/2" (6.5 kg), data sheet DS2000
T7200770 Actuator "K-2/3-SA"	Actuating element "K-2/3-SA" self-adjusting, data sheet DS2007 / DS2507, weight 3.4 kg/pc.
T7902804 Diaphragm repair kit for BTE "K"	Diaphragm repair kit for actuator "K", including one Membrane, O-ring (115 x 120 x 3) and 12 hex. screws and nuts M5 Weight 0.1kg/set
T7902798 Diaphragm repair kit for BTE XS	Diaphragm repair kit for actuator "XS"
T6780413/AH9 Caliper "MR-13Z-RH"	Brake caliper "MR-13Z-RH" (mounted on the right), incl. two Z friction linings T0780123-Z, for disc thickness 1/2", weight 6.5 kg, data sheet DS2000
T7200770 Actuator "K-2/3-SA"	Actuating element "K-2/3-SA" self-adjusting, data sheet DS2007 / DS2507, weight 3.4 kg/pc.
T0780123-Z Friction segment for MR/MS	T0780123-Z Friction segment "Z" for brake caliper MR & MS, weight 0.15 kg/pc. (single piece EA)
Friction segment for MR/MS T0780123-Z	30141044 Friction segment "Z" for brake caliper MR & MS, weight 0.15 kg/pc. (single piece EA)
Brake caliper T6780858/AK35	T2-10Z-SM for 10 mm thick brake discs on the side. mounted (SM) for hydraulic and pneumatic actuation Weight 0.8 kg/pc., data sheet DS3028
	(T6780919) Caliper brake "MU-8Z P" for 8 mm thick brake disc

MU-8Z P	consisting of: - Brake caliper "MU-8/13Z (T6780918) with "Z" friction linings (T7080047-Z) and - Actuating element "P" (T7200525) made of plastic according to data sheet "MU-P 8mm"; Total weight 1 kg
Diaphragm repair kit for BTE "B"-5" T7902803	Item number: 30143638 Membrane repair kit for actuator "B" (5") consisting of: 1 piece 7200827 Membrane "B" 13 pcs. 5400331 Screw M5 x 25 mm 13 pcs. 5100195 Nyloc nut M5 type P Weight 0.5 kg/pc.
Diaphragm repair kit for BTE "XS" T7902798	Item number: 30144593 Membrane repair kit for actuator "XS"
30145345	Actuator XSH-4.6-SA" (6.8 kN) - SA/HR T7500163 / 30107289 (40 bar, max. 120 bar) for MR/MX /GMX brake calipers, data sheet DS2510
T6780710	MX-25Z-RH Item number: 30145385 Brake caliper "MX-25Z-RH" - mounted on the right, with Z friction linings (T7080118-Z), for brake disc thickness 25.4 mm, weight 6.8 kg/piece, data sheet DS2500
Brake caliper T6780710/AJ81	MX-25Z-LH Item number: 30145386 Brake caliper "MX-25Z-LH" - left-mounted, with Z friction linings (T7080118-Z), for brake disc thickness 25.4 mm, weight 6.8 kg/piece, data sheet DS2500
Actuator	XS-7.5-SA T7201046 Item number: 30145387 Actuating element "XS-7.5-SA", data sheet DS2509/DS2609, weight 4.9 kg/pc.
Brake caliper MR-13Z-RH	T6780413/AH9 Item number: 30145557 Brake caliper "MR-13Z-RH" (mounted on the right), including two Z friction pads T0780123-Z, for brake disc thickness 1/2" (12.7mm), weight 6.5 kg/piece, DS2000 data sheet
Actuator K-Full-SA	T7200654 Item number: 30143967 Actuator "K-Full-SA" (Full Rate = 100%) with automatic Wear adjustment, weight 3.7 kg/piece, data sheet DS2007 & DS2507
Hydraulic brake	VKSD-119 kN 2 mm Gap T67A1541/AX40 30146241
C159.WC25.3431400 M1907	VKSD DISC BRAKE CALIPER 119 kN Braking Force • On-site torque adjustment to precisely match application needs "park-off" facility for fast pad changing without special tools • Spring-Applied - low pressure air release • Controlled reversal of belt • Automatic release of belt tension • Stops in either direction
Membrane kit T7902799	30146991 T7902799 Diaphragm kit for BTE "D" Diaphragm repair kit for actuating element "D" (brake caliper MR/MX/MS,
Repair kit CE2 mineral oil T7902795	Item no.: 30147204 Repair kit for "CE & CE2" mineral oil, consisting of: 2 pcs. T6700060 seal 2 pcs. T6000263 piston seal "mineral oil" 8 pcs. T5400293 cylinder head screw M8 x 40 1 pc. T5100291 Nyloc self-locking nut M6
Brake caliper CE2	T6780583 Article no.: 30147205 Brake caliper "CE2 Mark 2" including carrier body and friction linings, for mineral oil, without piping, data sheet DB2009
MR/MS T0780123-Z	Article no.: 30141044 Friction segment "Z" for brake caliper MR & MS
30146997	Retaining spring brake shoe MS100/SMR T2500348
30148335	Retaining bracket for friction lining MS100 T7908688
30144234	Friction segment for MR/MS T0780123-W Friction segment "W" for brake calliper MR & MS, weight 0.15 kg/piece (Single piece EA)
Actuator XSH-4.6-SA" (6.8 kN) - SA/HR	
A" MS Thruster	
4798008z0112	

48z88z3100088	
7500092 Ah37	
50000	
100.405.01(Ex.100.410.01)	
47899 Vcs 55	
Mrd	
7200776	
Gmr 10405 (Ex 240095)	
Mxa 25	
C94g Alb-Alb	
7500575	
48t8007080118	
Mxg 30	
7200494	
10546	
0780123-Z	
Mx25	
48080011846	
0780123	
Mrl 2/3	
Mxg 40	
6000242	
48p8007500357	
7500124/Ah40	
7500124	
48d88d240035	
7500662	
48c80011157	
Mx15sh	
10872	
Vcs Mk4	
48h8007200654	
T6780710	Brake caliper "MX-25Z-RH"
2889000054	

479800810829	
0780123-N	
14018	
Mxa_13	
12812_555-79 (4.6 Hp)	
13322	
11846	
Ds2513	
7080134-Z	
4838007701211	
11195	
08h8_8h7902805	
7500147	
409,553 / 10559	
7080134zss2	
48e8006780277	
7902800	
11679_O-Ring_Vcs_Mks	
Gmr-S	
T0780123 - Z - Ss4 Pad Assy M - R/Ms Set Of 4	
T6780277	T6780277 Brake Caliper "MS" - Aluminum Brake caliper "MS" made of aluminum with fixed jaws for actuation A / D / E / F / G u. H (not for K and L), data sheet DS1500, weight 1,5 Kg / pc
48h8007200770	
4798008e0865	
10873	
200.410.01	
0780124-Z	
C94g-Alb-Alb	
12669_M5x25_Din933	
11254	
15,3x2,4/ 10267	
6780413/Ah9	
Gmx30	
7080118-Zss2	

Mxb 13
10,77x,62 / 1058
4768006781634
483183pmss12-Vs
Mx13
10036 Mr Bremszange
Mxb 25
7902801
Mrk 10065-Right
4788008d0126
Mx-177
7500105
6600113
Gmr-Sh
6780277
Mrw
7080047-Z
10775, Typ Mr
47699
11814 O-Ring 50x2,5
Gmr-P
Ah37
4798008d0056
12151 150x71x8 Feder, Teller
. 0780123-Z
Mra
Xsh 7.5 (556-79)
Mrk
Mre
12498 M5 Din985
K7201 042
11231
7902813
7080011-Z
48t8007080080-Z

409-79 (Identisch Mit Part-No.7200654)
7902804
Mrk Mit Automatik (Ex Mrk) (Left)
0780123z10775
116x3 10547
7500644
11677 Dichtung, Kolben-Vcs Mks
7500163
80065 (Ex 10065)
10117
7200698
Dbf 16205 F.20 D
Mx30
Db2009
2/4 Series Type 65
Vch 7080105-X
48d8006780591 Mr 25
48f8006780685
Tca 1340/94
7080159-Z
Mr/Ms
Mrk Mit Automatik 30 % Bremszylinder Links (13264)
6000285
48f8006780710
10134 Ex.(7200276)
10239
10775
7901381
103-79 Bremszylinder
6000263
Mus2
7080118
48d8006780413

7200276	
Gmr-H	
13329	
7701211	
48h8007201326	
7080142-Z	
780123-N	
200.406.01	
7200654	
780123	
6830081	
7701295	
7700945	
Mxb 30	
7701341	
409-79/10286	
Mr/2	
Mrw 12422	
Mxb 40	
6700060	
Vkhhd	
Xs7.5	
Mx13pay-Off Z/Mill	
4798008d0654	
Mrb	
T7800127	T7800127 Manual operation element m. Button "MS" Manual override with aluminum button for brake caliper "MS / MS100", Datasheet DS1506, weight 1,1 Kg / pc.
T99999-106	T99999-106 Twiflex article +++ original Twiflex article no. T7800128 Lever Actuator "F" for MS Brake Caliper, data sheet DS1504
Mrk Mit Automatik 30 % Bremszylinder Rechts 13264	
0-74-10.8 Kn	
7080080-Z	
6640058	
7200829	
11518	

Msh
6640142
7080118-Z
7500357
6780685
Msg
7903359
Gmx25
200.405.01
11678 Dichtung, Zylinder-Vcs Mks
7500702
Mx15 (Ex.Mx13)
Mxa 40
7500638
48p8007500092
Gmr-Sd
410-79 Mit Automatik 7.5 Kn, 14018
Vh
7902805
Gmr40-P
48t8007080134-Z
Mxa 30
6780413
10245 Typ 409
7500125/Ah41
6600112
Art.10065
C94h
6780379 (Ex 074804/6780379)
4768008d0102
10547 116x3
10319
Mx
T7902795 Repair Kit "ce2" Mineral Oil
Repair kit for "CE & CE2" mineral oil, consisting of: 2 pieces T6700060 seal 2 pcs. T6000263 piston seal "mineral oil" 8 pcs.T5400293 cheese

head screw M8 x 40 1 pc T5100291 Nyloc self-locking nut M6 Total weight 0.2 kg / pc
Mx40
Std204
Gmrsh
409-79(Ex.7200654)
10813 O-Ring 59x3
48t8000780123-Zss4
13x1,5/ 10546
10268
Msl
Gmx40
48h88h7200786
Mxg 13
720778
Ce2
409-79
Mrh
Bremsbelag Typ Mr 10775
Mxg 25
10775, (T-544)
Msd
7500126/Ah42